LUBRICATION LO5-3810-206-12-4

**ORDER** 

26 MARCH 1971 (Supersedes L.05-3810-201-12-4, dtd 9 Feb 1968 and L05-3810-206-12-4, dtd 18 Mar 1968)

# CRANE-SHOVEL, BASIC UNIT, CRAWLER MOUNTED, 40 TON, 2 CU YD, DIESEL DRIVEN, (HARNISCHFEGER MODEL 855 BG, 855 BG-2 AND 855 BG-3) W/HARNISCHFEGER ENGINE MODEL 687C-18-ES AND CATERPILLAR ENGINE MODELS D333TA AND D333C

Reference L05-3810-206-12-1,-3, and -5 C9100-IL

Intervals are based on normal hours of operation. Adjust to compensate for abnormal operations and severe conditions. During Inactive periods sufficient lubrication must be performed for adequate preservation.

Clean parts with SOLVENT, dry-cleaning, or with OIL, fuel, Diesel. Dry before lubricating.

Clean fittings before lubrication. sides of equipment.

Lubricate points Indicated by dotted arrow shafts on both

Relubricate after washing or fording.


Drain gearcases when hot. Fill and check level.


A dotted circle Indicates a drain below.

LUBRICANT • INTERVAL

INTERVAL • LUBRICANT

FOLD FOLD





-KEY-

LUBRICANTS	CAPACITY	EXPECTED TEMPERATURES			INTERVALS
		Above +32° F	+40° F to -10° F	0° F to -65° F	
HDO-OIL, Engine Heavy Duty					
Chain Case	14 qts	HDO 30	HDO 10	OES	
Oil Can Points					Intervals
OES-Oil, Engine, Sub-zero					given are
GO-LUBRICATING OIL, Gear					In hours of
Power Take-off	8 qts	GO 90	GO 90	GOS	normal
Jack Shaft Pedestal Case	24 qts				operation
GOS-LUBRICATING OIL, Gear, Sub-zero					
CW-11-B LUBRICATING OIL, Exposed Gear		ALL TEMPERATURES			
GAA-GREASE, Automotive and Artillery					

#### NOTES:

panel) (Necessary only when equipment is being

utilized as shovel)

**Drum Shaft Bearing** 

Planetary Gear and

(Clean and coat)

**FOLD** 

**Pinions** 

GAA ])

CW11 10

- 1. FOR OPERATION OF EQUIPMENT IN PROTRACTED COLD TEMPERATURES BELOW 10° F. Remove lubricants prescribed in the key for temperatures above 10° F. Relubricate with lubricants specified In the key for temperatures below 1° F.
- 2. **OIL CAN POINTS**. Every 10 service hours lubricate all linkage, pins and clevices with HDO.
- **3. CHAIN CASE BREATHER**. Every 250 service hours remove breather cap and clean In approved cleaning SOLVENT. Dry, reoil and re-install.
- **4. TRAVELING**. When traveling, lubricate the following points every 2 service hours, swing gear bushing, vertical propel shaft and propel gear bushing.

**5. LUBRICANTS** The following is a list of lubricants with the Military Symbols and applicable Specification numbers.

HDO MIL-L-45199 GOS MIL-L-10324 GO MIL-L-2105 GAA MIL-L-10924 OES MIL-L-10295 CW-11B VV-L-751

Copy of this Lubrication Order will remain with the equipment at all times, instructions contained herein are mandatory.

100 GAA

250 GAA

10

10

HDO

Drum Shaft Bearing

Clutch Drum Bearing

(Remove plugs and in-

sert fitting to lubricate)

**FOLD** 

Plug

GAA Chain Tightener

Crowd Chain

(Clean and Coat)

BY ORDER OF THE SECRETARY OF THE ARMY.

W. C. WESTMORELAND General, United States Army, Chief of Staff

OFFICIAL

KENNETH G. WICKHAM Major General, United States Army, The Adjutant General.

## RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS SOMETHING WRONG WITH THIS PUBLICATION? FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS) THEN. . JOT DOWN THE DOPE ABOUT IT ON THIS FORM, CAREFULLY TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL! DATE SENT PUBLICATION NUMBER PUBLICATION DATE PUBLICATION TITLE BE EXACT. . . PIN-POINT WHERE IT IS IN THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT: TABLE NO. PARA-GRAPH FIGURE ALONG PERFORATED LINE

SIGN HERE:

DA 1502% 2028-2

PRINTED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER

PREVIOUS EDITIONS • ARE OBSOLETE.

P.S.—IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

PIN: 029964

### This fine document...

Was brought to you by me:



### <u>Liberated Manuals -- free army and government manuals</u>

Why do I do it? I am tired of sleazy CD-ROM sellers, who take publicly available information, slap "watermarks" and other junk on it, and sell it. Those masters of search engine manipulation make sure that their sites that sell free information, come up first in search engines. They did not create it... They did not even scan it... Why should they get your money? Why are not letting you give those free manuals to your friends?

I am setting this document FREE. This document was made by the US Government and is NOT protected by Copyright. Feel free to share, republish, sell and so on.

I am not asking you for donations, fees or handouts. If you can, please provide a link to liberatedmanuals.com, so that free manuals come up first in search engines:

<A HREF=http://www.liberatedmanuals.com/>Free Military and Government Manuals</A>

- SincerelyIgor Chudovhttp://igor.chudov.com/
- Chicago Machinery Movers