LUBRICATION ORDER

PUMP, CENTRIFUGAL, POL, GED, 6 IN. 1120 GPM, SKID MOUNTED (BARNES MODEL US67CCG) W/ENGINE CONTINENTAL MODEL FS 244-06097P

Reference: C900-IL

Intervals and related task-hour times are based on normal hours of operation. The task-hour time specified is the time you need to do all the services prescribed for a particular interval. Change the interval if your lubricants are contaminated or if you are operating the equipment under adverse operating conditions, including longer-than-usual operating hours. You may extend the interval during periods of low activity, but you must take adequate preservation precautions.


*The time specified is the time required to perform all services at the particular interval.

Clean fittings before lubricating. Relubricate all areas exposed to water after amphibious operation. Lubricate points indicated by dotted arrow shaft on both sides of equipment. Clean parts with SOLVENT, dry cleaning, or with OIL, fuel, diesel. Dry before lubricating. Drain crankcase when HOT. Fill and check level. The lowest level of maintenance authorized to lubricate a point is indicated by one of the following: (C) operator/crew, or (O) organizational maintenance.

You can improve this publication by calling attention to errors and by recommending improvements and by stating your reasons for the recommendations. Your letter or DA Form 2028 (Recommended Changes to Publications and Forms) should be mailed directly to Commander, U. S. Army Troop Support Command, ATTN: DRSTS-MPP, 4300 Goodfellow Blvd., St. Louis, MO. 63120. A reply will be furnished directly to you.

FOLD

FOLD



*TOTAL TASK HOURS		*TOTAL TASK HOURS			
INTERVAL D W B-M	TASK-HOURS 0. 5 1. 5 0. 25	INTERVAL S A	TASK-HOURS 3. 0 4. 0		

-KEY-

LUBRICANTS	CAPACITY	Above +32°F Above 0°C	EXPECTED TEMP +40°F to -10°F + 5°C to -23°C	ERATURES 0°F to -65°F -18°C to -50°C		INTERVALS
OE/HDO Oil., Engine MIL-L-2104 Heavy Duty, OE-HDO Crankcase MILL-2104 OE-HDO Oil Can Points MIL-L-2104 OEA/APG-PD-1 Oil, Engine Subzero	5 112 qt 5. 20 liters	OE-HDO 30	OE/HDO	OEAAPG-PD-1	Operation Refer to TM 9-207	D- 100 Miles, 10 Hours, or Daily W- 500 Miles 50 Hours, or Weekly BM-100 Miles 100 Hour, or Bi-Monthly S- 5000 Miles, 500 Hours,
GAA-GREASE, Automotive MIL-G-10924 and Artillery			ALL TEMPERA	TURES	For Arctic	or Semi Annually A- 10, 000 Miles, 1000 Hours, or Annually

NOTES:

- FOR OPERATION OF EQUIPMENT IN PROTRACTED COLD TEMPERATURES BELOW -100 F (-230 C.) Remove lubricants prescribed in the key for temperatures above 100 \dot{F} (-23 $^{\circ}$ C.) Relubricate with lubricants specified in the key for temperatures below -10° F (-23° C).
- OIL FILTER. Every 1000 miles, 100 hours, or BiMonthly service filter element. After installing new filter element, fill crankcase, operate engine five minutes, check housing for leaks, check crankcase oil level and bring to full mark.
- OIL CAN POINTS. Every 500 miles, 60 hours, or weekly, lubricate pivot points and all adjusting threads with OE/ HDO.
- LUBRICANTS. The following is a list of lubricants with the Military Symbols and applicable specification numbers.

OE/HDO MIL-L-2104 GAA MIL-G-10924

OEA/APG-PD-

Copy of this Lubrication Order will remain with the equipment at all times; instructions contained herein are mandatory.

BY ORDER OF THE SECRETARY OF THE ARMY

BERNARD W. ROGERS General, United States Army Chief of Staff

OFFICIAL:

PAUL T. SMITH Major General, United States Army The Adjutant General

FOLD FOLD

DISTRIBUTION: To be distributed in accordance with DA Form 12-25A, Operator maintenance requirements for Petroleum Distribution.

* U. S. GOVERNMENT PRINTING OFFICE: 1994 O - 300-721 (00352)

PIN: 018011-000

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS						
753	SOMETHING WRONG WITH THIS PUBLICATION?					
THEN JOT DOWN THE DOPE ABOUT IT ON THIS FORM, CAREFULLY TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL! THEN JOT DOWN THE DOPE ABOUT IT ON THIS FORM, CAREFULLY TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL! DATE SENT						
PUBLICATION NUMBER	PUBLICATION DATE PUBLICATION TITLE					
BE EXACT. PIN-POINT WHERE IT IS PAGE PARA- GRAPH PIQURE NO.	IN THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT:					
PRINTED NAME, GRADE OR TITLE, AND TELEP	PHONE NUMBER SIGN HERE:					

PREVIOUS EDITIONS . ARE OBSOLETE.

P.S.—IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

DA 1 JUL 70 2028-2

PIN: 018011-000

This fine document...

Was brought to you by me:



<u>Liberated Manuals -- free army and government manuals</u>

Why do I do it? I am tired of sleazy CD-ROM sellers, who take publicly available information, slap "watermarks" and other junk on it, and sell it. Those masters of search engine manipulation make sure that their sites that sell free information, come up first in search engines. They did not create it... They did not even scan it... Why should they get your money? Why are not letting you give those free manuals to your friends?

I am setting this document FREE. This document was made by the US Government and is NOT protected by Copyright. Feel free to share, republish, sell and so on.

I am not asking you for donations, fees or handouts. If you can, please provide a link to liberatedmanuals.com, so that free manuals come up first in search engines:

Free Military and Government Manuals

- SincerelyIgor Chudovhttp://igor.chudov.com/
- Chicago Machinery Movers