

TUG, HARBOR, DIESEL, 1200 H. P. STEEL, 100 FT DESIGN 3006
(HULL NUMBERS LT 1936 THRU LT 1977 AND LT 2202)

Reference: FEDERAL SUPPLY CATALOG C9100-IL, LO55-1925-204-12-1, 2, 3, 4, 5, 6, 7, TM55-1925-204-12 and TM55-1925-204-34

Intervals are based on normal hours of operation. Adjust to compensate for abnormal operation and severe conditions. During inactive periods, sufficient lubrication must be performed for adequate preservation.

Clean fittings before lubricating.

Relubricate after washing.


Clean parts with SOLVENT, Dry-cleaning, Type II, (SD-2). Dry before lubricating.

FOLD

FOLD

LUBRICANT ● INTERVAL

INTERVAL ● LUBRICANT



PUMP-MODELS A313A143 AND A322AX250

-KEY-

LUBRICANTS	CAPACITY	EXPECTED TEMPERATURES			INTERVALS
		Above +32° F	+40° F to -10° F	0° F to -65° F	
GAA-GREASE, Auto & Artillery		ALL TEMPERATURES			Intervals given are in hours of normal operation

NOTES:

1. ROTARY PUMP, is furnished with prepacked ball bearings which will normally require no attention before or after being placed in operation. If the pump should be disassembled for any reason, repack the bearing with GAA Grease before reassembling the pump.
2. COUPLING. The coupling is of the Jaw Type. Each coupling hub is keyed to the shaft to prevent rotation and is secured by a set screw. Since there are no moving parts, no lubrication is required.
3. GREASE DRAIN PLUG. If motors are stored for more than three months, the plugs at the bottom of the bearing chambers should be removed and a portion of the lubricant drained. Replenish with an equivalent amount of Grease after the drain plugs have been replaced. When motor is in daily operation remove drain plugs and supply 2 or 3 shots of GAA Grease every 200 hrs at grease fittings. Replace drain plug.
4. LUBRICANTS. The following is a list of lubricants with the Military Symbols and applicable Specification numbers. GAA MIL-G-10924.

Copy of this Lubrication Order will remain with the equipment at all times; instructions contained herein are mandatory.

BY ORDER OF THE SECRETARY OF THE ARMY:

CREIGHTON W. ABRAMS
General, United States Army
Chief of Staff

VERNE L. BOWERS
Major General, United States Army
The Adjutant General.

DISTRIBUTION: To be distributed in accordance with DA Form 12-25D (qty req block No. 813)
Operator's Maintenance requirements for marine Equipment All.

FOLD

FOLD

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS



THEN...JOT DOWN THE
DOPE ABOUT IT ON THIS FORM.
CAREFULLY TEAR IT OUT, FOLD IT
AND DROP IT IN THE MAIL.

SOMETHING WRONG WITH PUBLICATION

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

DATE SENT

PUBLICATION NUMBER

PUBLICATION DATE

PUBLICATION TITLE

BE EXACT PIN-POINT WHERE IT IS

PAGE NO.	PARA-GRAPH	FIGURE NO.	TABLE NO.
----------	------------	------------	-----------

IN THIS SPACE, TELL WHAT IS WRONG
AND WHAT SHOULD BE DONE ABOUT IT.

TEAR ALONG PERFORATED LINE

PRINTED NAME, GRADE OR TITLE AND TELEPHONE NUMBER

SIGN HERE

This fine document...

Was brought to you by me:



[Liberated Manuals -- free army and government manuals](#)

Why do I do it? I am tired of sleazy CD-ROM sellers, who take publicly available information, slap “watermarks” and other junk on it, and sell it. Those masters of search engine manipulation make sure that their sites that sell free information, come up first in search engines. They did not create it... They did not even scan it... Why should they get your money? Why are not letting you give those free manuals to your friends?

I am setting this document FREE. This document was made by the US Government and is NOT protected by Copyright. Feel free to share, republish, sell and so on.

I am not asking you for donations, fees or handouts. If you can, please provide a link to liberatedmanuals.com, so that free manuals come up first in search engines:

<A HREF=<http://www.liberatedmanuals.com/>>Free Military and Government Manuals

- Sincerely
Igor Chudov
<http://igor.chudov.com/>
- [Chicago Machinery Movers](#)