#### **TECHNICAL MANUAL**

# ORGANIZATIONAL MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LISTS FOR

RESTORERS
PULSE FORM TD-206/G (NSN 5805-00-868-8078)
AND
PULSE FORM TD-206B/G (NSN 5805-01-020-2251)

**TECHNICAL MANUAL** 

NO. 11-5805-367-20P-4

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON,DC,30 November, 1979

# ORGANIZATIONAL MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LISTS FOR RESTORERS PULSE FORM TD-206/G (NSN5805-00-868-8078) AND PULSE FORM TD-206B/G (NSN5805-01-020-2251)

Current as of 22 August 1979

#### REPORTING ERRORS AND RECOMMENDED IMPROVEMENTS

You can help improve this manual. If you find any mistakes or if you know of a way to improve the procedures, please let us know. Mail your DA Form 2028 (Recommended Changes to Publications and Blank Forms), direct to: Commander, US Army Communications and Electronics Materiel Readiness Command, ATTN: DRSEL-ME-MQ, Fort Monmouth N.} 07703 A reply will he furnished direct to you.

#### **Table of Contents**

			Illus.
		Page	Figure
SECTION I.	Introduction	1	
II.	Repair Parts List	5	
Group 00	Restorer, Pulse Form TD-206/G	5	1
01	Electronic Component Assembly (A1) (No parts authorized)		
02	Cable Assembly (A2- (No parts authorized)		
03	Cap Arrestor (A3) (No parts authorized)		
04	Cable Assembly (A4) (No parts authorized)		
00	Restorer, Pulse Form TD-206B/T	7	2
01	Repeater CCA: (A1,A2) (No parts authorized)		
SECTION III.	Special Tools List (Not applicable)		
IV.	National Stock Number and Part Number Index	8	

<sup>\*</sup> This manual supersedes TM 11-5805-367-20P-4, 16 September 1977.

## SECTION I

#### 1. Scope

This manual lists spares and repair parts; special tools; special test, measurement, and diagnostic equipment (TMDE), and other special support equipment required for performance of organizational maintenance of the TD-206/G and TD206B/G. It authorizes the requisitioning and issue of spares and repair parts as indicated by the source and maintenance codes.

#### 2. General

This Repair Parts and Special Tools List is divided into the following sections:

- a. Section II. Repair Parts List. A list of spares and repair parts authorized for use in the performance of maintenance. The list also includes parts which must be removed for replacement of the authorized parts. Parts lists are composed of functional groups in numeric sequence, with the parts in each group listed in figure and item number sequence.
  - b. Section III. Special Tools List. Not applicable.
- c. Section IV. National Stock Number and Part Number Index. A list, in National item identification number (NIIN) sequence, of all National stock numbers (NSN) appearing in the listings, followed by a list, in alphameric sequence, of all part numbers appearing in the listings. National stock numbers and part numbers are cross-referenced to each illustration figure and item number appearance.

#### 3. Explanation of Columns

- a. Ilustrations. This column is divided as follows:
  - (1) Figure number. Indicates the figure number of the illustration on which the item is shown.
  - (2) Item number. The number used to identify item called out in the illustration.
- b. Source, Maintenance, and Recoverability (SMR) Codes.
- (1) Source code. Source codes indicate the manner of acquiring support items for maintenance, repair, or overhaul of end items. Source codes are entered in the first and second positions of the Uniform SMR Code format as follows:

Code Definition

PA- Item procured and stocked for anticipated or known usage.

XA- A support item that is not stocked. When required, item will be procured through normal supply channels.

#### NOTE

Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded XA and aircraft support items as restricted by AR 700-42.

- (2) Maintenance code. Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code format as follows:
- (a) The maintenance code entered in the third position will indicate the lowest maintenance level authorized to remove, replace, and use the support item. The maintenance code entered in the third position will indicate one of the following levels of maintenance:

Code Application / Explanation

- O- Support item is removed, replaced, used at the organizational level.
- (b) The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (i.e., all authorized maintenance functions). This position will contain one of the following maintenance codes:

Code Application / Explanation

- Z- Nonreparable. No repair is authorized.
- (3) Recoverability code. Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the Uniform SMR Code format as follows:

Recoverability codes

Definition

- Z Nonreparable item. When unserviceable, condemn and dispose at the level indicated in position 3.
- c. National Stock Number. Indicates the National stock number assigned to the item and will be used for requisitioning purposes.
- d. Part Number. Indicates the primary number used by the manufacturer (individual, company, firm, corporation, or Government activity), which controls the design and characteristics of the item by means of its engineering drawings, specifications, standards, and inspection requirements to identify an item or range of items.

#### NOTE

When a stock numbered item is requisitioned, the repair part received may have a different part number than the part being replaced.

- e. Federal Supply Code for Manufacturer (FSCM). The FSCM is a 5-digit numeric code listed in SB 708-42 which is used to identify the manufacturer, distributor, or Government agency, etc.
- f. Description. Indicates the Federal item name and, if required, a minimum description to identify the item.
- g. Unit of Measure (U/M). Indicates the standard of the basic quantity of the listed item as used in performing the actual maintenance function. This measure is expressed by a two-character alphabetical abbreviation (e.g., ea, in, pr, etc.). When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.
- h. Quantity Incorporated in Unit. Indicates the quantity of the item used in the breakout shown on the illustration figure, which is prepared for a functional group, subfunctional group, or an assembly.

#### 4. Special Information

a. Useable on codes are shown in the description column. Uncoded items are applicable to all models. Identification of the usable on codes used in this publication are:

 Code
 Used on

 2RD
 TD-206/G

 DIC
 TD-206B/G

- b. The following publication pertains to the TD-206/G and TD-266B/G and its components: TM 11-5805-367-12, Multiplexers TD-202/U, TD203/U, TD-204/U, TD-352/U, and TD-353/U; Restorers, Pulse Form TD-206/G and TD-206B/G and Converters, Telephone Signal CV-1548/G and CV-1548A/C.
- c. The illustrations in this manual are identical to those published in TM 11-5805-367-40P-4. Only those parts assigned the third position SMR maintenance code "C" or "O" are listed in the tabular listing; therefore, there may be a break in the item number sequence. Only illustrations containing organizational authorized items appear in this manual.

#### 5. How to Locate Repair Parts

- a. When National stock number or part number is unknown.
- (1) *First.* Using the table of contents, determine the functional group within which the item belongs. This is necessary since illustrations are prepared for functional groups and listings are divided into the same groups.
  - (2) Second. Find the illustration covering the functional group to which the item belongs.
- (3) Third. Identify the item on the illustration and note the illustration figure and item number of the item.
  - (4) Fourth. Using the Repair Parts Listing, find the figure and item number noted on the illustration.
  - b. When National stock number or part number is known.
- (1) First. Using the Index of National Stock Numbers and Part Numbers, find the pertinent National stock number or part number. This index is in NIIN sequence followed by a list of part numbers in alphameric sequence, cross-referenced to the illustration figure number and item number.
- (2) Second. After finding the figure and item number, locate the figure and item number in the repair parts list.
- 6. Abbreviations Not applicable.

(next printed page is 4)




Figure 1. Restorer, Pulse Form TD-206/G

SECTION II

#### TM 11-5805-367-20P-4

SECI	ION II				TM 11-5805-367-20P-4			
(ILLUST	1) RATION	(2)	(3)	(4)	(5)	(6)	(7)	(8) QTY
(a)	(b)	SMR	NATIONAL STOCK	PART		DESCRIPTION		INC IN
FIG NO.	ITEM NO.	CODE	NUMBER	NUMBER	FSCM	USABLE ON CODE	U/M	UNIT
1	15 24	PAOZZ XDOZZ	5920-00-999-7324	SMB530036 SC-B-388427	80063 80063	CAP ARRESTOR	EA EA	2 2
1	25	PAOZZ	5999-00-136-9040	SC-C-388423	80063	CAP,ELÉCTRICAL2RD	EA	2




Figure 2. Restorer, Pulse Form TD-206X/G

SECTION II

#### TM 11-5805-367-20P-4

J	LUI	ION II					1 W 11-3003-301-2	UI - <del>T</del>	
IL	( LUST	1) RATION	(2)	(3)	(4)	(5)	(6)	(7)	(8) QTY
	(a) FIG	(b) ITEM	SMR CODE	NATIONAL STOCK	PART		DESCRIPTION	11/84	INC IN
	NO.	NO.	CODE	NUMBER	NUMBER	FSCM	USABLE ON CODE	U/M	UNIT
	2 2 2 2 2 2	1 2 3 4 5 6	XDOZZ XDOZZ PAOZZ XDOZZ PAOZZ XDOZZ	5330-00-579-8108 5999-00-130-9040	RS28775-111 53363 SM-C-936519 SC-8-388427 SC-C-388423 SC-B-388427	96906 84256 60063 80063 80063	GROUP 00 RESTORER. PULSE FORM TD-206/G PACKING, PREFORMED	EA EA EA EA EA	4 4 4 1 1

7

SECTION IV TM 11-5805-367-20P-4

#### NATIONAL STOCK NUMBER AND PART NUMBER INDEX

## NOTE: LATEST NATIONAL STOCK NUMBER AND PART NUMBER ASSIGNMENTS ARE INCLUDED AT END OF INDEX

STOCK NUMBER	FIGURE NUMBER	-	TEM IMBER		FIGURE NUMBER		ITEM NUMBER
5999-00-136-9040 5330-00-579-8106	<del>-</del>		5 1	5920-00-999-7324	1		15
PART NO. MS28775-111 SC-B-388427 SC-B-388427 SC-C-388423	FSCM 96906 80063 80063 80063	FIG. NO. 2 2 2 2	ITEM NO. 1 4 6 5	SM-C-938519 8 SMB530036 8	SCM 80063 80063 84256	FIG. NO. 2 1 2	ITEM NO. 3 15 2

#### LATEST NATIONAL STOCK NUMBER ASSIGNMENT

STOCK NUMBER	FIG. NO.	ITEM NO.
5999-00-9040	5	25

#### LATEST PART NUMBER ASSIGNMENTS

PART	FSCM	FIG.	ITEM
NUMBER		NO.	NO.
SC-B-388427	80063	5	24
SC-C-388423	80063	5	25

Official:

J. C. PENNINGTON Major General, United States Army The Adjutant General

#### **DISTRIBUTION:** Active Army: HISA (Ft Monmouth) (21) USAINSCOM (2) (1 copy each unit) COE (1) TSG (1) 11-15 **USAARENBD (1)** 11-17 DARCOM (1) 11-18 TRADOC (2) 11-19 OS Maj Comd (4) 11-26 TECOM (2) 11-27 USACC (4) 11-35 MDW (1) 11-37 Armies (2) 11-45 Corps (2) 11-47 Svc Colleges (1) 11-85 USASIGS (5) 11-87 USAADS (2) 11-95 11-97 USAFAS (2) USAARMS (2) 11-98 USAIS (2) 11-117 USAICS (3) 11-127 MAAG (1) 11-207 USARMIS (1) 11-215 USAERDAA (1) 11-217 **USAERDAW (I)** 11 218 Fort Gordon (10) 11-225 Fort Carson (5) 11-227 Army Dep (1) except 11-228 11-237 LBAD (14) SAAD(30) 11-302 **TOAD (14)** 11-327 SHAD (3) 11-345 Fort Gillem (10) 11-347 USA Dep (1) 11-357 Sig See USA Dep (1) 11-367 Fort Richardson (CERCOM Ofc) (2) 11-377 Units org under fol TOE: 11-500(AA-AC) (2 copies each unit) 17 29-207 37 29-610 67

ARNG: None USAR: None

For explanation of abbreviations used, see AR 310-60.

#### RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS

	RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL FOREIGATIONS
	SOMETHING WRONG WITH PUBLICATION
THENJOT I	
CAREFULLY	TI IT ON THIS FORM. TEAR IT OUT, FOLD IT
AND DROP I	T IN THE MAIL. DATE SENT
PUBLICATION NUMBER	PUBLICATION DATE PUBLICATION TITLE
BE EXACT PIN-POINT WHERE IT IS	IN THIS SPACE, TELL WHAT IS WRONG
PAGE PARA- FIGURE TABLE NO. GRAPH NO. NO.	AND WHAT SHOULD BE DONE ABOUT IT.
PRINTED NAME, GRADE OR TITLE AND TELE	EPHONE NUMBER SIGN HERE

#### THE METRIC SYSTEM AND EQUIVALENTS

#### **'NEAR MEASURE**

Centimeter = 10 Millimeters = 0.01 Meters = 0.3937 Inches

1 Meter = 100 Centimeters = 1000 Millimeters = 39.37 Inches

1 Kilometer = 1000 Meters = 0.621 Miles

#### **YEIGHTS**

Gram = 0.001 Kilograms = 1000 Milligrams = 0.035 Ounces

1 Kilogram = 1000 Grams = 2.2 lb.

1 Metric Ton = 1000 Kilograms = 1 Megagram = 1.1 Short Tons

#### LIQUID MEASURE

1 Milliliter = 0.001 Liters = 0.0338 Fluid Ounces

1 Liter = 1000 Milliliters = 33.82 Fluid Ounces

#### **SQUARE MEASURE**

1 Sq. Centimeter = 100 Sq. Millimeters = 0.155 Sq. Inches

1 Sq. Meter = 10,000 Sq. Centimeters = 10.76 Sq. Feet

1 Sq. Kilometer = 1,000,000 Sq. Meters = 0.386 Sq. Miles

#### **CUBIC MEASURE**

1 Cu. Centimeter = 1000 Cu. Millimeters = 0.06 Cu. Inches 1 Cu. Meter = 1,000,000 Cu. Centimeters = 35.31 Cu. Feet

#### **TEMPERATURE**

5/9(°F - 32) = °C

212° Fahrenheit is evuivalent to 100° Celsius

90° Fahrenheit is equivalent to 32.2° Celsius


32° Fahrenheit is equivalent to 0° Celsius

 $9/5C^{\circ} + 32 = {\circ}F$ 

#### APPROXIMATE CONVERSION FACTORS

TO CHANGE	TO	MULTIPLY BY
Inches	Centimeters	2.540
Feet	Meters	
Yards	Meters	
Miles	Kilometers	
Square Inches	Square Centimeters	
Square Feet	Square Meters	
Square Yards	Square Meters	0.836
Square Miles	Square Kilometers	2.590
Acres	Square Hectometers	
Cubic Feet	Cubic Meters	
Cubic Yards	Cubic Meters	
Fluid Ounces	Milliliters	
nts	Liters	
arts	Liters	
allons	Liters	
Ounces	Grams	
Pounds	Kilograms	
Short Tons	Metric Tons	
Pound-Feet	Newton-Meters	
Pounds per Square Inch	Kilopascals	
Miles per Gallon	Kilometers per Liter	
Miles per Hour	Kilometers per Hour	

TO CHANGE	TO	MULTIPLY BY
Centimeters	Inches	0.394
Meters	Feet	3.280
Meters	Yards	1.094
Kilometers	Miles	0.621
Square Centimeters	Square Inches	0.155
Square Meters	Square Feet	
Square Meters	Square Yards	1.196
Square Kilometers	Square Miles	0.386
Square Hectometers	Acres	
Cubic Meters	Cubic Feet	35.315
Cubic Meters	Cubic Yards	1.308
Milliliters	Fluid Ounces	
Liters	Pints	2.113
Liters	Quarts	1.057
`ers	Gallons	0.264
.ms	Ounces	
.ograms	Pounds	2.205
Metric Tons	Short Tons	1.102
Newton-Meters	Pounds-Feet	0.738
Kilopascals	Pounds per Square Inch	0.145
ometers per Liter	Miles per Gallon	2.354
meters per Hour	Miles per Hour	0.621



PIN: 032558-000

## This fine document...

Was brought to you by me:



### <u>Liberated Manuals -- free army and government manuals</u>

Why do I do it? I am tired of sleazy CD-ROM sellers, who take publicly available information, slap "watermarks" and other junk on it, and sell it. Those masters of search engine manipulation make sure that their sites that sell free information, come up first in search engines. They did not create it... They did not even scan it... Why should they get your money? Why are not letting you give those free manuals to your friends?

I am setting this document FREE. This document was made by the US Government and is NOT protected by Copyright. Feel free to share, republish, sell and so on.

I am not asking you for donations, fees or handouts. If you can, please provide a link to liberatedmanuals.com, so that free manuals come up first in search engines:

<A HREF=http://www.liberatedmanuals.com/>Free Military and Government Manuals</A>

- SincerelyIgor Chudov<a href="http://igor.chudov.com/">http://igor.chudov.com/</a>
- Chicago Machinery Movers