TECHNICAL MANUAL

HAND RECEIPT

COVERING CONTENTS OF COMPONENTS OF END ITEM (COEI), BASIC ISSUE ITEMS (BII), AND ADDITIONAL AUTHORIZATION LIST (AAL)

FOR

TELETYPEWRITER SETS AN/GGC-3 (NSN 5815-00-503-3309) AN/GGC-3A (NSN 5815-00-581-9751) AN/GGC-53 (NSN 5815-01-012-8772) AN/GGC-53A (NSN 5815-00-017-0956)

AND

TELETYPEWRITER REPERFORATOR-TRANSMITTERS

TT-76/GGC (NSN 5815-00-503-2760)

TT-76A/GGC (NSN 5815-00-553-6061)

TT-76B/GGC (NSN 5815-00-553-6061)

TT-76C/GGC (NSN 5815-00-553-6061)

TT-699/GGC (NSN 5815-01-012-8446)

TT-699A/GGC (NSN 5815-01-017-9166)

TT-699B/GGC (NSN 5815-01-017-9166)

TT-699C/GGC (NSN 5815-01-017-9166)

HEADQUARTERS, DEPARTMENT OF THE ARMY

18 JULY 1983

HAND RECEIPT

HEADQUARTERS DEPARTMENT OF THE ARMY Washington, DC, 18 July 1983

TM 11-5815-238-10-HR

HAND RECEIPT

COVERING CONTENTS OF COMPONENTS OF END ITEM (COEI), BASIC ISSUE ITEMS (BII), AND ADDITIONAL AUTHORIZATION LIST (AAL)

FOR

TELETYPEWRITER SETS

AN/GGC-3 (NSN 5815-00-503-3309)

AN/GGC-3A (NSN 5815-00-581-9751)

AN/GGC-53 (NSN 5815-01-012-8772)

AN/GGC-53A (NSN 5815-00-017-0956)

AND

TELETYPEWRITER REPERFORATOR-TRANSMITTERS

TT-76/GGC (NSN 5815-00-503-2760)

TT-76A/GGC (NSN 5815-00-553-6061)

TT-76B/GGC (NSN 5815-00-553-6061)

TT-76C/GGC (NSN 5815-00-553-6061)

TT-699/GGC (NSN 5815-01-012-8446)

TT-699A/GGC (NSN 5815-01-017-9166)

TT-699B/GGC (NSN 5815-01-017-9166)

TT-699C/GGC (NSN 5815-01-017-9166)

REPORTING OF ERRORS AND RECOMMENDING IMPROVEMENTS

You can help improve this manual. If you find any mistakes or if you know of a away to improve the procedures, let us know. Mail your letter or DA Form 2028 (Recommended Changes to Publications and Blank Forms), direct to: Commander, US Army Communications-Electronics Command and Fort Monmouth, ATTN: DRSEL-ME-MP, Fort Monmouth, New Jersey 07703. A reply will be sent direct to you.

			Page
Section	I.	Introduction	1
	II	Hand Receipt	3

Section I. INTRODUCTION

1. Scope

This publication provides an overprinted DA Form 2062 (Hand Receipt) which lists the contents of Components of End Item (COEI), Basic Issue Items (BII), and Additional Authorization List (AAL) items related to Teletypewriter Sets AN/GGC-3, AN/GGC-3A, AN/GGC-53 and AN/GGC-53A and Teletypewriter Reperforator-Transmitters TT-76/GGC, TT-76A/GGC, TT-76B/GGC, TT-76C/GGC, TT-699/GGC, TT-699A/GGC, TT-699B/GGC and TT-699C/GGC.

2. General

- a. Section II is the overprinted DA Form 2062 which lists the line item entry for System/End Item and the content of COEI, BII, and AAL extracted from TM 11-5815-238-10. The listings consist of exactly the same items and are in the same sequence as those listings in TM 11-5815-238-10.
- b. The overprinted DA Form 2062 will eliminate manual preparation of the form and will assist organizations in inventorying and accounting for property as required by AR 710-2.
- c. Local reproduction of the overprinted DA Form 2062 is authorized. However, organizations shall comply with local policies in the reproduction of DA Form 2062 by office copying equipment, field printing plant, or duplicating plant facilities.
- d. Additional copies of this publication may be requisitioned from The US Army Adjutant General Publications Center, Baltimore, MD, in accordance with the procedure in Chapter 3, AR 310-2, and DA Pam 310-10-2.

3. Explanation of Blocks and Columns (DA Form 2062)

Refer to DA Pam 710-2-1, Chapter 6. Additional information required to complete DA Form 2062 is

- a. From. Enter the organization for which the property book is maintained.
- b. To. Enter the UIC and the hand receipt file number of the unit/personnel receiving the property.
- c. Hand Receipt Number. Enter a locally designated number. Use it to post the location of property in the property book.
- d. End Item Stock Number. Contains the National Stock Number (NSN) to the end item covered by the hand receipt.
 - e. End Item Description. Contains the end item short title.
- f. Publication Number. Contains the TM number of the technical manual containing the Operator/Crew instructions for the equipment,
 - g. Publication Date. Date of the Operator/Crew TM.
 - h. Quantity. Quantity of the end item covered by this hand receipt.

TM 11-5815-238-10-HR

- i. Stock Number (Column a). National stock number of the item described. Items without stock numbers should be requisitioned by Federal Supply Code for Manufacturers (FSCM) and part number direct from: US Army Communications-Electronics Command and Fort Monmouth, ATTN: DRSEL-MM, Fort Monmouth, NJ 07703.
- j. Item Description (Column b). Identifies the item contained in the COEI, BII, and the AAL. It will also contain nomenclature, serial/USA number (if applicable) that will be useful in identifying and controlling the item. Serial number is to be inserted and initialed on all copies by hand receipt holder.
 - k. (Column c). The Accounting Requirements Code (ARC) is entered here.

NOTE

The accounting Requirements Code (ARC) refers to property accountability, not to disposal authority. Disposition action and authority for an unserviceable item is governed by the recoverability code (5th position of the SMR code) assigned to the item in the RPSTL.

- (1) Refer to DA Pam 710-2-1, Chapter 6. Additional information required to complete DA Form 2062 is listed below.
- (2) Hand receipts shall identify the accounting requirements status of all line item entries via column c. One of the following codes will apply:

(N) for Nonexpendable: Items not consumed in use, retaining their identity during use, and

requiring that accountability be maintained throughout the life of the

item.

(D) for Durable: Nonconsumable components of sets, kits, outfits and assemblages; all

tools in FSC'S 5110, 5120, 5130, 5133, 5140, 5180, 5210, 5220 and 5280; and any other nonconsumable with a price in excess of \$50.00

not already "N".

(X) for Expendable: Items, regardless of type classification or price and which are con-

sumed in use. Includes all class 9 repair parts. Items not consumed in

use which cost \$50.00 or less and not already "N" or "D".

l. SEC (Column d). The Physical Security/Pilferage code is entered here. This is a one-position code which indicates the security classification or pilferage control for storage or transportation of assets. Order of precedence for assignment of codes is classified, sensitive, pilferable, unclassified, as applicable.

SEC CODE

PHYSICAL SECURITY CODE

- A CONFIDENTIAL Former Restricted Data
- B CONFIDENTIAL Restricted Data
- C CONFIDENTIAL
- D CONFIDENTIAL Cryptologic
- E SECRET Cryptologic
- F TOP SECRET Cryptologic
- G SECRET Former Restricted Data
- H SECRET Restricted Data
- K TOP SECRET Former Restricted Data
- L TOP SECRET Restricted Data
- O Naval Nuclear Propulsion Information
- S SECRET
- T TOP SECRET
- U UNCLASSIFIED

SENSITIVE ITEMS

- P Ammunition and Explosives
- An item which is a drug or other substance determined by the Director, Drug Enforcement Administration (DEA), Department of Justice, to be designated schedule symbol III, IV or V as defined in the Controlled Substance Act of 1970, and other items requiring secure storage.
- R Alcohol, alcoholic beverages, precious metals, drug or other substance determined by the Director, Drug Enforcement Administration (DEA), Department of Justice, to be designated schedule symbol II as defined in the Controlled Substance Act of 1970, and other items requiring vault storage.
- Sensitive information, prior to disposal, all nameplates, label plates, tags, stickers, documents or markings, which relate items to weapons system end item application, must be removed and destroyed.

PILFERABLE ITEMS

- I Aircraft engine equipment and parts.
- M Handtools and shop equipment.
- N Firearms,
- V Individual clothing and equipment.
- W Office machines.
- X Photographic equipment and supplies.
- Y Communications/electronic equipment and parts.
- Z Vehicular equipment and parts.
- J Pliferable item, due to its size, shape and utility, which does not fall under on of the above categories. Pilferage controls may be designated by the coding activity to items coded U (unclassified) by recoding the items to J.

TM 11-5815-238-10-HR

- m. UI (Column e). Unit of Issue.
- n. QTY AUTH (Column f). The quantity authorized to be on hand, or part of the end item.
- o. Quantity (Column g). Actual quantity on hand. To be filled in by the receiving unit/personnel.
- p. Page No./No. of Pages. Contains page number and total number of pages for the COEI, BII, and AAL portions of the hand receipt. Hand receipt holder will initial each page no. (only when two or more forms are involved). When hand receipt holders change, the old initials will be lined out and the new hand receipt holder will initial each page,

4. Authorization Documents

- a. Components of End Item (COEI) are authorized by the applicable Repair Parts and Special Tools List (RPSTL).
 - b. Basic Issue Items (BII) are authorized by the applicable operator's manual.
- c. Additional Authorization List (AAL) items are authorized by the appropriate MTOE, TDA, CTA, or JTA authorization documents.

Section II. HAND RECEIPT

Following is the Hand Receipt for Teletypewriter Sets AN/GGC-3A, AN/GGC-3A, AN/GGC-53, and AN/GGC-53A and Teletypewriter Reperforator-Transmitters TT-76/GGC, TT-76A/GGC, TT-76B/GGC, TT-76C/GGC, TT-699A/GGC, TT-699B/GGC, and TT-699C/GGC.

HAND RECEIPT For use of this form, see DA PA.	M 710-2-1.	TO:							НА	ND RECI	EIPT NU	MBER
The proponent agency is ODCSL FOR ANNEX/CR ONLY SEE BELOW	LOG. END ITEM DESCRIPTION SEE BELOW	PUBLICATION NUMBER TM 11-5815-23	8-10			PUBLI	CATION	DATE	au	ANTITY	1	
STOCK NUMBER	ITEM DESCRIPT	TON.				ατγ	g.		QUAN	NTITY		············
a.	b.	ION	*	SEC d.	UI e.	AUTH	Α	В	С	D	E	F
	TELETYPEWRITER SETS											
5815-00-503-3309	AN/GGC-3											
5815-00-581-9751	AN/GGC-3A											
5815-01-012-8772	AN/GGC-53											
5815-00-017-0956	AN/GGC-53A											
	TELETYPEWRITER REPERFORATOR	-TRANSMITTERS										
5815-00-503-2760	TT-76/GGC											
5815-00-553-6061	TT-76A/GGC											_
5815-00-553-6061	TT-76B/GGC											
5815-00-553-6061	TT-76C/GGC											
5815-01-012-8446	TT-699/GGC											
5815-01-017-9166	TT-699A/GGC											
5815-01-017-9166	TT-699B/GGC											
5815-01-017-9166	TT-699C/GGC											
	eipt Annex Number 5 FURNITURE, enter Condition Codes DNENTS RECEIPT, enter Accounting Requirements C	code (ARC)						·,	1		2.4	

DA FORM 2062 JAN 82

ယ

	ITEM DESCRIPTION		er.	l	ary	g.		QUAI	YTITY		
STOCK NUMBER a.	b.	* c.	SEC d.	UI e.	QTY AUTH f.	Α	В	С	D	E	F
			ļ	 	ļ						
			 								-
			<u></u>				1				
			 -			ļ	 			-	-
			ļ	<u> </u>							
				 	 	 	 			<u> </u>	
				ļ	ļ	ļ	ļ			ļ	ļ
										İ	
					†	†					†
			 	ļ			<u> </u>				ļ
										ĺ	
				├	-						
			 	 	 	├	 		-		<u> </u>
				ļ	L	<u> </u>	<u> </u>			<u> </u>	ļ
					İ						
			 	 	 	 	-	-	<u> </u>		
			ļ	ļ	ļ	<u> </u>	L	ļ	ļ	ļ	<u> </u>
			1	†		†					1
			-	 -	 		ļ			-	-
						T					
			1	<u> </u>	<u> </u>	L	L	L	<u> </u>	34	1

CURRENT AS OF

HAND RECEIPT For use of this form, see DA I The proponent agency is ODC	PAM 710-2-1.	FROM:		TO:							НА	ND RECI	IPT NU	JMBE
FOR ANNEX/CR SEE PAGE 3	END ITE	EM DESCRIPTION SEE PAGE 3	PUBLICATION TM 11-	NUMBER 5815-238	-10			PUBLI	CATION	DATE	QU	ANTITY	1	
STOCK NUMBER		ITEM DESCRI	PTION		*	SEC	U	QTY AUTH	g.		QUAN	ITITY		
<i>a</i> .	-	<i>b</i> .			с.	d.	е.	f.	Α	В	С	D	E	ļ
	TELETYPEW	RITER SET AN/GGC-3,	AND TELETYPEWRI	ΓER										
	REPERFO	RATOR-TRANSMITTER T	T-76/GGC											
		Components of	f End Item (COEI)	l										
5815-00-503-3309	TELETYPEW	RITER SET AN/GGC-3			N	U	EA	1						Γ
	CONSIST	ING OF:												
5815-00-503-1647	CASE,	TELETYPEWRITER REP	ERFORATOR TRANSMI	TTER	N	U	EΑ	1						
	CY-	1110/GGC (ORDER NO.	4683-PH-52 ONLY)											
5815-00-503-2620	TABLE	, TELETYPEWRITER FN-	-52/GGC		N	U	EA	1						
	CONS	SISTING OF:												
5815-00-392-7821	LE	EG: SIG DWG SM-B-15	57297		N	U	EA	4						
5815 - 90 - 392 - 7812	TA	ABLE, TOP-ASSEMBLY	SIG DWG SM-B-157	281	N	U	EA	1						
5815-00-503-2760	TELETY	YPEWRITER REPERFORAT	OR-TRANSMITTER		N	U	EΑ	1						
	TT-7	76/GGC, HIGH LEVEL C	PERATION, STANDA	RD										
	KEYE	BOARD, ENGLISH CHARA	CTERS, USES 7/8	INCH										
	PAPE	ER TAPE												

DA FORM 2062 JAN 82 PAGE 3 OF 34 PAGES.

HAND RECEIPT, enter Hand Receipt Annex Number

HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes

HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).

OTOGY AND INCOME.	ITEM DESCRIPTION		SEC	Uı	QTY AUTH	g.		QUAI	OTTY		
STOCK NUMBER a.	b.	* c.	d.	e.	f.	A	В	С	D	E	F
											T
											\vdash
						-	-				\vdash
				-	<u> </u>						\vdash
							ļ				+
	Basic Issue Items (BII)		 	<u> </u>		-	-	-			\vdash
5815-00-392-7813	CHAD BIN: SIG DWG SM-B-157283	Х	U	EA	1	ļ		ļ			_
5815-00-219-7020	CLIP: KLEINSCHMIDT P/N 53442	Х	U	EA	1	ļ					_
5815-00-224-9717	FORK, TUNING: SIG DWG SC-DL-70237 (MOUNTED IN COVER)	Х	U	EA	1						
5920-00-581-4144	FUSE, 2A, 250V P/N 20455	Х	Υ	EA	5						Ĺ
5815-00-203-1678	GEAR, WORM: 60 WPM, SIG DWG SC-B-69681 (INSTALLED	Х	U	EA	1						
	IN EQUIPMENT)										
5815-00-203-1327	GEAR, WORM: 100 WPM, SIG DWG SC-B-70842 (MOUNTED	х	U	EA	1						
	IN EQUIPMENT)										
5815-00-378-5593	GEAR, WORM WHEEL: 60 WPM KLEINSCHMIDT, P/N 50352A	х	U	EA	1						
	(INSTALLED IN EQUIPMENT)										
5815-00-351-7944	GEAR, WORM WHEEL: 100 WPM, SIG DWG SC-B-70478	Х	U	EA	1						
	(MOUNTED IN EQUIPMENT)										

6

CURRENT AS OF

SEE PAGE 3 ITEM DESCRIPTION D.	PUBLICATION NUMBE TM 11-5815				PUBLIC	CATION		T			
					1,000	CATION	DATE	au	ANTITY]		
<i>h</i>		*	SEC	UI	QTY AUTH	g.	· · · · ·	QUAN	ITITY		
υ.		c.	d.	e.	f.	Α	В	С	D	E	F
(BII) - Continued				<u> </u>		<u> </u>			<u> </u>		
AMP, 6-8V, 0.15A P/N 20791		Х	Υ	EA	1						
AMP, INCANDESCENT, 115V, 15W P/	N 20701	х	Y	EA	1						
IBBON, TELETYPEWRITER: FED SPE	C DDD-R-311D,	х	U	EA	1						
TYPE 1, GRADE 1, CLASS 1 (INST	ALLED IN EQUIPMEN	IT)									
POOL, PRINTING RIBBON: KLEINSC	HMIDT P/N 10900	Х	U	EA	1		_				
(INSTALLED IN EQUIPMENT)											
APE, TELETYPEWRITER, PERFORATOR	: FED SPEC	Х	U	RL	1						
UU-T-120, 7/8 INCH											
JBLICATIONS				ļ							
TECHNICAL MANUAL TM 11-5815-23	8-10	х	U	EA	1						
HAND RECEIPT MANUAL TM 11-5815	-238-10-HR	Х	U	EA	1						
										:	
	IBBON, TELETYPEWRITER: FED SPE TYPE 1, GRADE 1, CLASS 1 (INST POOL, PRINTING RIBBON: KLEINSC (INSTALLED IN EQUIPMENT) APE, TELETYPEWRITER, PERFORATOR UU-T-120, 7/8 INCH UBLICATIONS TECHNICAL MANUAL TM 11-5815-23	IBBON, TELETYPEWRITER: FED SPEC DDD-R-311D, TYPE 1, GRADE 1, CLASS 1 (INSTALLED IN EQUIPMEN POOL, PRINTING RIBBON: KLEINSCHMIDT P/N 10900 (INSTALLED IN EQUIPMENT) APE, TELETYPEWRITER, PERFORATOR: FED SPEC UU-T-120, 7/8 INCH	IBBON, TELETYPEWRITER: FED SPEC DDD-R-311D, X TYPE 1, GRADE 1, CLASS 1 (INSTALLED IN EQUIPMENT) POOL, PRINTING RIBBON: KLEINSCHMIDT P/N 10900 X (INSTALLED IN EQUIPMENT) APE, TELETYPEWRITER, PERFORATOR: FED SPEC X UU-T-120, 7/8 INCH UBLICATIONS TECHNICAL MANUAL TM 11-5815-238-10 X	IBBON, TELETYPEWRITER: FED SPEC DDD-R-311D, X U TYPE 1, GRADE 1, CLASS 1 (INSTALLED IN EQUIPMENT) POOL, PRINTING RIBBON: KLEINSCHMIDT P/N 10900 X U (INSTALLED IN EQUIPMENT) APE, TELETYPEWRITER, PERFORATOR: FED SPEC X U UU-T-120, 7/8 INCH UBLICATIONS TECHNICAL MANUAL TM 11-5815-238-10 X U	IBBON, TELETYPEWRITER: FED SPEC DDD-R-311D, X U EA TYPE 1, GRADE 1, CLASS 1 (INSTALLED IN EQUIPMENT) POOL, PRINTING RIBBON: KLEINSCHMIDT P/N 10900 X U EA (INSTALLED IN EQUIPMENT) APE, TELETYPEWRITER, PERFORATOR: FED SPEC X U RL UU-T-120, 7/8 INCH UBLICATIONS TECHNICAL MANUAL TM 11-5815-238-10 X U EA	IBBON, TELETYPEWRITER: FED SPEC DDD-R-311D, X U EA 1 TYPE 1, GRADE 1, CLASS 1 (INSTALLED IN EQUIPMENT) POOL, PRINTING RIBBON: KLEINSCHMIDT P/N 10900 X U EA 1 (INSTALLED IN EQUIPMENT) APE, TELETYPEWRITER, PERFORATOR: FED SPEC X U RL 1 UU-T-120, 7/8 INCH UBLICATIONS TECHNICAL MANUAL TM 11-5815-238-10 X U EA 1	IBBON, TELETYPEWRITER: FED SPEC DDD-R-311D, X U EA 1 TYPE 1, GRADE 1, CLASS 1 (INSTALLED IN EQUIPMENT) POOL, PRINTING RIBBON: KLEINSCHMIDT P/N 10900 X U EA 1 (INSTALLED IN EQUIPMENT) APE, TELETYPEWRITER, PERFORATOR: FED SPEC X U RL 1 UU-T-120, 7/8 INCH UBLICATIONS TECHNICAL MANUAL TM 11-5815-238-10 X U EA 1	IBBON, TELETYPEWRITER: FED SPEC DDD-R-311D, X U EA 1 TYPE 1, GRADE 1, CLASS 1 (INSTALLED IN EQUIPMENT) POOL, PRINTING RIBBON: KLEINSCHMIDT P/N 10900 X U EA 1 (INSTALLED IN EQUIPMENT) APE, TELETYPEWRITER, PERFORATOR: FED SPEC X U RL 1 UU-T-120, 7/8 INCH UBLICATIONS TECHNICAL MANUAL TM 11-5815-238-10 X U EA 1	IBBON, TELETYPEWRITER: FED SPEC DDD-R-311D, X U EA 1 TYPE 1, GRADE 1, CLASS 1 (INSTALLED IN EQUIPMENT) POOL, PRINTING RIBBON: KLEINSCHMIDT P/N 10900 X U EA 1 (INSTALLED IN EQUIPMENT) APE, TELETYPEWRITER, PERFORATOR: FED SPEC X U RL 1 UU-T-120, 7/8 INCH UBLICATIONS TECHNICAL MANUAL TM 11-5815-238-10 X U EA 1	IBBON, TELETYPEWRITER: FED SPEC DDD-R-311D, X U EA 1 TYPE 1, GRADE 1, CLASS 1 (INSTALLED IN EQUIPMENT) POOL, PRINTING RIBBON: KLEINSCHMIDT P/N 10900 X U EA 1 (INSTALLED IN EQUIPMENT) APE, TELETYPEWRITER, PERFORATOR: FED SPEC X U RL 1 UU-T-120, 7/8 INCH UBLICATIONS TECHNICAL MANUAL TM 11-5815-238-10 X U EA 1	IBBON, TELETYPEWRITER: FED SPEC DDD-R-311D, X U EA 1 TYPE 1, GRADE 1, CLASS 1 (INSTALLED IN EQUIPMENT) POOL, PRINTING RIBBON: KLEINSCHMIDT P/N 10900 X U EA 1 (INSTALLED IN EQUIPMENT) APE, TELETYPEWRITER, PERFORATOR: FED SPEC X U RL 1 UU-T-120, 7/8 INCH UBLICATIONS TECHNICAL MANUAL TM 11-5815-238-10 X U EA 1

DA FORM 2062 JAN 82

PAGE 5 OF 34 PAGES

HAND RECEIPT, enter Hand Receipt Annex Number

HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes

HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).

	ITEM DESCRIPTION		SEC		QTY AUTH	g.		QUAI	NTITY		
STOCK NUMBER a.	b.	* c.	d.	UI e.	AUTH f.	А	В	С	D	E	F
					<u> </u>						
	Additional Authorization List (AAL)		<u> </u>		ļ						
	NOT APPLICABLE				<u> </u>						
		1									
		 	 								-
		 		 	+						
		ļ	ļ	ļ	-	1					ļ
		<u> </u>	<u> </u>								L
		+		 		 	ļ				-
		-	-	-	-		-	-		-	ļ
			ļ	ļ	<u> </u>	-		-			
				<u> </u>	ļ		ļ				
	THOSE NSNS INDICATED BY AN "X" IN THE ARC ON HAND	-	 				†	ļ			†
		+	 	-	+-	-	ļ	 	 		
	RECEIPT PAGES NEED NOT BE COUNTED UNDER THE		 	1	┼	-	 		-	-	-
	INVENTORY PROVISION OF PARA 2-10, AR 710-2.	_	<u> </u>	<u> </u>	_	_			<u> </u>	<u> </u>	ļ
	WILL BE ORDERED AS REQUIRED.										

œ

PAGE 6 OF 34 PAGES

For u	NND RECEIPT, se of this form, see DA P proponent agency is ODC	PAM 710-2-1. SLOG.	то:							НА	ND REC	EIPT NU	JMBE
FOR ANNEX/CR ONLY	SEE PAGE 3	END ITEM DESCRIPTION SEE PAGE 3	PUBLICATION NUMBER TM 11-5815-23	38-10		<u> </u>	PUBLI	ICATION	DATE	QL	JANTITY	1	
	STOCK NUMBER	ITEM DESCRIPTION		*	SEC	UI	QTY	g.		QUAI	YTITY		
	a .	ь.		с.	d.	e.	f.	А	В	С	D	E	F
		TELETYPEWRITER SET AN/GGC-53, AN	D TELETYPEWRITER										
		REPERFORATOR-TRANSMITTER TT-69	9/GGC										T
		Components of End Item (COEI)										
5815-	01-012-8772	TELETYPEWRITER SET AN/GGC-53		N	U	EA	1						
5815-	00-503-1647	CASE, TELETYPEWRITER REPERFORATOR	R-TRANSMITTER	N	U	EA	1						
		CY-1110/GGC (ORDER NO. 4683-PH-	-52 ONLY)										
5815-	00-503-2620	TABLE, TELETYPEWRITER FN-52/GGC		N	U	EA	1						
		CONSISTING OF:											
5815-0	00-392-7821	LEG: SIG DWG SM-B-157297		N	U	EA	4						
5815-0	00-392-7812	TABLE, TOP-ASSEMBLY: SIG DWG	SM-B-157281	N	U	EA	1						
5818-0	01-012-8446	TELETYPEWRITER REPERFORATOR-TRANS	MITTER TT-699/GGC	И	U	EA	1						
													_

TO:

DA FORM 2062 JAN 82

WHEN USED AS A:

9

HAND RECEIPT

FROM:

HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes

HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).

HAND RECEIPT, enter Hand Receipt Annex Number

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY AUTH			QUA			T -
а.	ь.	c.	d.	е.	f.	A	В	С	D	E	-
											<u> </u>
	Basic Issue Items (BII)										
5815-00-392-7822	BRACKET ASSEMBLY, KLEINSCHMIDT P/N 52656A	Х	U	EA	1						L
5815-00-392-7813	CHAD BIN: SIG DWG SM-B-157283	Х	U	EA	1						
5815-00-219-7020	CLIP: KLEINSCHMIDT P/N 53442	Χ	U	EA	1						
5815-00-224-9717	FORK, TUNING: SIG DWG SC-DL-70237 (MOUNTED IN COVER)	Χ	U	EA	1						_
5920-00-581-4144	FUSE, 2A, 250V P/N 20455	Х	Υ	EA	5						
5815-00-203-1678	GEAR, WORM: 60 WPM, SIG DWG SC-B-69681	Х	U	EΑ	1						ļ.,
	(INSTALLED IN EQUIPMENT)										
5815-00-203-1327	GEAR, WORM: 100 WPM, SIG DWG SC-B-70842	Х	U	EA	1						
	(MOUNTED IN EQUIPMENT)										
5815-00-378-5593	GEAR, WORM WHEEL: 60 WPM KLEINSCHMIDT, P/N 50352A	Х	U	EA	1	<u></u>				ļ	
	(INSTALLED IN EQUIPMENT)			<u> </u>							
5815-00-351-7944	GEAR, WORM WHEEL: 100 WPM, SIG DWG SC-B-70478	Х	U	EA	1						
	(MOUNTED IN EQUIPMENT)										
6240-00-155-8706	LAMP, 6-8V, 0.15A P/N 20791	Х	Υ	EΑ	1					<u> </u>	
6240-00-143-3084	LAMP, INCANDESCENT, 115V, 15W P/N 20701	Х	Υ	EA	1						

10

For u. The p	ND RECEIPT se of this form, see DA PA roponent agency is ODCS	4 M 710-2 LOG.	FROM:		TO:			· ·				НА	ND REC	EIPT NU	MBER
FOR ANNEX/CR ONLY	END ITEM STOCK NUMBER SEE PAGE 3		END ITEM DESCRIPTION SEE PAGE 3		ICATION NUMBER M 11-5815-23	38-10			PUBLI	CATION	DATE	QU	ANTITY	1	_
	STOCK NUMBER	:	ITEM DE	SCRIPTION		*	SEC	UI	QTY	g.	,	QUA	ITITY		
	a	ļ		b.	· · · · · · · · · · · · · · · · · · ·	c.	d.	е.	f.	A	В	С	D	Ε	F
			(BII) - Co	ontinued											
7510-	00-082-2648	RIBBO	ON, TELETYPEWRITER: F	FED SPEC DDD-R-	311D,	Х	U	EΑ	1						
		TYF	PE 1, GRADE 1, CLASS 1	(INSTALLED IN	EQUIPMENT)										
5305-	00-206-5877	SCREW	, TAPPING, THREAD FOR	RMING: KLEINSC	HMI DT	Х	U	EA	1						
		P/N	1 10302												
5815-	00-356-3227	SP00L	., PRINTING RIBBON: K	(LEINSCHMIDT P/	N 10900	Х	U	EA	1						
		(1)	ISTALLED IN EQUIPMENT)												
7530-	00-634-6237	TAPE,	TELETYPEWRITER, PERF	ORATOR:		Х	U	RL	1						
		FEE	SPEC UU-T-120, 7/8 I	NCH											
		PUBLI	CATIONS												
		TEC	HNICAL MANUAL TM 11-5	815-238-10		Х	U	EΑ	1						
		НАМ	ID RECEIPT MANUAL TM 1	1-5815-238-10-	HR	X	U	EA	1						

DA FORM 2062 JAN 82 PAGE 9 OF 34 PAGES.

HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).

STOCK NUMBER	ITEM DESCRIPTION		SEC	UI	QTY	g.		QUAI	YTITY		
a.	b.	* c.	d.	e.	AUTH f.	Α	В	С	D	ε	F
	Additional Authorization List (AAL)										
	NOT APPLICABLE										
										-	
								,			
				-			†				
					ļ		<u> </u>				
	THOSE NSNS INDICATED BY AN "X" IN THE ARC ON HAND										
7	RECEIPT PAGES NEED NOT BE COUNTED UNDER THE										
	INVENTORY PROVISION OF PARA 2-10, AR 710-2. ITEMS										
	WILL BE ORDERED AS REQUIRED.										

PAGE 10 OF 34 PAGES

PAGE 11 OF 34 PAGES.

TELETYPEWRITER SET AN/GGC-3A, AND TELETYPEWRITER REPERFORATOR-TRANSMITTER Components of End Item (COEI) S815-0U-581-9751 TELETYPEWRITER SET AN/GGC-3A N U EA 1	HAND RECEIPT For use of this form, see DA P	PA M 710-2-1.	TO							НА	AND RECE	EIPT NU	JMBER
STOCK NUMBER ITEM DESCRIPTION SEC V	FOR END ITEM STOCK NUMBER	END ITEM DESCRIPTION					PUBL	JCATION	DATE	ا م			
ELETYPEWRITER SET AN/GGC-3A, AND TELETYPEWRITER REPERFORATOR-TRANSMITTER COMPONENTS OF END ITEM (COEI) REPERFORATOR-TRANSMITTER COMPONENTS OF END ITEM (COEI) REPERFORATOR-TRANSMITTER COMPONENTS OF END ITEM (COEI) REPERFORATOR-TRANSMITTER REPERFORATOR-TRANSMITTER N U EA I U I I I I I I I I I I I I I I I I I	STOCK NUMBER			1	T	Τ	QTY	g.		QUA			
REPERFORATOR-TRANSMITTER Components of End Item (COEI) Components of End Item (COEI) TELETYPEWRITER SET AN/GGC-3A CONSISTING OF: CASE, TELETYPEWRITER REPERFORATOR-TRANSMITTER CY-1110/GGC TABLE, TELETYPEWRITER FN-108/GGC CONSISTING OF: N U EA 1 EA 1				1		1 *	AUTH	4	В	С	D	E	F
Components of End Item (COEI) 5815-0U-581-9751 TELETYPEWRITER SET AN/GGC-3A N U EA 1 U EA		TELETYPEWRITER SET AN/GGC-3A, A	ND TELETYPEWRITER										
5815-00-581-9751 TELETYPEWRITER SET AN/GGC-3A N U EA 1 U		REPERFORATOR-TRANSMITTER											
5815-00-581-9751 TELETYPEWRITER SET AN/GGC-3A N U EA 1 U												[_!	
CONSISTING OF: 5815-00-537-7906		Components of End	Item (COEI)										
5815-00-537-7906 CASE, TELETYPEWRITER REPERFORATOR-TRANSMITTER N U EA 1 I	5815-00-581-9751	TELETYPEWRITER SET AN/GGC-3A		N	U	EΛ	1						
CY-1110/GGC TABLE, TELETYPEWRITER FN-108/GGC CONSISTING OF: N U EA 1		CONSISTING OF:											
5815-00-543-1353 TABLE, TELETYPEWRITER FN-108/GGC CONSISTING OF: N U EA 1 S S 5815-00-614-5238 FRAME, TABLE TOP: KLEINSCHMIDT P/N 59505A N U EA 1 S S 5815-00-392-7821 LEG: SIG DWG SM-B-157297 N U EA 4 S S S 5815-00-553-6061 TELETYPEWRITER REPERFORATOR-TRANSMITTERS TT-76C/GGC N U EA 1 S	5815-00-537-7906	CASE, TELETYPEWRITER REPERFO	ORATOR-TRANSMITTER	N	U	EA	1						
5815-00-614-5238 FRAME, TABLE TOP: KLEINSCHMIDT P/N 59505A N U EA 1 <		CY-1110/GGC											
5815-00-392-7821 LEG: SIG DWG SM-B-157297 N U EA 4 S SIG DWG SM-B-157297 N U EA 1 S SIG DWG SM-B-157297 S SIG DWG SM-B-157297 S SIG DWG SM-B-157297 S SIG DWG SM-B-157297 N U EA 1 S SIG D	5815-00-543-1353	TABLE, TELETYPEWRITER FN-10	8/GGC CONSISTING OF:	N	U	EA	1						
5815-00-553-6061 TELETYPEWRITER REPERFORATOR-TRANSMITTERS TT-76C/GGC N U EA 1	5815-00-614-5238	FRAME, TABLE TOP: KLEINS(CHMIDT P/N 59505A	N	U	EA	1						
HIGH LEVEL OPERATION, STANDARD KEYBOARD, ENGLISH CHARACTERS, USES 7/8 INCH PAPER TAPE	5815-00-392-7821	LEG: SIG DWG SM-B-157297		N	U	EA	4						
CHARACTERS, USES 7/8 INCH PAPER TAPE	5815-00-553-6061	TELETYPEWRITER REPERFORATOR-TRAI	ISMITTERS TT-76C/GGC	N	U	EA	1						
		HIGH LEVEL OPERATION, STANDARD	D KEYBOARD, ENGLISH										
		CHARACTERS, USES 7/8 INCH PAPE	ER TAPE										
	* WHEN USED AS A			,									<u> </u>

HAND RECEIPT, enter Hand Receipt Annex Number

HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes

HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).

13

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY AUTH	g.	.	QUAI	NTITY		
a.	b.	c.	d.	e.	f.	A	В	С	D	E	F
				ļ 	ļ						
					ļ						
	Basic Issue Items (BII)										
5815-00-392-7813	CHAD BIN: SIG DWG SM-B-157283	Х	υ	EA	1						
5815-00-219-7020	CLIP: KLEINSCHMIDT P/N 53442	Х	U	EA	1						
5815-00-224-9717	FORK, TUNING: SIG DWG SC-DL-70237	Х	IJ	EA	1						
	(MOUNTED IN COVER)										
5920-00-531-4144	FUSE, 2A, 250V P/N 20455	Х	Υ	EA	5						
5815-00-203-1678	GEAR, WORM: 60 WPM, SIG DWG SC-B-69681	Х	U	EA	1						}
	(INSTALLED IN EQUIPMENT)										
5815-00-203-1327	GEAR, WORM: 100 WPM, SIG DWG SC-B-70842	Х	U	EA	1						
	(MOUNTED IN EQUIPMENT)										
5815-00-378-5593	GEAR, WORM WHEEL: 60 WPM KLEINSCHMIDT, P/N	Х	U	EA	1						
	50352A (INSTALLED IN EQUIPMENT)										

PAGE 12 OF 34 PAGES

HAND RECEIPT For use of this form, see DA PAI The proponent agency is ODCSL	M 710-2-1. OG.	FROM:	TO:							НА	ND REC	EIPT NU	MBER
FOR ANNEX/CR SEE PAGE 3	_	ITEM DESCRIPTION E PAGE 3	PUBLICATION NUMBE TM 11-5815				PUBLI	CATION	DATE	au	IANTITY	1	
STOCK NUMBER		ITEM DESCRIPTION		*	SEC	UI	QTY AUTH			QUAI	YTITY	1	
а.		<i>b</i> .		с.	d.	е.	f.	Α	В	С	D	Ε	F
		(BII) - Continued				<u></u>					<u> </u>		
5815-00-351-7944	GEAR, WO	ORM WHEEL: *100 WPM, SIG DWG S	SC-B-70478	Х	U	EA	1						
	(MOUNT	ED IN EQUIPMENT)											
6240-00-155-8706	LAMP, 6-	8V, 0.15A P/N 20791		х	Υ	EA	1						
6240-00-143-3084	LAMP, IN	ICANDESCENT, 115V, 15W P/N 207	701	Х	Υ	EA	1						
7510-00-082-2648	RIBBON,	TELETYPEWRITER: FED SPEC DDD	D-R-311D,	Х	U	EA	1						
	TYPE 1	, GRADE 1, CLASS 1 (INSTALLE	IN EQUIPMEN	T)									3
5815-00-356-3227	SPOOL, P	RINTING RIBBON: KLEINSCHMIDT	Γ P/N 10900	Х	U	EA	1						3
	(INSTA	LLED IN EQUIPMENT)											
7530-00-634-6237	TAPE, TE	LETYPEWRITER, PERFORATOR: FE	ED SPEC	х	U	RL	1						·
	UU-T-1	20, 7/8 INCH											7
	PUBLICAT	IONS											
	TECHNI	CAL MANUAL TM 11-5815-238-10		х	U	EA	1						
	HAND R	ECEIPT MANUAL TM 11-5815-238-	10-HR	Х	U	EA	1						

* WHEN USED AS A

HAND RECEIPT, enter Hand Receipt Annex Number

HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes

HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).

PAGE 13 OF 34 PAGES.

STOCK NUMBER	ITEM DESCRIPTION		SEC	UI	QTY	g.		QUA	YTITY		
a .	b.	* c.	d.	е.	f.	A	В	С	D	E	F
								-			
	Additional Authorization List (AAL)										
	NOT APPLICABLE										
			-								
								-			
	THOSE NSNS INDICATED BY AN "X" IN THE ARC ON HAND										
	RECEIPT PAGES NEED NOT BE COUNTED UNDER THE										
	INVENTORY PROVISION OF PARA 2-10, AR 710-2. ITEMS										
	WILL BE ORDERED AS REQUIRED.			-							

16

CURRENT AS OF

PAGE 14 OF 34 PAGES

HAND RECEIPT/ For use of this form, see DA PA The proponent agency is ODCSI		FROM		TO:							HAI	ND RECE	IPT NU	MBER
FOR ANNEX/CR ONLY SEE PAGE 3		TEM DESCRIPTION EE PAGE 3		PUBLICATION NUMBER TM 11-5815-238	3-10			PUBLI	CATION	DATE	QU	ANTITY	1	
STOCK NUMBER		ITEM DESCRIP	PTION		*	SEC	UI	QTY			QUAN	ITITY		\square
<i>a</i> .		<i>b</i> .			c.	d.	e.	f.	Α	В	С	D	Ε	F
	TELETYPE	WRITER SET AN/GGC-3A.	AND TEL	ETYPEWRITER			<u> </u>				<u></u>	L		
	REPERF	ORATOR-TRANSMITTER TT	r-76B/GGC	;								<u> </u>		
		Components of End I	item (COE	Ι)										
5815-00-581-9751	TELETYPE	WRITER SET AN/GGC-3A			N	U	EA	1						
	CONSIS	TING OF:												
5815-00-537-7906	CASE	, TELETYPEWRITER REPE	RFORATOR	-TRANSMITTER	N	U	EA	1						
	CY-	-1110/GGC												
5815-00-543-1353	TABLI	E, TELETYPEWRITER FN-	-108/GGC	CONSISTING OF:	N	U	EA	1						
5815-00-614-5238	FR/	AME, TABLE TOP: KLEI	NSCHMIDT	P/N 59505A	И	U	EA	1						
5815-00-392-7821	LE	G: SIG DWG SM-B-1572	297		N	U	EΑ	4						
5815-00-553-6061	TELETYPE	WRITER REPERFORATOR-T	TRANSMITT	ER TT-76B/GGC	N	U	EΑ	1						
	HIGH L	EVEL OPERATION, STAND	DARD KEYB	OARD, ENGLISH										
	CHARAC	TERS, USES 7/8 INCH P	APER TAP	E										

* WHEN USED AS A

HAND RECEIPT, enter Hand Receipt Annex Number

HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes

HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).

PAGE 15 OF 34 PAGES.

Basic Issue Items (BII) Basic Issue Items (BII) CHAD BIN: SIG DMG SH-B-157283 SEL5-00-219-7020 CLIP: KLEINSCHMIDT P/N 53442 K U EA 1 (MOUNTED IN COVER) S915-00-224-9717 FORK, TUNING: SIG DMG SC-D-70237 K U EA 1 (MOUNTED IN COVER) S915-00-203-1678 GEAR, MORM: 60 NPM, SIG DMG SC-B-69681 K V EA 5 (MOUNTED IN EQUIPMENT) S915-00-203-1327 GEAR, MORM: 100 MPM, SIG DMG SC-B-70842 K U EA 1 (MOUNTED IN EQUIPMENT) S915-00-203-1327 GEAR, MORM: 100 MPM, SIG DMG SC-B-70842 K U EA 1 (MOUNTED IN EQUIPMENT) S915-00-203-1327 GEAR, MORM: 100 MPM, SIG DMG SC-B-70842 K U EA 1 (MOUNTED IN EQUIPMENT) S915-00-203-1327 GEAR, MORM: 100 MPM, SIG DMG SC-B-70842 K U EA 1 (MOUNTED IN EQUIPMENT) S915-00-378-5593 GEAR, MORM: 100 MPM, SIG DMG SC-B-70842 K U EA 1 (MOUNTED IN EQUIPMENT) S915-00-378-5593 GEAR, MORM: 100 MPM, SIG DMG SC-B-70842 K U EA 1 STOCK NUMBER	ITEM DESCRIPTION		SEC	UI	aty	g.		QUA	NTITY			
Basic Issue Items (BII) 5815-00-392-7813		b.		1			A	В	С	D	E	F
Basic Issue Items (BII) 5815-00-392-7813												
Basic Issue Items (BII) 5815-00-392-7813												
Basic Issue Items (BII) 5815-00-392-7813												
Basic Issue Items (BII) 5815-00-392-7813												
Basic Issue Items (BII) 5815-00-392-7813			<u> </u>									
Basic Issue Items (BII) 5815-00-392-7813					-							
Basic Issue Items (BII) 5815-00-392-7813								-				
S920-00-581-4144 FUSE, 2A, 250V P/N 20455 X Y EA 5 S815-00-203-1678 GEAR, WORM: 60 WPM, SIG DWG SC-B-69681 X U EA 1 S815-00-203-1327 GEAR, WORM: 100 WPM, SIG DWG SC-B-70842 X U EA 1 C					-							
S920-00-581-4144					ļ							
S920-00-581-4144 FUSE, 2A, 250V P/N 20455 X Y EA 5 S815-00-203-1678 GEAR, WORM: 60 WPM, SIG DWG SC-B-69681 X U EA 1 S815-00-203-1327 GEAR, WORM: 100 WPM, SIG DWG SC-B-70842 X U EA 1 C		Basic Issue Items (BII)										
S920-00-581-4144 FUSE, 2A, 250V P/N 20455 X Y EA 5 S815-00-203-1678 GEAR, WORM: 60 WPM, SIG DWG SC-B-69681 X U EA 1 S815-00-203-1327 GEAR, WORM: 100 WPM, SIG DWG SC-B-70842 X U EA 1 C	5815-00-392-7813	CHAD BIN: SIG DWG SM-B-157283	Х	U	EA	1						
S920-00-581-4144	5815-00-219-7020	CLIP: KLEINSCHMIDT P/N 53442	Х	U	EA	1	_					
S920-00-581-4144	5815-00-224-9717	FORK, TUNING: SIG DWG SC-DL-70237	Х	U	EA	1						
5815-00-203-1678 GEAR, WORM: 60 WPM, SIG DWG SC-B-69681 X U EA 1 (INSTALLED IN EQUIPMENT) 5815-00-203-1327 GEAR, WORM: 100 WPM, SIG DWG SC-B-70842 X U EA 1 (MOUNTED IN EQUIPMENT) 5815-00-378-5593 GEAR, WORM WHEEL: 60 WPM KLEINSCHMIDT, P/N X U EA 1		(MOUNTED IN COVER)										
(INSTALLED IN EQUIPMENT) 5815-00-203-1327	5920-00-581-4144	FUSE, 2A, 250V P/N 20455	Х	Υ	EA	5						
5815-00-203-1327 GEAR, WORM: 100 WPM, SIG DWG SC-B-70842 X U EA 1 (MOUNTED IN EQUIPMENT) 5815-00-378-5593 GEAR, WORM WHEEL: 60 WPM KLEINSCHMIDT, P/N X U EA 1	5815-00-203-1678	GEAR, WORM: 60 WPM, SIG DWG SC-B-69681	Х	U	EA	1						
(MOUNTED IN EQUIPMENT) 5815-00-378-5593 GEAR, WORM WHEEL: 60 WPM KLEINSCHMIDT, P/N X U EA 1		(INSTALLED IN EQUIPMENT)										
5815-00-378-5593 GEAR, WORM WHEEL: 60 WPM KLEINSCHMIDT, P/N X U EA 1	5815-00-203-1327	GEAR, WORM: 100 WPM, SIG DWG SC-B-70842	Х	U	EA	1						
		(MOUNTED IN EQUIPMENT)										
50352A (INSTALLED IN EQUIPMENT)	5815-00-378-5593	GEAR, WORM WHEEL: 60 WPM KLEINSCHMIDT, P/N	х	U	EA	1						
		50352A (INSTALLED IN EQUIPMENT)										

PAGE 16 OF 34 PAGES

HAND RECEIPT For use of this form, see DA P.	AM 710-2	FROM:			TO:							НА	ND REC	IPT NU	IMBER
The proponent agency is ODCS FOR ANNEX/CR ONLY END ITEM STOCK NUMBER SEE PAGE 3		END ITEM DESCRIPTION SEE PAGE 3		PUBLICATION I	NUMBER 5815-238	8-10			PUBLI	CATION	DATE	QU	ANTITY		
STOCK NUMBER		ITEM DESCRIPTI	ON			*	SEC	UI	QTY AUTH			QUAN			
a.		b.				c.	d.	e.	f.	A	В	С	D	Ε	F
5015 00 051 7044		(BII) - Continu				-			-						
5815-00-351-7944	GEAR	, WORM WHEEL: 100 WPM, SI	G DWG	SC-B-7047	8	Х	U	EA	1			ļ			<u></u>
	(M(DUNTED IN EQUIPMENT)													
6240-00-155-8706	LAMP	, 6-8V, 0.15A P/N 20791				х	γ	EA	1						
6240-00-143-3084	LAMP,	, INCANDESCENT, 115V, 15W	P/N 20	701		Х	γ	EA	1						
7510-00-082-2648	RIBBO	ON, TELETYPEWRITER: FED S	PEC DD	D-R-311D,		Х	U	EΑ	1						
	TYF	PE 1, GRADE 1, CLASS 1 (IN	STALLE	D IN EQUII	PMENT)										
5815-00-356-3227	SP00L	, PRINTING RIBBON: KLEIN	SCHMID	T P/N 109	00	Х	U	EA	1		-				
	(1)	ISTALLED IN EQUIPMENT)												-	
7530-00-634-6237	TAPE,	TELETYPEWRITER, PERFORAT	OR: F	ED SPEC		Х	U	RL	1						
	UU-	T-120, 7/8 INCH													
	PUBLI	CATIONS													
	TEC	HNICAL MANUAL TM 11-5815-	238-10			Х	U	EA	1						
	иАн	D RECEIPT MANUAL TM 11-58	15-238-	-10-HR											

* WHEN USED AS A:

HAND RECEIPT, enter Hand Receipt Annex Number

HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes

HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).

PAGE 17 OF 34 PAGES.

STOCK NUMBER	ITEM DESCRIPTION		SEC	UI	QTY AUTH	g.		QUA	NTITY		
a.	b.	* c.	d.	e.	f.	A	В	С	D	Ε	F
			ļ. — —	<u> </u>		ļ					
				ļ				-			
				ļ		ļ					
	Additional Authorization List (AAL)										
	NOT APPLICABLE										
									<u> </u>		
					-	ļ	 	1			
			<u> </u>		<u> </u>	 					
	THOSE NSNS INDICATED BY AN "X" IN THE ARC ON HAND			<u> </u>	1						
	RECEIPT PAGES NEED NOT BE COUNTED UNDER THE										-
	INVENTORY PROVISION OF PARA 2-10, AR 710-2.		 		<u> </u>						
	ITEMS WILL BE ORDERED AS REQUIRED.			 	†						

20

HAND RECEIPT For use of this form, see The proponent agency is		D:						HAI	ND RECE	IPT NU	MBER
FOR ANNEX/CR SEE PAGE 3	R END ITEM DESCRIPTION PUBLICATION NULL SEE PAGE 3 PUBLICATION NULL TM 11-58	MBER 315-238-10)		PUBLI	CATION	DATE	QU	ANTITY 1		
STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY HTUA	g.		QUAN	πτγ		
а.	ь.	с.		e.	f.	A	В	С	D	Ε	F
	TELETYPEWRITER SET AN/GGC-3A, AND TELETYPEWRITE	:R									
	REPERFORATOR-TRANSMITTER TT-76A/GGC										
	Components of End Item (COEI)										
5815-00-581-9751	TELETYPEWRITER SET AN/GGC-3A	N	U	EΑ	1						
	CONSISTING OF:										
5815-00-537-7906	CASE, TELETYPEWRITER REPERFORATOR-TRANSMITT	ER N	U	EA	1						
	CY-1110/GGC										
5815-00-543-1353	TABLE, TELETYPEWRITER FN-108/CCG CONSISTING	OF: N	U	EA	1						
5815-00-614-5238	FRAME, TABLE TOP: KLEINSCHMIDT P/N 59505A	N	U	EA	1						
5815-00-392-7821	LEG: SIG DWG SM-B-157297	N	U	EA	4						
5815-00-553-6061	TELETYPEWRITER REPERFORATOR-TRANSMITTER TT-76A/	GGC, N	U	EA	1						
	HIGH LEVEL OPERATION, STANDARD KEYBOARD, ENGL	.ISH									
	CHARACTERS, USES 7/8 INCH PAPER TAPE										

* WHEN USED AS A:

HAND RECEIPT, enter Hand Receipt Annex Number

HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes

HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).

PAGE 19 OF 34 PAGES.

STOCK NUMBER	ITEM DESCRIPTION		SEC	UI	QTY	g.		QUA	NTITY		
а.	b.	* c.	d.	e.	f.	A	В	С	D	E	F
					 						
				<u> </u>			ļ <u> </u>				
	Basic Issue Items (BII)										
5815-00-392-7813	CHAD BIN: SIG DWG SM-B-157283	X	U	EA	1						
5815-00-219-7020	CLIP: KLEINSCHMIDT P/N 53442	X	U	EA	1						-
			<u> </u>	1							
5815-00-224-9717	FORK, TUNING: SIG DWG SC-DL-70237	X	U	EA	1			<u>. </u>			ļ
	(MOUNTED IN COVER)			ļ	ļ						ļ
5920-00-581-4144	FUSE, 2A, 250V P/N 20455	Х	γ	EA	5						
5815-00-203-1678	GEAR, WORM: 60 WPM, SIG DWG SC-B-69681	Х	U	EA	1						
	(INSTALLED IN EQUIPMENT)										
5815-00-203-1327	GEAR, WORM: 100 WPM, SIG DWG SC-B-70842	Х	U	EA	1						
	(MOUNTED IN EQUIPMENT)	i									
5815-00-378-5593	GEAR, WORM WHEEL: 60 WPM KLEINSCHMIDT, P/N 50352A	Х	U	EA	1						
	(INSTALLED IN EQUIPMENT)										
5815-00-351-7944	GEAR, WORM WHEEL: 100 WPM, SIG DWG SC-B-70478	Х	U	EA	1						
	(MOUNTED IN EQUIPMENT)										
6240-00-155-8706	LAMP, 6-8V, 0.15A P/N 20791	х	γ	EA	1						

CURRENT AS OF

PAGE 20 OF 34 PAGES

For use	ID RECEIPT of this form, see DA PA opponent agency is ODCS	M 710-2 LOG.	P-1.	· · · · ·	ТО							НА	ND REC	EIPT NU	MBER
FOR EI ANNEX/CR ONLY	ND ITEM STOCK NUMBER SEE PAGE 3		END ITEM DESCRIPTION SEE PAGE 3		PUBLICATION NUMBER TM 11-5815-238	8-10			PUBLI	CATION	DATE	QU	IANTITY	l	
	STOCK NUMBER		ITEM DESCRIP	PTION		*	SEC	UI	QTY	g.		QUAI	YTITY		
	a .		<i>b</i> .			с.	d.	е.	f.	Α	В	С	D	E	F
			(BII) - Cont	inued											
6240-0	0-143-3084	LAMP,	, INCANDESCENT, 115V, 15W	P/N 20	701	Х	Υ	EA	1						
7510-0	0-082-2648	RIBBO	ON, TELETYPEWRITER: FED	SPEC DD	D-R-311D,	Х	U	EA	1						
		TYF	PE 1, GRADE 1, CLASS 1 (I	NSTALLE	D IN EQUIPMENT)										
5815-0	0-356-3227	SP00L	., PRINTING RIBBON: KLEI	NSCHMID	T P/N 10900	Х	U	EA	1						
		(1)	NSTALLED IN EQUIPMENT)												
7530-0	0-634-6237	TAPE,	, TELETYPEWRITER, PERFORA	ATOR: F	ED SPEC	Х	U	RL	1						
		UU-	-T-120, 7/8 INCH												
		PUBLI	CATIONS												
		TEC	CHNICAL MANUAL TM 11-5815	5-238-10		Х	U	EΑ	1						
		нан	ND RECEIPT MANUAL TM 11-5	815-238	-10-HR	Х	U	EA	1						
												i			
															\neg

* WHEN USED AS A:

HAND RECEIPT, enter Hand Receipt Annex Number

HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes

HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).

PAGE 21 OF 34 PAGES.

STOCK NUMBER	ITEM DESCRIPTION		SEC	UI	QTY AUTH	g.	,	QUAI	VTITY		,
a.	b.	* c.	d.	е.	f.	A	В	С	D	E	F
	A A A A A A A A A A A A A A A A A A A	<u> </u>	 								
	Additional Authorization List (AAL)		 -			<u> </u>					
	NOT APPLICABLE	-	 	 	-	-	-				
		ļ	<u> </u>	ļ	ļ	ļ	ļ				_
			1								
		1									
			<u> </u>		 	 					-
		ļ	<u> </u>	 	-			ļ			
		 	ļ	 	 	ļ	ļ	-			<u> </u>
		ļ	<u> </u>	<u> </u>	ļ	ļ	ļ		ļ	-	
				1							
		\dagger	 	-	 	†	 				
		├	 	-	┼	 	-		-		\vdash
		ļ	ļ	-	-	 	-		ļ		
			<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	ļ			<u> </u>
	THOSE NSNS INDICATED BY AN "X" IN THE ARC ON										
	HAND RECEIPT PAGES NEED NOT BE COUNTED UNDER THE										
	INVENTORY PROVISION OF PARA 2-10, AR 710-2.										
	ITEMS WILL BE ORDERED AS REQUIRED.										

CURRENT AS OF

HAND RECEIPT For use of this form, see DA F The proponent agency is ODC.	PAM 710-2-1. SLOG.	FROM:		TO:		, ,					НА	ND REC	EIPT NU	MBER	
FOR ANNEX/CR ONLY SEE PAGE 3		TEM DESCRIPTION E PAGE 3		PUBLICATION NUMBER TM 11-5815-23	8-10			PUBL	ICATION	DATE	Qυ	IANTITY	L		
STOCK NUMBER		ITEM DESC	CRIPTION		*	SEC	UI	QTY AUTH	g.		QUA	VTITY			
a.		Ь.			c.	d.	e.	f.	A	В	С	D	Ε	F	
	TELETYPE	WRITER SET AN/GGC-5	3A AND TEL	ETYPEWRITER											
	REPERF	ORATOR-TRANSMITTER	TT-699A/GG	С											
							<u> </u>								
		Components of En	nd Item (C	OEI)											
5815-01-017-0956	TELETYPE	WRITER SET AN/GGC-5	3A		N	U	EΑ	1							₹
5815-00-537-7906	CASE, TE	LETYPEWRITER REPERFO	ORATOR-TRA	NSMI TTER	N	U	EA	1							11-5815
	CY-111	D/GGC													
5815-00-543-1353	TABLE, TI	ELETYPEWRITER FN-108	8/GGC CONS	ISTING OF:	N	U	EA	1							-238
5815-00-614-5238	FRAME,	TABLE TOP: KLEINS	CHMIDT P/N	59505A	N	U	EA	1							238-10-HR
5815-00-392-7821	LEG, S	IG DWG SM-B-157297			N	U	EA	4							ŦŖ
5815-01-017-9166	TELETYPE	RITER REPERFORATOR-	-TRANSMITT	ER TT-699A/GGC	N	U	EA	1							
* WHEN USED AS A:															l

HAND RECEIPT, enter Hand Receipt Annex Number

HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes

HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).

PAGE 23 OF 34 PAGES.

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY	g.	г	QUA	YTITY		
a	ь.	c.	d.	е.	f.	_ <u> </u>	В	С	D	E	F
	Basic Issue Items (BII)										
5815-00-392-7822	BRACKET ASSEMBLY, KLEINSCHMIDT P/N 52656A	Х	U	EA	1						
5815-00-392-7813	CHAD BIN: SIG DWG SM-B-157283	Х	U	EA	1						
5815-00-219-7020	CLIP: KLEINSCHMIDT P/N 53442	Х	U	EA	1						
5815-00-224-9717	FORK, TUNING: SIG DWG SC-DL-70237	Х	U	EA	1						
	(MOUNTED IN COVER)					ļ					<u> </u>
5920-00-581-4144	FUSE, 2A, 250V P/N 20455	Х	Υ	EA	5						
5815-00-203-1678	GEAR, WORM: 60 WPM, SIG DWG SC-B-69681	Х	U	EA	1	<u> </u>					
	(INSTALLED IN EQUIPMENT)		ļ						<u></u>		_
5815-00-203-1327	GEAR, WORM: 100 WPM, SIG DWG SC-B-70842	Х	U	EA	1						
	(MOUNTED IN EQUIPMENT)										
5815-00-378-5593	GEAR, WORM WHEEL: 60 WPM KLEINSCHMIDT, P/N	X	U	EA	1						
	50352A (INSTALLED IN EQUIPMENT)										
5815-00-351-7944	GEAR, WORM WHEEL: 100 WPM, SIG DWG SC-B-70478	Х	U	EA	1						
	(MOUNTED IN EQUIPMENT)										
6240-00-155-8706	LAMP, 6-8V, U.15A P/N 20791	Х	Υ	EA	1						
6240-00-143-3084	LAMP, INCANDESCENT, 115V, 15W P/N 20701	Х	Υ_	EΑ	1						

26

CURRENT AS OF

HAND RECEIPT For use of this form, see DA PA. The proponent agency is ODCSL	M 710-2-1.	FROM:		TO:							НАГ	ND RECE	IPT NU	MBER
FOR ANNEX/CR SEE PAGE 3	_	M DESCRIPTION E PAGE 3		PUBLICATION NUMBER TM 11-5815-2	38-10			PUBLIC	CATION	DATE	QU	ANTITY 1		
STOCK NUMBER		ITEM DESCR	RIPTION		*	SEC	UI	QTY AUTH			QUAN			
а.		b.			с.	d.	e.	f.	Α	В	С	D	E	F
		(BII) - Co	ontinued			<u> </u>								
7510-00-082-2648	RIBBON, TE	ELETYPEWRITER: FE	D SPEC DDE	D-R-311D,	Х	U	EA	1			ļ			
	TYPE 1,	GRADE 1, CLASS 1	(INSTALLED	IN EQUIPMENT)							<u> </u>			
5305-00-206-5877	SCREW, TAR	PPING, THREAD FORM	ING: KLEI	NSCHMIDT	Х	U	EA	1						
	P/N 1030	02												
5815-00-356-3227	SPOOL, PR	INTING RIBBON: KL	EINSCHMIDT	P/N 10900	Х	U	EA	1						
	(INSTALI	LED IN EQUIPMENT)												
7530-00-634-6237	TAPE, TELE	ETYPEWRITER, PERFO	RATOR: FE	D SPEC	Х	U	RL	1						
	UU-T-120	0, 7/8 INCH												
5815-00-672-6727	TEMPLATE,	BENCH: KLEINSCHM	IDT P/N 57	259	Х	U	EA	1						
	PUBLICATIO	ONS				<u> </u>								
	TECHNICA	AL MANUAL TM 11-58	15-238-10		Х	U	EA	1						
	HAND REG	CEIPT MANUAL TM 11-	-5815-238-	10-HR	Х	U	EA	1						

* WHEN USED AS A

HAND RECEIPT, enter Hand Receipt Annex Number

HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes

HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).

PAGE 25 OF 34 PAGES.

STOCK NUMBER	ITEM DESCRIPTION		SEC	UI	QTY	g.		QUA	YTITY		
a.	_b.	* c.	d.	e.	f.	A	В	С	D	E	F
		1									
	Additional Authorization List (AAL)	1									
	NOT APPLICABLE								-		
<u> </u>											
		1			†	<u> </u>					
					<u>† </u>						
		1				<u> </u>					
							†		-		
		1									
	THOSE NSNS INDICATED BY AN "X" IN THE ARC ON				1						
	HAND RECEIPT PAGES NEED NOT BE COUNTED UNDER										
	THE INVENTORY PROVISION OF PARA 2-10, AR 710-2.										
	ITEMS WILL BE ORDERED AS REQUIRED.										

CURRENT AS OF

For i	AND RECEIPT use of this form, see DA P. proponent agency is ODCS	AM 710-2- SLOG.	·1.			ТО						<u> </u>	НА	ND REC	EIPT NU	MBER	
FOR ANNEX/CR	END ITEM STOCK NUMBER		END ITEM DESCR			PUBLICATION NUMBER				PUBL	CATION	DATE	QU	IANTITY			
ONLY	SEE PAGE 3		SEE PAGE	3	1	TM 11-5815-2	38-10	T	T	-	т—				1		
	STOCK NUMBER			ITEM D	ESCRIPTION		*	SEC	Ui	QTY AUTH		T	QUAI		Γ_		
<u> </u>	a.		···-		<i>b</i> .		С.	d.	е.	f.	A	В	С	D	E	F	
		TELET	YPEWRITER	SET AN/GGC	-53A AND TEL	ETYPEWRITER		ļ		ļ		<u> </u>	<u> </u>				
		REP	ERFORATOR-	-TRANSMITTE	R TT-699B/G0	GC				<u> </u>							
			Compo	onents of E	nd Item (CO	ΞΙ)											
5815	-00-017-0956	TELET	YPEWRITER	SET AN/GGC	-53A		N	U	EA	1							Ĭ 1
5815	-00-537-7906	CASE,	TELETYPE	WRITER REPE	RFORATOR-TRA	ANSMITTER	И	U	EA	1							1-58
		CY-	1110/GGC							<u> </u>							15-23
5815	-00-543-1353	TABLE	, TELETYPE	EWRITER FN-	108/GGC CONS	SISTING OF:	11	U	EA	1							11-5815-238-10-HR
5815	-00-614-5238	FRA	ME, TABLE	TOP: KLEI	NSCHMIDT P/	1 59505A	N	U	EA	1							捒
5815	-00-392-7821	LEG	: SIG DWO	G SM-B-1572	97		N	U	EA	4		<u> </u>					
5815	-01-017-9166	TELET	YPEWRITER	REPERFORAT	OR-TRANSMIT	TER TT-699/GGC	N	U	EA	1							
* WHE	N USED AS A														-		l

HAND RECEIPT, enter Hand Receipt Annex Number

HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes

HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).

PAGE 27 OF 34 PAGES.

	-
	2
	2
	_
	_
	٠.
	U
1	α
	_
	•
	Ÿ
	ĸ
	C
	α
ı	7
ı	
ı	
	7
ı	÷
	_
ı	Z

PAGE 28 OF 34 PAGES

STOCK NUMBER	ITEM DESCRIPTION	_	SEC	UK	QTY	g.		QUA	NTITY		
a.	b.	* c.	d.	e.	f.		В	С	D	E	F
	Basic Issue Items (BII)										
5815-00-392-7822	BRACKET ASSEMBLY, KLEINSCHMIDT P/N 52656A	Х	U	EA	1						
5815-00-392-7813	CHAD BIN: SIG DWG SM-B-157283	Х	U	EA	1	<u> </u>					
5815-00-219-7020	CLIP: KLEINSCHMIDT P/N 53442	Х	U	EA	1						
5815-00-224-9717	FORK, TUNING: SIG DWG SC-DL-70237	X	U	EA	1						
	(MOUNTED IN COVER)										
5920-00-581-4144	FUSE, 2A, 250V P/N 20455	Х	Υ	EA	5						
5815-00-203-1678	GEAR, WORM: 60 WPM, SIG DWG SC-B-69681	Х	U	EA	1						
	(INSTALLED IN EQUIPMENT)										
5815-00-203-1327	GEAR, WORM: 100 WPM, SIG DWG SC-B-70842	Х	U	EA	1						
	(MOUNTED IN EQUIPMENT)										
5815-00-378-5593	GEAR, WORM WHEEL: 60 WPM KLEINSCHMIDT, P/N	Х	U	EA	1						
	50352A (INSTALLED IN EQUIPMENT)										
5815-00-351-7944	GEAR, WORM WHEEL: 100 WPM, SIG DWG SC-B-70478	Х	U	EA	1						
	(MOUNTED IN EQUIPMENT)										
6240-00-155-8706	LAMP, 6-8V, 0.15A P/N 20791	Х	Υ	EA	1						
6240-00-143-3084	LAMP, INCANDESCENT, 115V, 15W P/N 2071	Х	Υ	EA	1						

30

HAND RECEIPT For use of this form, see DA PA The proponent agency is ODCS	4 M 710-2 LOG.	2-1.			TO:				-			НА	ND REC	EIPT NU	MBER
FOR ANNEX/CR ONLY SEE PAGE 3		END ITEM DESCRIPTION SEE PAGE 3		PUBLICATION TM 11-	NUMBER 5815-238	3-10			PUBLI	CATION	DATE	QU	ΑΝΤΙΤΥ	1	
STOCK NUMBER		ITEM DESC	CRIPTION			*	SEC	uı	QTY	g.		QUAN	ΙΠΤΥ		
a .		<i>b</i> .				c.	d.	е.	f.	Α	В	С	D	Е	F
	<u> </u>	(BII) - C	Continued										<u></u>		
7510-00-082-2648	RIBB	ON, TELETYPEWRITER: FE	D SPEC DD	D-R-311D,		Х	U	EA	1						
	TY	PE 1, GRADE 1, CLASS 1	(INSTALLE	D IN EQUI	PMENT)										
5305-00-206-5877	SCRE	, TAPPING, THREAD FORM	IING: KLE	INSCHMIDT		Х	U	EA	1						
	P/I	N 10302													
5815-00-356-3227	SP00I	L, PRINTING RIBBON: KL	EINSCHMID	T P/N 109	00	Х	U	EA	1						
	(11	NSTALLED IN EQUIPMENT)													
7530-00-634-6237	TAPE	, TELETYPEWRITER, PERFO	RATOR: F	ED SPEC		Х	U	RL	1						
	UU-	-T-120, 7/8 INCH													
5815-00-672-6727	TEMPL	LATE, BENCH: KLEINSCHM	IIDT P/N 5	7259		χ	U	EA	1						
	PUBL	ICATIONS													
	TEC	CHNICAL MANUAL TM 11-58	15-238-10			Х	U	EA	1						
	1AH	ND RECEIPT MANUAL TM 11	-5815-238-	-10-HR		Χ	U	EA	1						
* WHEN USED AS A:							<u> </u>		I						

HAND RECEIPT, enter Hand Receipt Annex Number

HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes

HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).

PAGE 29 OF 34 PAGES.

STOCK NUMBER	ITEM DESCRIPTION		SEC	UI	QTY AUTH	g.		QUAI	YTITY		
a.	b	* c.	d.	e.	ΑU Ή Ĵ.	Α	В	С	D	E	F
		 									
· · · · · · · · · · · · · · · · · · ·		-									
	Additional Authorization List (AAL)						-				-
	NOT APPLICABLE	<u> </u>									
	NOT ATTENDADE										
		-				ļ					-
							ļ				
·							ļ				
		<u> </u>	 								
							 	-			
		-				ļ					
			-			ļ					
	THOSE NSNS INDICATED BY AN "X" IN THE ARC ON										
	HAND RECEIPT PAGES NEED NOT BE COUNTED UNDER										
	THE INVENTORY PROVISION OF PARA 2-10, AR 710-2.										
	ITEMS WILL BE ORDERED AS REQUIRED.	1	†				<u> </u>				

PAGE 30 OF 34 PAGES

For u	AND RECEIPT use of this form, see DA PA proponent agency is ODCSI	M 710-2 LOG.	?-1.	FROM:			TO:				•			НА	ND REC	EIPT NU	MBER	
FOR ANNEX/CR ONLY	END ITEM STOCK NUMBER SEE PAGE 3			EM DESCRIPTION PAGE 3		PUBLICATION N	IUMBER				PUBLI	CATION	DATE	QÜ	ANTITY	1		
	STOCK NUMBER			ITEM DESCRIPTI	ION			*	SEC	Uı	QTY	g.		QUAN	VIIIY			
	a .			b .				c.	d.	e.	f.	Α	В	С	D	E	F	
		TELE	ГҮРЕЖ	RITER SET AN/GGC-53A	AND TEL	_ETYPEWRI1	ER											
		REF	PERFO	RATOR-TRANSMITTER TT-	699C/G	GC												
				Components of End It	em (COE	I)												3
5815-	-01-017-0956	TELET	TYPEW	RITER SET AN/GGC-53A				N	U	EA	1							3
5815-	-00-537-7906	CASE,	TEL	ETYPEWRITER REPERFORA	TOR-TRA	ANSMITTER		N	U	EA	1							-5815
		CY-	1110	/GGC														-238
5815-	00-543-1353	TABLE	, TE	LETYPEWRITER FN-108/G	GC CONS	SISTING OF	:	N	U	EA	1							-238-10-HR
5815-	00-614-5238	FR/	ME,	TABLE TOP: KLEINSCHM	IDT P/N	1 59505A		N	U	EA	1							7
5815 -	00-392-7821	LEC	i: S	IG DWG SM-B-157297				N	U	EA	4							
5815-	01-017-9166	TELET	YPEW	RITER REPERFORATOR-TR	ANSMITT	TER TT-660	/GGC	N	U	EA	1							
							-											
* WHEN	USED AS A: HAND RECEIPT, enter Hand Rec	ceipt Anne	x Numi	ber						-	·				<u> </u>			

DA FORM 2062 JAN 82 PAGE 31 OF 34 PAGES

HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes

HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC)

·	•

STOCK NUMBER	ITEM DESCRIPTION		SEC	UI	QTY	g.		QUA	NTITY		·
a.	ь.	* c.	d.	e.	f.	A	В	С	D	E	F
	Basic Issue Items (BII)		ļ								
5815-00-392-7822	BRACKET ASSEMBLY, KLEINSCHMIDT P/N 52656A	х	U	EA	1						
5815-00-392-7813	CHAD BIN: SIG DWG SM-B-157283	Х	U	EA	1		ļ				
5815-00-219-7020	CLIP: KLEINSCHMIDT P/N 53442	Х	U	EA	1	<u> </u>	ļ				
5815-00-224-9719	FORK, TUNING: SIG DWG SC-DL-70237	Х	U	EA	1						
	(MOUNTED IN COVER)				<u> </u>						
5920-00-581-4144	FUSE, 2A, 250V P/N 20455	Х	Υ	EA	5						
5815-00-203-1678	GEAR, WORM: 60 WPM, SIG DWG SC-B-69681	Х	U	EA	1						
	(INSTALLED IN EQUIPMENT)										
5815-00-203-1327	GEAR, WORM: 100 WPM, SIG DWG SC-B-70842	Х	U	EA	1						
	(MOUNTED IN EQUIPMENT)										
5815-00-378-5593	GEAR, WORM WHEEL: 60 WPM KLEINSCHMIDT, P/N	Х	U	EA	1		<u> </u>				
	50352A (INSTALLED IN EQUIPMENT)			ļ 							
5815-00-351-7944	GEAR, WORM WHEEL: 100 WPM, SIG DWG SC-B-70478	Х	U	EA	1						
	(MOUNTED IN EQUIPMENT)										<u> </u>
6240-00-155-8706	LAMP, 6-8V, 0.15A P/N 20791	Х	γ	EA	1						
6240-00-143-3084	LAMP, INCANDESCENT, 115V, 15W P/N 20701	Х	γ	EA	1						

PAGE 32 OF 34 PAGES

HAND RECEIPT For use of this form, see DA P The proponent agency is ODC.	SLOG.	TO							HAI	ND REC	EIPT NU	MBER	
FOR STOCK NUMBER STOCK NUMBER SEE PAGE 3						PUBLICATION DATE			QUANTITY 1				
STOCK NUMBER	ITEM DESCRIPT	*	SEC	UI	QTY AUTH	g.	T		QUANTITY				
a.	b.		c.	d.	е.	ſ.	A	В	С	D	Ε	F	
	(BII) - Continue	ed		ļ		<u> </u>						_	
7510-00-082-2648	RIBBON, TELETYPEWRITER: FED S	SPEC DDD-R-311D,	Х	U	EA	1							
	TYPE 1, GRADE 1, CLASS 1 (II	NSTALLED IN EQUIPMENT)											
5305-00-206-5877	SCREW, TAPPING, THREAD FORMING	Х	U	EA	1								
	P/N 10302												
5815-00-356-3227	SPOOL, PRINTING RIBBON: KLEIN	Х	U	EA	1								
	(INSTALLED IN EQUIPMENT)												
7530-00-634-6237	TAPE, TELETYPEWRITER, PERFORA	X	U	RL	1								
	UU-T-120, 7/8 INCH												
5815-00-672-6727	TEMPLATE, BENCH: KLEINSCHMID	T P/N 57259	Х	U	EA	1							
	PUBLICATIONS												
	TECHNICAL MANUAL TM 11-5815	Х	U	EA	1								
	HAND RECEIPT MANUAL TM 11-58	Х	U	EA	1								

* WHEN USED AS A:

HAND RECEIPT, enter Hand Receipt Annex Number

HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes

HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).

PAGE 33 OF 34 PAGES

STOCK NUMBER	ITEM DESCRIPTION	ļ _	SEC	UI	OTY 8.		QUANTITY				
a.	b.	* c.	d.	e.	f.	A	В	С	D	E	+
											T
		—									İ
	Additional Authorization List (AAL)										Ì
	NOT APPLICABLE										Ī
<u> </u>											1
		1		<u> </u>			<u> </u>				+
		 							-		+
			1	 	<u> </u>	<u> </u>	<u> </u>				+
		_	 	-	-			-			+
			<u> </u>	-	\vdash	-					+
			ļ	ļ	 	ļ			ļ		+
				ļ	<u> </u>	ļ					-
			ļ	ļ	<u> </u>	<u> </u>	ļ. <u></u>	ļ	ļ	ļ	4
				<u> </u>							
											l
	THOSE NSNS INDICATED BY AN "X" IN THE ARC ON]
	HAND RECEIPT PAGES NEED NOT BE COUNTED UNDER		<u> </u>								
	THE INVENTORY PROVISION OF PARA 2-10, AR 710-2.			<u> </u>							
	ITEMS WILL BE ORDERED AS REQUIRED.										

CURRENT AS OF

By Order of the Secretary of the Army:

JOHN A.WICKHAM JR. General, United States Army Chief of Staff

Official:

ROBERT M. JOYCE Major General, United States Army The Adjutant General

Distribution:

To be distributed in accordance with special list.

☆ U.S. GOVERNMENT PRINTING OFFICE: 1988 0 - 201-421 (80210)

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS

			DO CAL AN		T IT ON T TEAR IT (TE HIS FORM. OUT, FOLD IT MAIL.	FROM:	SENT WRONG WITH PUBLICATION HOPER STATE OF THE PUBLICATION WITH
	PUBLICAT	TION NUMBE	:R			PUBLICATION DA	ATE	PUBLICATION TITLE
TYAR ALOWA PRAKORATKO LIMP	PAGE NO.	PARA-GRAPH	FIGURE NO.	TABLE NO.				AT IS WRONG ONE ABOUT IT.
	PRINTED	NAME, GRAI	DE OR TITL	E AND TELE	EPHONE N	JMBER	SIGN HE	RE

DA 1 JUL 79 2028-2

PREVIOUS EDITIONS ARE OBSOLETE.

P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

THE METRIC SYSTEM AND EQUIVALENTS

'NEAR MEASURE

Centimeter = 10 Millimeters = 0.01 Meters = 0.3937 Inches

1 Meter = 100 Centimeters = 1000 Millimeters = 39.37 Inches

1 Kilometer = 1000 Meters = 0.621 Miles

YEIGHTS

Gram = 0.001 Kilograms = 1000 Milligrams = 0.035 Ounces

1 Kilogram = 1000 Grams = 2.2 lb.

1 Metric Ton = 1000 Kilograms = 1 Megagram = 1.1 Short Tons

LIQUID MEASURE

1 Milliliter = 0.001 Liters = 0.0338 Fluid Ounces

1 Liter = 1000 Milliliters = 33.82 Fluid Ounces

SQUARE MEASURE

1 Sq. Centimeter = 100 Sq. Millimeters = 0.155 Sq. Inches

1 Sq. Meter = 10,000 Sq. Centimeters = 10.76 Sq. Feet

1 Sq. Kilometer = 1,000,000 Sq. Meters = 0.386 Sq. Miles

CUBIC MEASURE

1 Cu. Centimeter = 1000 Cu. Millimeters = 0.06 Cu. Inches 1 Cu. Meter = 1,000,000 Cu. Centimeters = 35.31 Cu. Feet

TEMPERATURE

 $5/9(^{\circ}F - 32) = ^{\circ}C$

212° Fahrenheit is evuivalent to 100° Celsius

90° Fahrenheit is equivalent to 32.2° Celsius

32° Fahrenheit is equivalent to 0° Celsius

 $9/5C^{\circ} + 32 = {\circ}F$

APPROXIMATE CONVERSION FACTORS

TO CHANGE	TO	MULTIPLY BY
Inches	Centimeters	2.540
Feet	Meters	0.305
Yards	Meters	
Miles	Kilometers	
Square Inches	Square Centimeters	
Square Feet	Square Meters	
Square Yards	Square Meters	0.836
Square Miles	Square Kilometers	2.590
Acres	Square Hectometers	
Cubic Feet	Cubic Meters	
Cubic Yards	Cubic Meters	
Fluid Ounces	Milliliters	
nts	Liters	
arts	Liters	
allons	Liters	
Ounces	Grams	
Pounds	Kilograms	
Short Tons	Metric Tons	
Pound-Feet	Newton-Meters	
Pounds per Square Inch	Kilopascals	
Miles per Gallon	Kilometers per Liter	
Miles per Hour	Kilometers per Hour	
•	- · · · · · · · · · · · · · · · · · · ·	

TO CHANGE	то	MULTIPLY BY
Centimeters	Inches	0.394
Meters	Feet	
Meters	Yards	
Kilometers	Miles	
Square Centimeters	Square Inches	
Square Meters	Square Feet	
Square Meters	Square Yards	1 106
Square Kilometers	Square Miles	0.386
Square Hectometers	Acres	
Cubic Meters	Cubic Feet	
Cubic Meters		
Milliliters	Cubic Yards	
	Fluid Ounces	
Liters	Pints	
Liters	Quarts	
'ers	Gallons	
.ms	Ounces	
.ograms	Pounds	
Metric Tons	Short Tons	1.102
Newton-Meters	Pounds-Feet	0.738
Kilopascals	Pounds per Square Inch.	0.145
ometers per Liter	Miles per Gallon	2.354
meters per Hour	Miles per Hour	



PIN: 053462-000

This fine document...

Was brought to you by me:



<u>Liberated Manuals -- free army and government manuals</u>

Why do I do it? I am tired of sleazy CD-ROM sellers, who take publicly available information, slap "watermarks" and other junk on it, and sell it. Those masters of search engine manipulation make sure that their sites that sell free information, come up first in search engines. They did not create it... They did not even scan it... Why should they get your money? Why are not letting you give those free manuals to your friends?

I am setting this document FREE. This document was made by the US Government and is NOT protected by Copyright. Feel free to share, republish, sell and so on.

I am not asking you for donations, fees or handouts. If you can, please provide a link to liberatedmanuals.com, so that free manuals come up first in search engines:

Free Military and Government Manuals

- SincerelyIgor Chudovhttp://igor.chudov.com/
- Chicago Machinery Movers