**TECHNICAL MANUAL** 

# ORGANIZATIONAL, DIRECT SUPPORT, AND GENERAL SUPPORT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LIST (INCLUDING DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS) FOR RECEIVER, RADIO R924 SSD ASSY 10-156287-1 (RGM)

HEADQUARTERS, DEPARTMENT OF THE ARMY

17 MAY 1985

...

**TECHNICAL MANUAL** 

No. 11-5821-327-24P

HEADQUARTERS DEPARTMENT OF THE ARMY WASHINGTON, DC, *17May 1985* 

# ORGANIZATIONAL, DIRECT SUPPORT, AND GENERAL SUPPORT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LIST (INCLUDING DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS) FOR

RECEIVER, RADIO R924 SSD ASSY 10-156287-1 (RGM) Current as of 1 January 1985

#### **REPORTING ERRORS AND RECOMMENDING IMPROVEMENTS**

You can help improve this manual. If you find any mistakes or if you know of a way to improve the procedures, please let us know. Mail your letter, DA Form 2028 (Recommended Changes to Publications and Blank Forms), or DA Form 2028-2 located in back of this manual direct to: Commander US Army Communications-Electronics Command and Fort Monmouth, ATTN: AMSEL-ME-MP Fort Monmouth, NJ 07703-5007.

In either case, a reply will be furnished direct to you.

# Table of Contents

			_	IIIUS
OFOTION			Page	Figure
SECTION	I.	Introduction		
	II.	Repair Parts List		
GROUP	00	Receiver, Radio R924 SSD Assy 10-156287-1 (RGM)		
	01	CCA, Preselector/Mixer 10-156289-1 (A1) (No parts authorized)		
	02	CCA, 2nd Mixer Decoder 10-156288-1 (A2) (No parts authorized)		
	03	CCA, 2nd IF Detector 10-156293-1 (A3) (No parts authorized)		
	04	CCA, Fine Step Synthesizer 10-156290-1 (A4) (No parts authorized)		
	05	CCA, 2nd LO Control 10-156291-1 (A5) (No parts authorized)		
	06	CCA, 1st LO Coarse Step 10-156292-1 (A6) (No parts authorized)		
	07	Cable Assy, RF 10-156475-1 (W1) (No parts authorized)		
	08	Cable Assy, RF 10-156475-2 (W2) (no parts authorized)		
	09	Cable Assy, RF 10-156475-3 (W3) (No parts authorized)		
GROUP	10	Cable Assy, RF 10-156475-4 (W4) (No parts authorized)		
	11	Cable Assy, RF 10-156475-5 (W5) (No parts authorized)		
	12	Cable Assy, RF 10-156475- 6 (W6) (No parts authorized)		
	13	Cable Assy, RF 10-156475-7 (W7) (No parts authorized)		
	14	Cable Assy, RF 10-156475-8 (WS) (No parts authorized)		
	15	Cable Assy, RF 10-156475-9 (W9) (No parts authorized)		
	16	Cable Assy, RF 10-156475-10 (W10) (No parts authorized)		
	17	Cable Assy, RF 10-156475-11 (W11) (No parts authorized)		
	18	Cable Assy, RF 10-156475-12 (W12) (No parts authorized)		
	19	Cable Assy, RF 10-156475-13 (W13) (No parts authorized)		
	20	Cable Assy, RF 10-156475-14 (W14) (No parts authorized)		
SETION	III.	Special Tools List (Not applicable)		
	IV.	National Stock Number and Part Number Index	I-1	

# SECTION I

#### 1. Scope

This manual lists and authorizes spares and repair parts; special tools; special test, measurement, and diagnostic equipment (IMDE); and other special support equipment required for performance of organizational, direct support, and general support maintenance of the R924. It authorizes the requisitioning, issue, and disposition of spares, repair parts and special tools as indicated by the source, maintenance and recoverability (SMR) codes.

#### 2. General

This Repair Parts and Special Tools List is divided into the following sections:


a. Section I. Repair Parts List. A list of spares and repair parts authorized by this RPSTL for use in the performance of maintenance. The list also includes parts which must be removed for replacement of the authorized parts. Parts lists are composed of functional groups in ascending numeric sequence, with the parts in each group listed in ascending item number sequence. Figure numbers are listed directly beneath the group header.

- b. Section III. Special Tools List. Not applicable.
- *c.* Section IV. National Stock Number and Part Number Index. A list, in National item identification number (NIIN) sequence, of all National stock numbered items appearing in the listing, followed by a list in alphameric sequence of all part numbers appearing in the listings. National stock numbers and part numbers are cross-referenced to each illustration figure and item number appearance.

#### 3. Explanation of Columns (Section II and III)

a. Item No. (Column (1)). Indicates the number used to identify items called out in the illustration.


*b. SMR Code* (*Column* (2)). The source, maintenance, and recoverability (SMR) code is a five-position code containing supply/requisitioning information, maintenance category authorization criteria, and disposition instruction, as shown in the following breakout:



# NOTE

Complete repair: Maintenance capacity, capability, and authority to perform all corrective maintenance tasks of the "Repair" function in a use/user environment in order to restore serviceability to a failed item.

(1) Source code. The source code tells you how to get an item needed for maintenance, repair, or overhaul of an end item/equipment. Explanations of source codes follows:



#### Code

XA-Do not requisition an "XA" coded item. Order its next higher assembly. XB-If an "XB" item is not available from salvage, order it using the FSCM and part number given. XC-Installation drawing, diagram, instruction sheet, field service drawing, that is identified by manufacturers part number. XD-Item is not stocked. Order an "XD" coded item through normal supply channels using the FSCM and part number given, if no NSN is available.

Explanation

# NOTE

Cannibalization or controlled exchange, when authorized, may be used as a source of supply for items with the above source codes, except for those source coded "XA" or those aircraft support items restricted by requirements of AR 750-1.

(2) Maintenance code. Maintenance codes tell you the category of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the SMR code as follows:

(a) The maintenance code entered in the third position tells you the lowest maintenance category authorized

to remove, replace, and use an item. The maintenance code entered in the third position will indicate authorization to one of the following categories of maintenance.

# Application/Explanation

C-Crew or operator maintenance done within organizational or aviation maintenance.

O-Organizational or aviation unit category can remove, replace, and use the item.

F-Direct support or aviation intermediate category can remove, replace, and use the item.

H-General support category can remove, replace, and use the item.

L-Specialized repair activity can remove, replace, and use the item.

D-Depot category can remove, replace, and use the item.

(b) The maintenance code entered in the fourth position tells whether or not the item is to be repaired and identifies the lowest maintenance category with the capability to do complete repair (i.e., perform all authorized repair functions). This position will contain one of the following maintenance codes.

#### NOTE

Some limited repair may be done on the item at a lower category of maintenance, if authorized by the Maintenance Allocation Chart (MAC) and SMR codes.

#### Code

Code

#### Application/Explanation

O-Organizational or aviation unit is the lowest category that can do complete repair of the item.

F-Direct support or aviation intermediate is the lowest category that can do complete repair of the item.

H-General support is the lowest category that can do complete repair of the item.

L-Specialized repair activity (designate the specialized repair activity) is the lowest category that can do complete repair of the item.

D-Depot is the lowest category that can do complete repair of the item.

Z-Nonreparable. No repair is authorized.

B-No repair is authorized. (No parts or special tools are authorized for the maintenance of a "B" coded item). However, the item may be reconditioned by adjusting, lubricating, etc., at the user category.

(3) Recoverability code. Recoverability codes are assigned to items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the SMR Code as follows: *Recoverability* 

#### Codes

# Application/Explanation

Z-Nonreparable Item. When unserviceable, condemn and dispose of the item at the category of maintenance shown in the third position of SMR Code.

O-Reparable item. When uneconomically reparable, condemn and dispose of the item at organizational or aviation unit category.

F-Reparable item. When uneconomically reparable, condemn and dispose of the item at direct support or aviation intermediate category.

H-Reparable item. When uneconomically reparable, condemn and dispose of the item at general support category.

D-Reparable item. When beyond lower category repair capability, return to depot. Condemnation and disposal of item not authorized below depot category.

L-Reparable item. Condemnation and disposal not authorized below specialized repair activity (SRA).

A-Item requires special handling or condemnation procedures because of specific reasons (e.g., precious metal content, high dollar value, critical material, or hazardous material). Refer to appropriate manuals/directives for specific instructions.

*c. FSCM (Column* (3)). The Federal Supply Code for Manufacturer (FSCM) is a 5-digit numeric code which is used to identify the manufacturer, distributor, or Government agency, etc., that supplies the item.

*d. Part Number (Column (4)).* Indicates the primary number used by the manufacturer (individual, company, firm, corporation, or Government activity), which controls the design and characteristics of the item by means of its engineering drawings, specifications, standards, and inspection requirements to identify an item or range of items.

#### NOTE

When you use a NSN to requisition an item, the item you receive may have a different part number from the part ordered.

e. Description and Usable on Code (UOC) (Column (5)). This column includes the following information.

(1) The Federal item name and, when required, a minimum description to identify the item.

(2) The statement "END OF FIGURE" appears just below the last item description in Column (5) for a given figure in both section II and section III.

*f. Qty* (*Column (6)*). Indicates the quantity of the item used in the breakout shown on the illustration figure, which is prepared for a functional group, subfunctional group, or an assembly. A "V" appearing in this column in lieu of a quantity indicates that the quantity is variable and the quantity may vary from application to application.

# 4. Explanation of Columns (Section IV)

a. National Stock Number (NSN)Index.

(1) Stock number column. This column lists the NSN by National item identification number (NIIN) sequence. The NIIN consists of the last nine digits of the NSN. When using this column to locate an item, ignore the first four digits of the NSN. When requisitioning items use the complete NSN (13 digits).

(2) Fig. column. This column lists the number of the figure where the item is identified/located. The illustrations are in numerical sequence in sections II and m.

(*3*) *Item column.* The item number identifies the item associated with the figure listed in the adjacent Fig. column. This item is also identified by the NSN listed on the same line.

b. Part Number Index. Part numbers in this index are listed by part number in ascending alphameric sequence.

(1) FSCM column. This column lists the Federal supply code for manufacturer (FSCM).

(2) Part number column. This column indicates the part number assigned to the item.

(3) Stock number column. This column lists the National stock number for the associated part number and manufacturer identified in the part number and FSCM columns to the left.

(4) Fig. column. This column lists the number of the figure where the item is identified/located in sections II and III.

(5) Item column. The item number is that number assigned to the item as it appears in the figure referenced in the adjacent figure number column.

# 5. Special Information

a. Short Form Repair Parts and Special Tools List (RPSTL). This Repair Parts and Special Tools List is a short form RPSTL. All repair parts will be listed in the next revision.

*b. Associated Publications.* The publication listed below pertains to the R924 and its components: TM 11-5821-327-13, Receiver R924 (To be published.)

*c.* National Stock Numbers. National stock numbers (NSN's) that are missing from P source coded items have been applied for and will be added to this TM by future change/revision when they are entered in the Army Master Data File (AMDF). Until the NSN's are established and published, submit exception requisitions to: Commander, US Army Communications-Electronics Command and Fort Monmouth, ATTN: AMSEL-MM, Fort Monmouth, NJ 07703-5006 for the part required to support your equipment.

#### 6. How to Locate Repair Parts

a. When National stock number or part number is not known.

(1) First. Using the table of contents, determine the assembly group or subassembly group to which the item belongs. This is necessary since figures are prepared for assembly groups and subassembly groups, and listings are divided into the same groups.

(2) Second. Find the figure covering the assembly group or subassembly group to which the item belongs.

(3) Third. Identify the item on the figure and note the item number.

(4) Fourth. Refer to the Repair Parts List for the figure to find the part number for the item number noted on the figure.

(5) Fifth. Refer to the Part Number Index to find the NSN, if assigned.

b. When National stock number or part number is known.

(1) First. Using the index of National stock numbers and part numbers, find the pertinent National stock number or part number. The NSN index is in National item identification number (NIIN) sequence (para 4a(1)). The part numbers in the part number index are listed in ascending alphameric sequence (para 4b). Both indexes cross-reference you to the illustration figure and item number of the item you are looking for.

(2) Second. After finding the figure and item number, verify that the item is the one you're looking for, then locate the item number in the repair parts list for the figure.

# 7. Abbreviations

Not applicable.




Figure 1. Receiver, Radio R924, 10-156287-1

(1) ITEM NO	SECTION II (2) (3) SMR CODE CAGEC	(4) PART NUMBER	(5) DESCRIPTION AND USABLE ON CODES (UOC)	(6) QTY
			GROUP 00 RECEIVER, RADIO R924 SSD ASY 10-156287-1 (RGM)	
			FIG. 1	

DETECTOR ASSEMBLY ......1 1 PADDD 28815 10-156293-1 2 XBFFF 28815 10-156475-14 RF CABLE ASSY.....1 3 XBFFF 28815 10-156475-13 4 XBFFF 28815 10-156475-3 5 XBFFF 28815 10-156475-4 6 PADDD 28815 10-156290-1 7 XBFFF 28815 10-156475-11 8 XBFFF 28815 10-156475-2 9 XBFFF 28815 10-156475-8 10 PAFDD 28815 10-156292-1 11 PADDD 28815 10-156289-1 12 XBFFF 28815 10-156475-9 13 XBFFF 28815 10-156475-10 14 XBFFF 28815 10-156475-12 15 XBFFF 28815 10-156475-6 16 XBFFF 28815 10-156475-7 17 XBFFF 28815 10-156475-1 18 PADDD 28815 10-156291-1 19 XBFFF 28815 10-156475-5 20 PAFDD 28815 10-156288-1

RF CABLE ASSY.....1 RF CABLE ASSY.....1 RF CABLE ASSY.....1 SYNTHESIZER, ELECTRI.....1 RF CABLE ASSY.....1 RF CABLE ASSY.....1 RF CABLE ASSY.....1 RECEIVER SUBASSEMBL .....1 PRESELECTOR, ASSEMBL ......1 RF CABLE ASSY.....1 CONTROL ASSEMBLY ......1 RF CABLE ASSY.....1 DECODER ASSEMBLY.....1

END OF FIGURE

1-1

ITEM

FIG.

# CROSS- REFERENCE-INDEXES NATIONAL STOCK NUMBER INDEX FIG. ITEM STOCK NUMBER

STOCK NUMBER	FIG.	ITEM
5895-01-160-0482	1	11
5895-01-160-0483	1	20
5895-01-160-0484	1	1
5895-01-160-0485	1	18
5895-01-160-0526	1	6
5895-01-161-3729	1	10

I-1

# NATIONAL STOCK NUMBER AND PART NUMBER INDEX PART NUMBER INDEX

FSCM	PART NUMBER	STOCK NUMBER	FIG.	ITEM
28815	10-156288-1	5895-01-160-0483	1	20
28815	10-156289-1	5895-01-160-0482	1	11
28815	10-156290-1	5895-01-160-0526	1	6
28815	10-156291-1	5895-01-160-0485	1	18
28815	10-156292-1	5895-01-161-3729	1	10
28815	10-156293-1	5895-01-160-0484	1	1
28815	10-156475-1		1	17
28815	10-156475-10		1	13
28815	10-156475-11		1	7
28815	10-156475-12		1	14
28815	10-156475-13		1	3
28815	10-156475-14		1	2
28815	10-156475-2		1	8
28815	10-156475-3		1	4
28815	10-156475-4		1	5
28815	10-156475-5		1	19
28815	10-]56475-6		1	15
28815	10-156475-7		1	16
28815	10-156475-8		1	9
28815	10-156475-9		1	12

I-2

By Order of the Secretary of the Army:

Official:

JOHN A. WICKHAM JR. General, United States Army Chief of Staff

DONALD J. DELANDRO Brigadier General, United States Army The Adjutant General

Distribution:

To be distributed in accordance with special list.

\*U.S. GOVERERNMENT PRINTING OFFICE 1985-515-085,20059

				(	SOMET	-	B WRONG		IS PUBLICA	
5.5	Ï		HEN. JO	UT IT OI	N THIS					
		N No	UT, FOLD	IT AND	DROP IT	DATE	SENT			
	ION NUMB			2	JELICATION		PUBLICATION			
	1-5825-	270-10	EITIS .		23 Jul		1	equency H	<b>2176/F</b> R	'N
PRINTED N	HAME, GRAD	E OR TITLE, A	MO TELEPHO	NE MUMBER	8	SIGN H	ERE:			

PIN: 057867

This fine document...

Was brought to you by me:



# Liberated Manuals -- free army and government manuals

Why do I do it? I am tired of sleazy CD-ROM sellers, who take publicly available information, slap "watermarks" and other junk on it, and sell it. Those masters of search engine manipulation make sure that their sites that sell free information, come up first in search engines. They did not create it... They did not even scan it... Why should they get your money? Why are not letting you give those free manuals to your friends?

I am setting this document FREE. This document was made by the US Government and is NOT protected by Copyright. Feel free to share, republish, sell and so on.

I am not asking you for donations, fees or handouts. If you can, please provide a link to liberatedmanuals.com, so that free manuals come up first in search engines:

<A HREF=<u>http://www.liberatedmanuals.com/</u>>Free Military and Government Manuals</A>

Sincerely
Igor Chudov
<u>http://igor.chudov.com/</u>
Chicago Machinery Movers