

**TECHNICAL MANUAL**

**ORGANIZATIONAL, DIRECT SUPPORT, AND GENERAL SUPPORT  
MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LISTS  
(INCLUDING DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS)  
FOR**

**SUPPRESSOR, ELECTRICAL TRANSIENT MX-7778A/GRC  
(NSN 5915-00-431-6718)**

---

**HEADQUARTERS, DEPARTMENT OF THE ARMY**

**AUGUST 1976**



TECHNICAL MANUAL }  
No. 11-5915-224-24P }

HEADQUARTERS  
DEPARTMENT OF THE ARMY  
WASHINGTON, DC, 25 August 1976

ORGANIZATIONAL, DIRECT SUPPORT, AND GENERAL SUPPORT  
Maintenance Repair Parts and Special Tools Lists  
(Including Depot Maintenance Repair Parts and Special Tools)  
for  
SUPPRESSOR, ELECTRICAL TRANSIENT MX-7778A/GRC  
(NSN 5915-00-431-6718)

*Current as of 29 April 1976*

**REPORTING OF ERRORS**  
**You can improve this manual by recommending improvements using DA Form 2028-2 (Test) located in the back of the manual. Simply tear out the self-addressed form, fill it out as shown on the sample, fold it where shown, and drop it in the mail.**  
**If there are no blank DA Form 2028-2 (Test) in the back of your manual, use the standard DA Form 2028 (Recommended Changes to Publications and Blank Forms) and forward to the Commander, US Army Electronics Command, ATTN: DRSEL-MA-Q, Fort Monmouth, NJ 07703.**  
**In either case a reply will be furnished direct to you.**

Table of Contents

		Page	Illus Figure
Section	I. Introduction . . . . .	1	
	II. Repair parts list . . . . .	5	
Group	00 Suppressor, Electrical Transient MX-7778A/GRC . . . . .	5	1
	01 Cable Assembly CX-10613/G . . . . .	6	2
	02 Suppressor, Electrical Transient MX-7777B/GRC . . . . .	9	3
Section	III. Special tools list (Not applicable)		
	IV. National stock number and part number index . . . . .	11	

\*This manual supersedes so much of TM 11-5915-224-14,31 January 1973, including change 1,11 March 1974, as pertains to repair parts and special tools list.

## SECTION I INTRODUCTION

### 1. Scope

This manual lists repair parts and special tools required for performance of organizational, direct support, and general support maintenance of the MX-7778A/GRC.

### 2. General

This Repair Parts and Special Tools List is divided into the following sections:

*a. Section II. Repair Parts List.* A list of repair parts authorized for use in the performance of maintenance. The list also includes parts which must be removed for replacement of the authorized parts. Parts lists are composed of functional groups in ascending numerical sequence, with the parts in each group listed in figure and item number sequence.

*b. Section III. Special Tools List.* Not applicable.

*c. Section IV. National Stock Number and Part Number Index.* A list, in ascending National item identification number (NIIN, last 9 digits) sequence, of all National stock numbers appearing in the listings, followed by a list, in alphameric sequence, of all part numbers appearing in the listings. National stock number and part numbers are cross-referenced to each illustration figure and item number appearance.

### 3. Explanation of Columns

The following provides an explanation of columns found in the tabular listings:

*a. Illustration.* This column is divided as follows:

(1) *Figure number.* Indicates the figure number of the illustration in which the item is shown.

(2) *Item number.* The number used to identify each item called out in the illustration.

*b. Source, Maintenance, and Recoverability Codes (SMR).*

(1) *Source code.* Source codes are assigned to support items to indicate the manner of acquiring support items for maintenance, repair, or overhaul of end items. Source codes are entered in the first and second positions of the Uniform SMR Code format as follows:

Code	Definition
PA-Item procured and stocked for anticipated or known usage.	
PD-Support item, excluding support equipment, procured for initial issue or outfitting and stocked only for subsequent or additional initial issues or outfittings. Not subject to automatic replenishment.	
MD-Item to be manufactured or fabricated at the depot maintenance level.	
XA-Item is not procured or stocked because the requirements for the item will result in the	

replacement of the next higher assembly. XD-A support item that is not stocked. When required, item will be procured through normal supply channels.

#### NOTE

Cannibalization or salvage maybe used as a source of supply for any items source coded above except those coded XA, XD, and aircraft support items as restricted by AR 700-42.

(2) *Maintenance code.* Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code format as follows:

(a) The maintenance code entered in the third position will indicate the lowest maintenance level authorized to remove, replace, and use the support item. The maintenance code entered in the third position will indicate one of the following levels of maintenance:

Code	Application/Explanation
O-Support item is removed, replaced, used at the organizational level.	
H-Support item is removed, replaced, used at the general support level.	

(b) The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (i.e., all authorized maintenance functions). This position will contain one of the following maintenance codes:

Code	Application/Explanation
H-The lowest maintenance level capable of complete repair of the support item is the general support level.	
Z-Nonreparable. No repair is authorized.	

(3) *Recoverability code.* Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the Uniform SMR Code format as follows:

Recoverability codes	Definition
Z-Nonreparable item. When unserviceable, condemn and dispose at the level indicated in position 3.	
H-Reparable item. When uneconomically reparable, condemn and dispose at the general support level.	

*c. National Stock Number.* Indicates the National stock number assigned to the item and will be used for requisitioning purposes.

*d. Part Number.* Indicates the primary number used by the manufacturer (individual, company, firm, corporation, or Government activity), which controls the design and characteristics of the item by means of its engineering drawings, specifications standards, and inspection requirements, to identify an item or range of items.

#### NOTE

When a stock numbered item is requisitioned, the repair part received may have a different part number than the part being replaced.

*e. Federal Supply Code for Manufacturer (FSCM).* The FSCM is a 5-digit numeric code listed in SB 708-42 which is used to identify the manufacturer, distributor, or Government agency, etc.

*f. Description.* Indicates the Federal item name and, if required, a minimum description to identify the item.

*g. Unit of Measure (U/M).* Indicates the standard of the basic quantity of the listed item as used in performing the actual maintenance function. This measure is expressed by a two-character alphabetical abbreviation (e.g., ea, in, pr, etc.). When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.

*h. Quantity Incorporated in Unit.* Indicates the quantity of the item used in the breakout shown on the illustration figure, which is prepared for a functional group, subfunctional group, or an assembly.

## 4. Special Information

The following publication pertains to the MX-7778A/GRC and its components: TM 11-5915-224-14 Suppressor, Electrical Transient MX-7778A/GRC.

## 5. How to Locate Repair Parts

*a.* When National stock number or part number is unknown.

(1) *First.* Using the table of contents, determine the functional group within which the repair part belongs. This is necessary since illustrations are prepared for functional groups and listings are divided into the same groups.

(2) *Second.* Find the illustration covering the functional group to which the repair part belongs.

(3) *Third.* Identify the repair part on the illustration and note the illustration figure and item number of the repair part.

(4) *Fourth.* Using the Repair Parts Listing, find the figure and item number noted on the illustration.

*b.* When National stock number or part number is known.

(1) *First.* Using the Index of National Stock Numbers and Part Numbers, find the pertinent National stock number or part number. This index is in ascending NIIN sequence followed by a list of part numbers in ascending alphameric sequence, cross-referenced to the illustration figure number and item number.


(2) *Second.* After finding the figure and item number, locate the figure and item number in the repair parts list.

## 6. Abbreviations

Not applicable.

(Next printed page is 5)






EL2FW001

Figure 1. Suppressor, Electrical Transient MX-7778A/GRC.

SECTION II

(1) ILLUSTRATION (a) FIG NO.   (b) ITEM NO.		(2) SMR CODE	(3) NATIONAL STOCK NUMBER	(4) PART NUMBER	(5) FSCM	(6) DESCRIPTION  USABLE ON CODE	(7) U/I	(8) QTY INC IN UNIT
						GROUPPO SUPPRESSOR, ELECTRICAL TRANSIENT MX-7778A/GRC		
1	1	PAOHH	5995-00-935-2551	CX10613G	80058	CABLE ASSEMBLY	EA	1
1	2	PDOHH	5915-00-431-6717	MX7777BGRC	80058	SUPPRESSOR, ELECTRICAL TRANSIENT	EA	1
1	3	XDHZZ		SMB745218	80063	TEMPLATE HANDLE	EA	
1	4	PAHZZ	5305-00-228-6721	SMB745228	80063	SCREW, MACHINE, HE XAGON HEAD	EA	1
1	5	PAHZZ	5305-00-228-6722	SMB745229	80063	SCREW, HEXAGON HEAD	EA	1
1	6	PAHZZ	5310-00-237-6781	SMB745222-2	80063	WASHER, LOCK	EA	10
1	7	PAHZZ	5310-00-230-7750	SMB745222-3	80063	WASHER, LOCK	EA	2
1	8	PAHZZ	5310-00-224-0520	SMB745234	80063	NUT, PLAIN, HEXAGON	EA	9
1	9	XAHZZ		SMB745224-3	80063	TERMINAL, LUG	EA	1
1	10	XAHZZ		SMB745217-1	80063	BRAID, WIRE	EA	1
1	11	PDHZZ	5995-00-260-6309	SMB745217	80063	LEAD, ELECTRICAL GROUND	EA	1
1	12	XAHZZ		SMB745224-1	80063	TERMINAL, LUG	EA	1
1	13	PAHZZ	5340-00-228-6398	SMC745211	80063	MOUNT, RESILIENT	EA	4



EL2FW002

Figure 2. Cable Assembly CX-10613/G.

SECTION II

TM 11-5915-224-24P

(1) ILLUSTRATION		(2)	(3)	(4)	(5)	(6)	(7)	(8)
(a) FIG NO.	(b) ITEM NO.	SMR CODE	NATIONAL STOCK NUMBER	PART NUMBER	FSCM	DESCRIPTION	QTY INC IN	UNIT
						<i>USABLE ON CODE</i>		
<b>GROUP 01 CABLE ASS EMBLY CX-10613/ G</b>								
2	1	XDHZZ		SCD339543G5	80063	CONNECTOR, ADAPTER ASSEMBLY	EA	1
2	2	PAHZZ	5935-00-856-8426	SMC632655	80063	CONNECTOR, PLUG, ELECTRICAL	EA	1
2	3	XDHZZ	6145-00-265-6190	C0212	81349	WIRE, SPECIAL PURPOSE, ELECTRICAL	EA	1
2	4	XAHZZ		SCB339544	80063	GLAND HOUSING	EA	1
2	5	XDHZZ		SCB339546	80063	WASHER, WAVED	EA	1
2	6	XDHZZ		SCB339547-5	80063	WASHER, GLAND FLOATING	EA	1
2	7	XDHZZ		SCB339548-5	80063	GLAND	EA	1
2	8	XAHZZ		SCB339549-5	80063	FERRULE	EA	1
2	9	XDHZZ		SCB339545	80063	COUPLING, NUT	EA	1
2	10	XAHZZ		SCB165914	80063	BAND, IDENTIFICATION	EA	2
2	11	PAHZZ	5935-00-780-9126	UW1220FA17	81349	CONNECTOR, PLUG, ELECTRICAL	EA	1








Figure 3. Suppressor, Electrical Transient MX-7777B/GRC.

SECTION II		(2)	(3)	(4)	(5)	(6)	(7)	(8)
(1)	ILLUSTRATION		NATIONAL	PART		DESCRIPTION		QTY
(A)	(B)	SMR	STOCK	NUMBER	FSCM		UOC	U/M
FIG	ITEM	CODE	NUMBER	NUMBER				INC
NO.	NO.							IN
								UNIT
						GROUP 02 SUPPRESSOR, ELECTRICAL TRANSIENT		
						MX-777B/GRC		
3	1	MDHZZ		SMB745206	80063	LABEL, CAUTION		EA 1
3	2	PAHZZ	5330-00-227-1214	SMC745205	80063	GASKET COVER		EA 1
3	3	XDHZZ	5306-00-231-0516	SMB745207	80063	BOLT, EXTERNALLY RELIEVED		EA 6
3	4	XDHZZ		SMB745227	80063	WASHER, LOCK		EA 6
3	5	XDHZZ		SMB745213	80063	LABEL, ON OFF		EA 1
3	6	XDHZZ		SMD745202	80063	CASE ASSEMBLY		EA 1
3	7	XDHZZ		MS51836-305	96906	INSERT, SCREW THREAD		EA 1
3	8	XDHZZ		SMB745214	80063	PLATE, IDENTIFICATION, SUPPRESSOR		EA 1
3	9	XDHZZ		MS51836-110	96906	INSERT, SCREW THREAD		EA 2
3	10	PAHZZ	5935-00-003-8099	SMC32666	80063	ELBOW, CONNECTOR		EA 1
3	11	XDHZZ		SMB632694-1	80063	WASHER, LOCK		EA 16
3	12	PAHZZ	5305-00-137-7931	SMB362691-2	80063	SCREW, MACHINE, BINDING HEAD, SLOTTED		EA 8
3	13	PAHZZ	5330-00-641-8082	SMC632667	80063	GASKET CONNECTOR		EA 1
3	14	PAHZZ	5935-00-007-4492	SMC632665	80063	CONNECTOR, RECEPTACLE, ELECTRICAL		EA 2
3	15	XDHZZ		SMC632696	80063	COVER, CONNECTOR, RECEPTACLE		EA 1
3	16	XDHZZ		SMB632691-1	80063	SCREW, MACHINE, BINDING HEAD, SLOTTED		EA 8
3	17	XDOZZ		NAS820-18	80205	PLUG, PROTECTIVE DUST		EA 1
3	18	XDHZZ		MS51836-307	96906	INSERT, SCREW THREAD		EA 8
3	19	XDHZZ		MS51836-310	96906	INSERT, SCREW THREAD		EA 6
3	20	XDHZZ		SMD745204	80063	COVER		EA 1
3	21	XDHZZ		SMC745203	80063	COVER ASSEMBLY		EA 1
3	22	PAHZZ	5930-00-211-1280	SMC745212	80063	SWITCH, BATTLE OVERRIDE		EA 1
3	23	PAHZZ	5930-00-208-4672	SMB745235	80063	GUARD, SWITCH		EA 1
3	24	XDHZZ		SMB745233	80063	LABEL, BATTLE OVERRIDE		EA 1
3	25	XDHZZ		SMC745225-6	80063	WIRE ASSEMBLY		EA 1
3	26	XDHZZ		SMB745226	80063	BUS BAR		EA 1
3	27	XDHZZ		SMC745225-5	80063	WIRE ASSEMBLY		EA 1
3	28	XDHZZ		SMB745219	80063	GUAR, CIRCUIT BREAKER		EA 1
3	29	PAHZZ	5925-00-206-1754	SMC745209	80063	CIRCUIT BREAKER		EA 1
3	30	XDHZZ		SMC745225-8	80063	WIRE ASSEMBLY		EA 1
3	31	XDHZZ		SMC745225-1	80063	WIRE ASSEMBLY		EA 1
3	32	PAHZZ	5930-00-832-4767	SMC632671	80063	SWITCH, THERMOSTATIC		EA 1
3	33	XDHZZ		SMB745231	80063	BUS BAR		EA 1
3	34	XDHZZ		SMC745225-4	80063	WIRE ASSEMBLY		EA 1
3	35	PAHZZ	5935-00-201-3998	UW2020MA00	81349	CONNECTOR, RECEPTACLE		EA 1
3	36	XDOZZ		NAS813-22	81349	CAP, DUST, ELECTRICAL		EA 1
3	37	XDHZZ		SMC745225-3	80063	WIRE ASSEMBLY		EA 1
3	38	PAHZZ	5310-00-939-1060	MS35333-81	96906	WASHER, LOCK		EA 1

SECTION II									
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)		
ILLUSTRATION					DESCRIPTION		QTY		
(A)	(B)		NATIONAL	PART			INC		
FIG	ITEM	SMR	STOCK	NUMBER	FSCM	UOC	U/M		
NO.	NO.	CODE	NUMBER	NUMBER			UNIT		
3	39	PAHZZ	5961-00-206-1175	SMC745210	80063		SEMICONDUCTOR DEVICE,DIODE	EA	1
3	40	XDHZZ		SMC745225-2	80063		WIRE ASSEMBLY	EA	1
3	41	PAHZZ	5310-00-230-7749	SMB745222-1	80063		WASHER, LOCK	EA	2
3	42	XDHZZ		SMC745225-9	80063		WIRE ASSEMBLY	EA	1
3	43	XDHZZ		SMC745225-10	80063		WIRE ASSEMBLY	EA	1
3	44	PAHZZ	5915-00-209-0388	SMC745208	80063		SUPPRESSOR SUBASSEMBLY	EA	1
3	45	XDHZZ		SMB745232	80063		BUS BAR	EA	1
3	46	PAHZZ	5310-00-543-5933	MS35333-73	96906		WASHER, LOCK	EA	3
3	47	PAHZZ	5305-00-237-9733	SMB745221	80063		SCREW, CAPTIVE, HEXAGON HEAD	EA	1
3	48	XDHZZ		SMC745225-7	80063		WIRE ASSEMBLY	EA	1

## SECTION IV

## NATIONAL STOCK NUMBER AND PART NUMBER INDEX

NOTE: LATEST NATIONAL STOCK NUMBER ASSIGNMENTS ARE INCLUDED AT END OF INDEX

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
5935-00-003-8099	3	10	5310-00-230-7750	1	7
5935-00-007-4492	3	14	5306-00-231-0516	3	3
5305-00-137-7931	3	12	5305-00-234-9733	3	47
5935-00-201-3998	3	35	5310-00-237-6781	1	6
5925-00-206-1754	3	29	5995-00-260-6309	1	11
5915-00-209-0388	3	44	5915-00-431-6717	1	2
5930-00-211-1280	3	22	5310-00-543-5933	3	46
5310-00-224-0520	1	8	5330-00-641-8082	3	13
5330-00-227-1214	3	2	5935-00-780-9126	2	11
5340-00-228-6398	1	13	5930-00-832-4767	3	32
5305-00-228-6721	1	6	5935-00-856-8426	2	2
5305-00-228-6722	1	5	5995-00-935-2551	1	1
5310-00-230-7749	3	41	5310-00-939-1060	3	38

PART NUMBER	FSCM	FIG. NO.	ITEM NO.	PART NUMBER	FSCM	FIG. NO.	ITEM NO.
CX10613G	80058	1	1	SMB745226	80063	3	26
CO212	81349	2	3	SMB745227	80063	3	4
MS35333-73	96906	3	46	SMB745228	80063	1	4
MS35333-81	96906	3	38	SMB745229	80063	1	5
MSS1836-110	96906	3	9	SMB745231	80063	3	33
MSS1836-305	96906	3	7	SMB745232	80063	3	45
MSS1836-307	96906	3	18	SMB745233	80063	3	24
MSS1836-310	96906	3	19	SMB745234	80063	1	8
MX7777BGRC	80058	1	2	SMB745235	80063	3	23
NAS813-22	81349	3	36	SMC632655	80063	2	2
NAS820-18	80205	3	17	SMC632665	80063	3	14
SCB165914	80063	2	10	SMC632666	80063	3	10
SCB339544	80063	2	4	SMC632667	80063	3	13
SCB339545	80063	2	9	SMC632671	80063	3	32
SCB339546	80063	2	5	SMC632696	80063	3	15
SCB339547-5	80063	2	6	SMC745203	80063	3	21
SCB339548-5	80063	2	7	SMC745205	80063	3	2
SCB339549-5	80063	2	8	SMC745208	80063	3	44
SCD339543G5	80063	2	1	SMC745209	80063	3	29
SMB632691-1	80063	3	16	SMC745210	80063	3	39
SMB632691-2	80063	3	12	SMC745211	80063	1	13
SMB632694-1	80063	3	11	SMC745212	80063	3	22
SMB745206	80063	3	1	SMC745225-1	80063	3	31
SMB745207	80063	3	3	SMC745225-10	80063	3	43
SMB745213	80063	3	5	SMC745225-2	80063	3	40
SMB745214	80063	3	8	SMC745225-3	80063	3	37
SMB745217	80063	1	11	SMC745225-4	80063	3	34
SMB745217-1	80063	1	10	SMC745225-5	80063	3	27
SMB745218	80063	1	3	SMC745225-6	80063	3	25
SMB745219	80063	3	28	SMC745225-7	80063	3	48
SMB745221	80063	3	47	SMC745225-8	80063	3	30
SMB745222-1	80063	3	41	SMC745225-9	80063	3	42
SMB74522-2	80063	1	6	SMD745202	80063	3	6
SMB74522-3	80063	1	7	SMD745204	80063	3	20
SMB745224-1	80063	1	12	UW1220OFA17	81349	2	11
SMB745224-3	80063	1	9	UW2020MA00	81349	3	35

## LATEST NATIONAL STOCK NUMBER ASSIGNMENTS

STOCK NUMBER	FIGURE NO.	ITEM NO.
5961-00-206-1175	3	39

By Order of the Secretary of the Army:

Official:

PAUL T, SMITH

*Major General, United States Army*

*The Adjutant General*

FRED C. WEYAND

*General, United States Army*

*Chief of Staff*

Distribution:

To be distributed in accordance with DA Form 12-51, Organizational TMP literature requirements for MX-7778/GRC.

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL MANUALS



SOMETHING WRONG WITH THIS MANUAL?

THEN...JOT DOWN THE DOPE ABOUT IT ON THIS FORM, TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL!

FROM: (YOUR UNIT'S COMPLETE ADDRESS)

Commander  
Stateside Army Depot  
ATTN: AMSTA-US  
Stateside, N.J. 07703

DATE 10 July 1975

PUBLICATION NUMBER

TM 11-5840-340-12

DATE

23 Jan 74

TITLE

Radar Set AN/PSC-76

BE EXACT...PIN-POINT WHERE IT IS

IN THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT:

PAGE NO.	PARA-GRAPH	FIGURE NO.	TABLE NO.
----------	------------	------------	-----------

2-25	2-28		
3-10	3-3		3-1
5-6	5-8		

Recommend that the installation antenna alignment procedure be changed throughout to specify a 2° IFF antenna lag rather than 1°.

REASON: Experience has shown that with only a 1° lag, the antenna servo system is too sensitive to wind gusting in excess of 25 knots, and has a tendency to rapidly accelerate and decelerate as it hunts, causing strain to the drive train. Hunting is minimized by adjusting the lag to 2° without degradation of operation.

3-10 3-3

3-1

Item 5, Functions column. Change "2 db" to "3db."

REASON: The adjustment procedure for the TRANS POWER FAULT indicator calls for a 3 db (500 watts) adjustment to light the TRANS POWER FAULT indicator.

5-6 5-8

Add new step f.1 to read, "Replace cover plate removed in step e.1, above."

REASON: To replace the cover plate.

F03

Zone C 3. On J1-2, change "+24 VDC to "+5 VDC."

REASON: This is the output line of the 5 VDC power supply. + 24 VDC is the input voltage.

TYPED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER

SSG I. M. DeSpirito 999-1776

SIGN HERE:

*SSG I. M. DeSpirito*

DA FORM 2028-2 (TEST) 1 AUG 74

P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR MANUAL "FIND" MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

HISA 1686-75

TEAR ALONG DOTTED LINE







# SOMETHING WRONG WITH THIS MANUAL?

THEN... JOT DOWN THE DOPE ABOUT IT ON THIS FORM, TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL!

FROM: (YOUR UNIT'S COMPLETE ADDRESS)

DATE

PUBLICATION NUMBER

DATE

TITLE

BE EXACT... PIN-POINT WHERE IT IS

IN THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT:

PAGE NO.

PARA-GRAPH

FIGURE NO.

TABLE NO.

TEAR ALONG DOTTED LINE

TYPED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER

SIGN HERE:

FILL IN YOUR  
UNIT'S ADDRESS

DEPARTMENT OF THE ARMY

\_\_\_\_\_  
\_\_\_\_\_

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE \$300

FOLD BACK

POSTAGE AND FEES PAID  
DEPARTMENT OF THE ARMY  
DOD 314



Commander  
US Army Electronics Command  
ATTN: DRSEL-MA-Q  
Fort Monmouth, New Jersey 07703

CUT ALONG DOTTED LINE

FOLD BACK

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL MANUALS



# SOMETHING WRONG WITH THIS MANUAL?

THEN... JOT DOWN THE DOPE ABOUT IT ON THIS FORM, TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL!

FROM: (YOUR UNIT'S COMPLETE ADDRESS)

DATE

PUBLICATION NUMBER

DATE

TITLE

BE EXACT... PIN-POINT WHERE IT IS

IN THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT:

PAGE NO.

PARA-GRAPH

FIGURE NO.

TABLE NO.

TEAR ALONG DOTTED LINE

TYPED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER

SIGN HERE:

FILL IN YOUR  
UNIT'S ADDRESS



FOLD BACK

DEPARTMENT OF THE ARMY

\_\_\_\_\_  
\_\_\_\_\_

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE \$300

POSTAGE AND FEES PAID  
DEPARTMENT OF THE ARMY  
DOD 314



Commander  
US Army Electronics Command  
ATTN: DRSEL-MA-Q  
Fort Monmouth, New Jersey 07703

CUT ALONG DOTTED LINE

FOLD BACK



# SOMETHING WRONG WITH THIS MANUAL?

THEN...JOT DOWN THE DOPE ABOUT IT ON THIS FORM, TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL!

FROM: (YOUR UNIT'S COMPLETE ADDRESS)

DATE

PUBLICATION NUMBER

DATE

TITLE

BE EXACT...PIN-POINT WHERE IT IS

IN THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT:

PAGE NO.

PARA-GRAPH

FIGURE NO.

TABLE NO.

TEAR ALONG DOTTED LINE

TYPED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER

SIGN HERE:

FILL IN YOUR  
UNIT'S ADDRESS



FOLD BACK

DEPARTMENT OF THE ARMY

\_\_\_\_\_  
\_\_\_\_\_

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE \$300

POSTAGE AND FEES PAID  
DEPARTMENT OF THE ARMY  
DOD 314



Commander  
US Army Electronics Command  
ATTN: DRSEL-MA-Q  
Fort Monmouth, New Jersey 07703

CUT ALONG DOTTED LINE

FOLD BACK

This fine document...

Was brought to you by me:



## [Liberated Manuals -- free army and government manuals](#)

Why do I do it? I am tired of sleazy CD-ROM sellers, who take publicly available information, slap “watermarks” and other junk on it, and sell it. Those masters of search engine manipulation make sure that their sites that sell free information, come up first in search engines. They did not create it... They did not even scan it... Why should they get your money? Why are not letting you give those free manuals to your friends?

I am setting this document FREE. This document was made by the US Government and is NOT protected by Copyright. Feel free to share, republish, sell and so on.

I am not asking you for donations, fees or handouts. If you can, please provide a link to [liberatedmanuals.com](http://liberatedmanuals.com), so that free manuals come up first in search engines:

<A HREF=<http://www.liberatedmanuals.com/>>Free Military and Government Manuals</A>

- Sincerely  
Igor Chudov  
<http://igor.chudov.com/>
- [Chicago Machinery Movers](#)