

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

GENERAL SUPPORT MAINTENANCE REPAIR PARTS AND
SPECIAL TOOLS LISTS (INCLUDING DEPOT MAINTENANCE
REPAIR PARTS AND SPECIAL TOOLS)
SIGNAL GENERATORS SG-299/U, SG-299A/U,
SG-299B/U, AND SG-299C/U
FSN 6625-624-3516

Headquarters, Department of the Army, Washington, D.C.
31 August 1973

	Paragraph	Page
Section I. INTRODUCTION		
Scope	1-1	2
General	1-2	2
Explanation of columns	1-3	2
Special information	1-4	4
Location of repair parts	1-5	4
Abbreviations (Not applicable)	1-6	4
Reporting of equipment publication improvements	1-7	4
II. REPAIR PARTS LIST		6
III. SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not applicable)		
IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER		21

*This manual supersedes TM 11-6625-258-45P, 27 November 1964.

SECTION I

INTRODUCTION

1-1. Scope

This manual lists repair parts and special tools required for the performance of general support and depot maintenance of the SG-299/U, SG-299A/U, SG-299B/U, and SG-299C/U. The PCCN for the equipment is GTEAAS for all models.

NOTE

No parts authorized for stockage at direct support.

1-2. General

This repair parts and special tools list is divided into the following sections:

a. *Repair Parts List-Section II.* A list of repair parts authorized for the performance of maintenance at the general support and depot level. This repair parts list is arranged in alphabetical order.

b. *Special Tools, Test and Support Equipment-Section III.* Not applicable.

c. *Index-Federal Stock Number and Reference Number (Cross-Reference to Figure and Item Number-Section IV.* A list, in ascending numerical sequence, of all Federal stock numbers appearing in the listings, followed by a list, in alphabetic sequence, of all reference numbers appearing in the listings. Federal stock number and reference numbers are cross-referenced to each illustration figure and item number or reference designation appearance.

1-3. Explanation of Columns

The following provides an explanation of columns found in the tabular list.

a. *Source, Maintenance, and Recoverability Codes (SMR).*

(1) *Source code.* Indicates the manner of acquiring support items for maintenance, repair, or overhaul of end items. Source codes are-

Code	Explanation
PA	- Item procured and stocked for anticipated or known usage.
PB	- Item procured and stocked for insurance purposes because essentiality dictates that a minimum quantity be available in the supply systems.
PC	- Item procured and stocked and which otherwise would be coded PA except that it is deteriorative in nature.
PD	- Support item, excluding support equipment, procured for initial issue or outfitting and stocked only for subsequent or additional

Code	Explanation
	initial issues or outfitting. Not subject to automatic replenishment.
PE	- Support equipment procured and stocked for initial issue or outfitting to specified maintenance repair activities.
PF	- Support equipment which will not be stocked but which will be centrally procured on demand.
PG	- Item procured and stocked to provide for sustained support for the life of the equipment. It is applied to an item peculiar to the equipment which because of probable discontinuance or shutdown of production facilities would prove uneconomical to reproduce at a later time.
KD	- An item of depot overhaul/repair kit and not purchased separately. Depot kit defined as a kit that provides items required at the time of overhaul or repair.
KF	- An item of a maintenance kit and not purchased separately. Maintenance kit defined as a kit that provides an item that can be replaced at organizational or direct support or general support levels of maintenance.
KB	- Item included in both a depot overhaul/repair kit and a maintenance kit.
MO	- Item to be manufactured or fabricated at organizational level.
MF	- Item to be manufactured or fabricated at direct support maintenance level.
MH	- Item to be manufactured or fabricated at general support maintenance level.
MD	- Item to be manufactured or fabricated at depot maintenance level.
AO	- Item to be assembled at organizational level.
AF	- Item to be assembled at direct support maintenance level.
AH	- Item to be assembled at general support maintenance level.
AD	- Item to be assembled at depot maintenance level.
XA	- Item is not procured or stocked because the requirements for the item will result in the replacement of the next higher assembly.
XB	- Item is not procured or stocked. If not available through salvage, requisition.
XC	- Installation drawing, diagram instruction sheet, field service drawing, that is identified by manufacturers' part number.
XD	- Support items can be requisitioned with justification.

NOTE

Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded XA and aircraft support items as restricted by AR 700-42.

(2) *Maintenance code.* Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code Format as follows-

(a) *Use (third position).* The maintenance code entered in the third position indicates the lowest maintenance level authorized to remove, replace, and use the support item. The maintenance code entered in the third position indicates one of the following levels of maintenance.

<i>Code</i>	<i>Application/Explanation</i>
-------------	--------------------------------

O - Support item is removed, replaced, used at the organizational level of maintenance.

NOTE

A code "C" may be used in this position to denote crew or operator maintenance performed within organizational maintenance.

- F - Support item is removed, replaced, used at the direct support maintenance level.
- H - Support item is removed, replaced, used at the general support maintenance.
- D - Support items that are removed, replaced, used at depot only.

(b) *Repair (fourth position).* The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (i.e., all authorized maintenance functions). When a maintenance code is not used a dash(-) sign is entered. For multi-service equipment/systems or when a code is entered, this position will contain one of the following maintenance codes as assigned by the service(s) that require the code-

<i>Code</i>	<i>Application/Explanation</i>
-------------	--------------------------------

- O - The lowest maintenance level capable of complete repair of the support item is the organizational level.
- F - The lowest maintenance level capable of complete repair of the support item is direct support.
- H - The lowest maintenance level capable of complete repair of the support item is general support.
- D - The lowest maintenance level capable of complete repair of the support item is the depot level.

<i>Code</i>	<i>Application/Explanation</i>
-------------	--------------------------------

- L - Repair restricted to designated Specialized Repair Activity.
- Z - Non-Repairable. No repair authorized.
- B - No repair is authorized. The item may be reconditioned by adjusting, lubricating, etc., at the user level. No parts or special tools are procured for the maintenance of this item.

(3) *Recoverability code.* Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the uniform SMR Code Format as follows--

<i>Code</i>	<i>Explanation</i>
-------------	--------------------

- Z - Nonrepairable item. When unserviceable, condemn and dispose at the level indicated in the first digit of the maintenance code.
- O - Repairable item. When uneconomically repairable, condemn and dispose at organizational level.
- F - Repairable item. When uneconomically repairable, condemn and dispose at the direct support level.
- H - Repairable item. When uneconomically repairable, condemn and dispose at the general support level.
- D - Repairable item. When beyond lower level repair capability, return to depot. Condemnation and disposal not authorized below depot level.
- L - Repairable item. Repair, condemnation, and disposal not authorized below depot/Specialized Repair Activity level.
- A - Item requires special handling or condemnation procedures because of specific reasons (i.e., precious metal content, high dollar value, critical material or hazardous material).

b. *Federal Stock Number.* Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

c. *Description.* Indicates the Federal item name and a minimum description required to identify the item. The last line indicates the reference number followed by the applicable Federal Supply Code for Manufacturer (FSCM) in parentheses. The FSCM is used as an element in item identification to designate manufacturer or distributor or Government agency, etc., and is identified in SB 708-42.

d. *Unit of Measure (U/M).* Indicates the standard or basic quantity by which the listed item is used in performing the actual maintenance function. This measure is expressed by a two-character alphabeti-

cal abbreviation; e.g., ea, in, pr, etc., and is the basis used to indicate quantities and allowances in subsequent columns. When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.

e. *Quantity Incorporated in Unit.* This column indicates the quantity of the item used in the equipment. Subsequent appearances of the same item in the same assembly are indicated by the letters "REF".

f. *30-Day DS/GS Maintenance Allowances.*

NOTE

Allowances in GS column are for GS maintenance only.

(1) The repair parts indicated by asterisk entries in separate allowance columns for GS represent those authorized for use at that category of maintenance to be requisitioned on an "as required" basis, until stockage is based on demand in accordance with AR 710-2.

(2) Allowance quantities are indicated in the special tool lists section for special tools, TMDE, and other support equipment.

g. *1-Year Allowances Per 100 Equipments/Contingency Planning Purposes.* Column intentionally left blank.

h. *Depot Maintenance Allowance Per 100 Equipments.* This column indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipments.

i. *Illustration.* This column is divided as follows:

(1) Figure number. Indicates the figure number of the illustration on which the item is shown in TM 11-5134-15.

(2) Item number. Indicates the item number or reference designation used to reference the item in the illustration.

1-4. Special Information

a. Usable on codes are included in column 3. Uncoded items are applicable to all models. Identification of the usable on codes used in this publication are -

Code	Used On
AF5	SG-299/U
AF6	SG-299A/U (Order No. 39108-PP-58)
AWW	SG-299A/U (Order No. 4502-PP-60)
AF7	SG-299B/U
AF8	SG-299C/U

b. The following publication pertain to the equipment and its components:

TM 11-5134-15

Organizational, DS, GS,
and Depot Maintenance
Manual: Signal Gen-

erators SG-299/U, SG-
299A/U, SG-299B/U ,
and SG-299C/U.

TM 11-6625-258-20P

Organizational Mainte-
nance Repair Parts and
Special Tools Lists:
Signal Generator SG-
299/U, SG-299A/U, SG-
299B/U, and SG-
299C/U.

1-5. Location of Repair Parts

a. This manual contains one cross-reference index (sec IV) to be used to locate a repair part when either the Federal stock number or reference number (Manufacturer's part number) is known. The first column in the index is prepared in numerical or alphanumeric sequence in ascending order. The reference numbers (manufacturer's part numbers) are listed immediately following the last listed Federal stock number in the index of Federal stock numbers.

b. When the Federal stock number or reference number is known, follow the procedures given in (1) and (2) below.

(1) Refer to the index of Federal stock numbers (sec IV) and locate the Federal stock number or reference number. The FSN and reference number are cross-referenced to the applicable figure and item number or reference designation.

(2) Refer to the repair parts list (sec II) and locate the figure number (col 10a) and item number or reference designation (col 10b) as noted in the FSN index.

c. When the figure and item number or reference designation are known, scrutinize columns 10a and 10b of the repair parts list (sec II) until the item is located.

d. When the FSN, reference number, figure number, item number and reference designation are not known, scrutinize column 3 of the repair parts list (sec II), which is arranged in alphabetical order.

1-6. Abbreviations

Not applicable.

1-7. Reporting of Equipment Publication Improvements

The reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications) and forwarded direct to Commander, US Army Electronics Command, ATTN: AMSEL-MACRA, Fort Monmouth, N.J., 07703

(Next printed page is 6.)

SECTION II

TM11-6625-258-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) I-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.
PAHZZ	5340-619-7513	BUMPER, RUBBER NO-REF-DESIG LEGS FOR.... CASE 945 (76385)	EA	4				*	*	*			10	1
PAHZZ	5975-685-9518	BUSHING, ELECTRICAL CONDUCTOR NO-REF-.... DESIG STRAIN RELIEF FOR POWER CABLE SR7PS18-2 (28520) AWW,AF8	EA	1				*	*	*			3	
PAHZZ	5975-273-0788	BUSHING, ELECTRICAL CONDUCTOR NO-REF-.... DESIG STRAIN RELIEF FOR POWER CABLE SR6P1 (28520) AF6,AF7	EA	1				*	*	*			3	
PAHZZ	6145-660-9321	CABLE, POWER, ELECTRICAL W1 2 COND ... (AUTHORIZED ALLOWANCES WILL BE A MINIMUM OF OR A MULTIPLE OF 6 FT) C002MGF2-18SJ073 5 (81349) AWW,AF8	FT	6				*	*	*			36	W1
PAHZZ	6145-752-1307	CABLE, POWER, ELECTRICAL W1 3 COND ... (AUTHORIZED ALLOWANCES WILL BE A MINIMUM OF OR A MULTIPLE OF 6 FT) C003LGF3-18-0260 (81349) AF5,AF6,AF7	FT	6				*	*	*			36	W1
PAHZZ	6145-661-0191	CABLE, RADIO FREQUENCY RG-59B/U W2.... (AUTHORIZED ALLOWANCES WILL BE A MINIMUM OF OR A MULTIPLE OF 2 FT) RG59BU (81349) AF6,AWW,AF7,AF8	FT	2				*	*	*			12	W2
PAOZZ	5940-186-8960	CAP, ELECTRICAL NO-REF-DESIG FOR..... FUSEHOLDER SCB136552 (75915)	EA	1				*	*	*			3	
PAHZZ	5910-543-0710	CAPACITOR, FIXED, ELECTROLYTIC C31 80.. UF, 450 VDC CE41F800R (81349)	EA	1				*	*	*			3	41.2 C31
PAHZZ	5910-280-7401	CAPACITOR, FIXED, CERAMIC DIELECTRIC 10,000 UUF P100PCTM2OPCT 500 VDC CK63Y103Z (81349)	AF7 C7	EA	5			*	*	*			5	25.2 C7
PAHZZ	5910-280-7401	CAPACITOR, FIXED, CERAMIC DIELECTRIC 10,000 UUF P100PCTM2OPCT 500 VDC CK63Y103Z (81349)	C10	EA	REF			*	*	*			5	25.3 C10
PAHZZ	5910-280-7401	CAPACITOR, FIXED, CERAMIC DIELECTRIC 10,000 UUF P100PCTM2OPCT 500 VDC CK63Y103Z (81349)	C11	EA	REF			*	*	*			5	25.3 C11
PAHZZ	5910-280-7401	CAPACITOR, FIXED, CERAMIC DIELECTRIC 10,000 UUF P100PCTM2OPCT 500 VDC CK63Y103Z (81349)	C21	EA	REF			*	*	*			5	24.3 C21
PAHZZ	5910-280-7401	CAPACITOR, FIXED, CERAMIC DIELECTRIC 10,000 UUF P100PCTM2OPCT 500 VDC CK63Y103Z (81349)	C25	EA	REF			*	*	*			5	24.3 C25
PAHZZ	5910-240-7780	CAPACITOR, FIXED, MICA DIELECTRIC UUF PORM5PCT 300VDC 824895-02 (09708)	C9 5	EA	1			*	*	*			3	25.1 C9
PAHZZ	5910-666-6569	CAPACITOR, FIXED, MICA DIELECTRIC C20... CONTINUED	EA	5				*	*	*			3	25.3 C20

SECTION II

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.	
		CONTINUED													
PAHZZ	5910-666-6569	15 UUF PORM10PCT 300 VDC CM15B150KN3 (80063) CAPACITOR, FIXED, MICA DIELECTRIC C22... EA REF						*	*	*			3	25.3	C22
PAHZZ	5910-666-6569	15 UUF PORM10PCT 300 VDC CM15B150KN3 (80063) CAPACITOR, FIXED, MICA DIELECTRIC C26... EA REF						*	*	*			3	25.3	C26
PAHZZ	5910-666-6569	15 UUF PORM10PCT 300 VDC CM15B150KN3 (80063) CAPACITOR, FIXED, MICA DIELECTRIC C27... EA REF						*	*	*			3	25.2	C27
PAHZZ	5910-666-6569	15 UUF PORM10PCT 300 VDC CM15B150KN3 (80063) CAPACITOR, FIXED, MICA DIELECTRIC C29... EA REF						*	*	*			3	25.2	C29
PAHZZ	5910-284-4049	39 UUF PORM5PCT 300 VDC CM15C390J (81349) CAPACITOR, FIXED, MICA DIELECTRIC C6... EA 2						*	*	*			3	23.1	C6
PAHZZ	5910-284-4049	39 UUF PORM5PCT 300 VDC CM15C390J (81349) CAPACITOR, FIXED, MICA DIELECTRIC C17... EA REF						*	*	*			3	23.1	C17
PAHZZ	5910-190-9522	200 UUF PORM1PCT 500 VDC CM15D201JN3 (80063) CAPACITOR, FIXED, MICA DIELECTRIC C5... EA 4						*	*	*			3	23.1	C5
PAHZZ	5910-190-9522	200 UUF PORM1PCT 500 VDC CM15D201JN3 (80063) CAPACITOR, FIXED, MICA DIELECTRIC C16... EA REF						*	*	*			3	23.1	C16
PAHZZ	5910-190-9522	200 UUF PORM1PCT 500 VDC CM15D201JN3 (80063) CAPACITOR, FIXED, MICA DIELECTRIC C18... EA REF						*	*	*			3	24.1	C18
PAHZZ	5910-190-9522	200 UUF PORM1PCT 500 VDC CM15D201JN3 (80063) CAPACITOR, FIXED, MICA DIELECTRIC C30... EA REF						*	*	*			3	24.1	C30
PAHZZ	5910-284-4018	1,000 UUF PORM2PCT 300 VDC CM20D102G (80063) CAPACITOR, FIXED, MICA DIELECTRIC C4... EA 4						*	*	*			3	25.2	C4
PAHZZ	5910-284-4018	1,000 UUF PORM2PCT 300 VDC CM20D102G (80063) CAPACITOR, FIXED, MICA DIELECTRIC C15... EA REF						*	*	*			3	25.2	C15
PAHZZ	5910-284-4018	1,000 UUF PORM2PCT 300 VDC CM20D102G (80063) CAPACITOR, FIXED, MICA DIELECTRIC C23... EA REF						*	*	*			3	24.2	C23
PAHZZ	5910-284-4018	1,000 UUF PORM2PCT 300 VDC CM20D102G (80063) CAPACITOR, FIXED, MICA DIELECTRIC C24... EA REF						*	*	*			3	24.2	C24
PAHZZ	5910-834-7078	10,000 UUF PORM5PCT 300 VDC CM35E103JN3 (81349) CAPACITOR, FIXED, MICA DIELECTRIC C3... EA 2						*	*	*			3	25.1	C3
PAHZZ	5910-834-7078	10,000 UUF PORM5PCT 300 VDC CM35E103JN3 (81349) CAPACITOR, FIXED, MICA DIELECTRIC C14... EA REF						*	*	*			3	25.1	C14
PAHZZ	5910-012-8582	CONTINUED CAPACITOR, FIXED, PAPER DIELECTRIC NO-... EA 1						*	*	*			3	41.3	

SECTION II

TM11-6625-258-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.
		CONTINUED line filter; 100,000 uuf; 250 VAC NFT396 (14655)												
PAHZZ	5910-665-0309	CAPACITOR, FIXED, PAPER DIELECTRIC 100,000 UUF PORM10PCT 400 VDC CP05A1KE104K (81349)	AF8 C2..	EA 3				*	*	*		3	25.3	C2
PAHZZ	5910-665-0309	CAPACITOR, FIXED, PAPER DIELECTRIC 100,000 UUF PORM10PCT 400 VDC CP05A1KE104K (81349)	C-13 ..	EA REF				*	*	*		3	39	C13
PAHZZ	5910-665-0309	CAPACITOR, FIXED, PAPER DIELECTRIC 100,000 UUF PORM10PCT 400 VDC CP05A1KE104K (81349)	C32..	EA REF				*	*	*		3	25.3	C32
PAHZZ	5910-643-9018	CAPACITOR, FIXED, PAPER DIELECTRIC 220,000 UUF PORM10PCT 400 VDC CP05A1KE104K (81349)	C1..	EA 2				*	*	*		3	25.3	C1
PAHZZ	5910-643-9018	CAPACITOR, FIXED, PAPER DIELECTRIC 220,000 UUF PORM10PCT 400 VDC CP09A1KE224K1 (81349)	C12..	EA REF				*	*	*		3	25.3	C12
PAHZZ	5910-846-0194	CAPACITOR, FIXED, PAPER DIELECTRIC 470,000 UUF PORM10PCT 400 VDC CP05A1EE474K (81349)	C8..	EA 1				*	*	*		3	25.3	C8
PAHZZ	5910-615-0099	CAPACITOR, FIXED, PLASTIC, DIELECTRIC..... C19 2 UUF PORM20PCT 400VDC SU5E205M (72928)		EA 2				*	*	*		5	25.3	C19
PAHZZ	5910-615-0099	CAPACITOR, FIXED, PLASTIC, DIELECTRIC..... C28 2 UUF PORM20PCT 400VDC SU5E205M (72928)		EA REF				*	*	*		5	25.3	C28
PAHZZ	5910-890-9666	CAPACITOR, FIXED, ELECTROLYTIC UF 450 VDC CE31F250R (81349)	C34 25..	EA 1				*	*	*		3	25.2	C34
PAHZZ	5910-583-4486	CAPACITOR, FIXED, ELECTROLYTIC SECT 20 UF 20 UF, 40 UF D26781 (56289)	C31 3...	EA 1				*	*	*		3	23	C31
PAHZZ	5910-927-0785	CAPACITOR, FIXED, ELECTROLYTIC SECT 40 UF EA SECT 450 VDC CE32F400R (81349)	AF5 C31 2...	EA 1				*	*	*		3	44.1	C31
PAHZZ	5950-823-3148	COIL, RADIO FREQUENCY AXIAL LEADS RFC56-8 (05267)	L2 800 MA 2....	EA 1				*	*	*		3	23	L2
PAHZZ	5950-821-0139	COIL, RADIO FREQUENCY 2 AXIAL LEADS RFC54-7 (05267)	L1 1,000 MA MAX	EA 2				*	*	*		3	23	L1
PAHZZ	5950-821-0139	COIL, RADIO FREQUENCY 2 AXIAL LEADS RFC54-7 (05267)	L4 1,000 MA MAX	EA REF				*	*	*		3	23	L4
PAHZZ	5950-823-3151	COIL, RADIO FREQUENCY AXIAL LEADS RFC50-68 (05267)	L5 1,500 MA 2..	EA 2				*	*	*		3	25	L5
PAHZZ	5950-823-3151	COIL, RADIO FREQUENCY AXIAL LEADS RFC50-68 (05267)	L6 1,500 MA 2..	EA REF				*	*	*		3	25	L6

SECTION II

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTCCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
					(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.	
PAHZZ	5950-266-0634	COIL, RADIO FREQUENCY L3 500 UH 15...	EA	1				*	*	*			3	25.3	L3
PAHZZ	5950-841-6510	OHMS DC 150 MA R50-0-5 (42498)	EA	1				*	*	*			3	25.3	L7
PAHZZ	5935-636-7145	COIL, RADIO FREQUENCY L7..... B11938-38 (17870) AWW,AF8	EA	1				*	*	*			3	41.2	P1
PAHZZ	5935-665-5718	CONNECTOR, PLUG, ELECTRICAL UP121M P1.. UPIUM (80058)	EA	2				*	*	*			3	24.2	J1
PAHZZ	5935-665-5718	CONNECTOR, RECEPTACLE, ELECTRICAL J1... UG1094U (80058)	EA	REF				*	*	*			3	24.2	J2
PAHZZ	6625-584-4690	CONNECTOR, RECEPTACLE, ELECTRICAL J2... UG1094U (80058)	EA	1				*	*	*			3		
PAOZZ	5960-642-8341	DIAL, SCALE NO-REF-DESIG MARKED 1 TO 10 4-5-8 IN DIA X 1-16 IN THK SMB146149 (80063)	EA	1				*	*	*			3	10.1	V12
PAOZZ	5960-188-3602	ELECTRON TUBE V12..... 5U4GB (81349)	EA	1				*	*	*			100	10.1	V14
PAOZZ	5960-262-3781	ELECTRON TUBE V14..... 6BH6 (81349)	EA	1				*	*	*			3	10.1	V1
PAOZZ	5960-615-0243	ELECTRON TUBE V1..... 6BQ7A (81349)	EA	1				*	*	*			100	10.1	V2
PAOZZ	5960-615-0243	ELECTRON TUBE V2..... 6CL6 (81349)	EA	8				*	*	*			100	10.1	V3
PAOZZ	5960-615-0243	ELECTRON TUBE V3..... 6CL6 (81349)	EA	REF				*	*	*			100	10.1	V3
PAOZZ	5960-615-0243	ELECTRON TUBE V6..... 6CL6 (81349)	EA	REF				*	*	*			100	10.1	V6
PAOZZ	5960-615-0243	ELECTRON TUBE V7..... 6CL6 (81349)	EA	REF				*	*	*			100	10.1	V7
PAOZZ	5960-615-0243	ELECTRON TUBE V8..... 6CL6 (81349)	EA	REF				*	*	*			100	10.1	V8
PAOZZ	5960-615-0243	ELECTRON TUBE V9..... 6CL6 (81349)	EA	REF				*	*	*			100	10.1	V9
PAOZZ	5960-615-0243	ELECTRON TUBE V10..... 6CL6 (81349)	EA	REF				*	*	*			100	10.1	V10
PAOZZ	5960-615-0243	ELECTRON TUBE V11..... 6CL6 (81349)	EA	REF				*	*	*			100	10.1	V11
PAOZZ	5960-557-6780	ELECTRON TUBE V5..... 6C4WA (81349)	EA	1				*	*	*			100	10.1	V5
PAOZZ	5960-262-0286	ELECTRON TUBE V15..... 5651WA (81349)	EA	1				*	*	*			100	10.1	V15
PAOZZ	5960-262-0185	ELECTRON TUBE V4..... 5726-6AL5W (81349)	EA	1				*	*	*			100	10.1	V4
PAOZZ	5960-543-1001	ELECTRON TUBE V13..... 6080WA (81349)	EA	1				*	*	*			100	10.1	V13
PAHZZ	4130-542-2049	FILTER, AIR FL1 ALUM FRAME 10-1-2 IN.. WD X 5-1-4 IN H X 1 IN THK F10086 (82864) AF6,AWW,AFT,AF8	EA	1				*	*	*			3		FL1
PAOZZ	5920-280-3178	FUSE, CARTRIDGE F1 2.5 AMP 125 V FIG. NO. 43 9954778 (21450)	EA	1				*	*	*			50	24.1	F1
PAHZZ	5920-285-0755	FUSEHOLDER XF1..... SC8136552 (75915)	EA	1				*	*	*			3	24.1	XF1

SECTION II

TM11-6625-258-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			1-YR ALW PER 100 EQUIP CNTGCY	1-YR MAINT ALW PER 100 EQUIP	(9)		(10) ILLUSTRATION			
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a)	(b)	(c)			
PAHZZ	5325-682-2080	GROMMET, RUBBER MP33..... 1042C (80058) AF6,AF8	EA	7				*	*	*						4	MP33	
PAHZZ	5325-682-2080	GROMMET, RUBBER MP34..... 1042C (80058) AF6,AF8	EA	REF				*	*	*						4	MP34	
PAHZZ	5325-682-2080	GROMMET, RUBBER MP35..... 1042C (80058) AF6,AF8	EA	REF				*	*	*						4	MP35	
PAHZZ	5325-682-2080	GROMMET, RUBBER MP36..... 1042C (80058) AF6,AF8	EA	REF				*	*	*						4	MP36	
PAHZZ	5325-682-2080	GROMMET, RUBBER MP37..... 1042C (80058) AF6,AF8	EA	REF				*	*	*						4	MP37	
PAHZZ	5325-682-2080	GROMMET, RUBBER MP38..... 1042C (80058) AF6,AF8	EA	REF				*	*	*						4	MP38	
PAHZZ	5325-682-2080	GROMMET, RUBBER MP39..... 1042C (80058) AF6,AF8	EA	REF				*	*	*						4	MP39	
PAHZZ	4140-356-1639	IMPELLER, FAN, AXIAL NO-REF-DESIG..... PROPELLER TYPE SHAFT MTD 4-1-2 X 0-66 IN SMD369901-4 (60399)	EA	1				*	*	*						3	11.1	
PAHZZ	5970-557-2350	INSULATOR, PLATE E1 FOR BINDING POST . OVAL SHAPE 2 PARTS, EA 1-1-2 IN LG X 3-4 IN WD X 7-32 IN THK O-A 938Z (24655)	EA	2				*	*	*						3	23	E1
PAHZZ	5970-557-2350	INSULATOR, PLATE E2 FOR BINDING POST . OVAL SHAPE 2 PARTS, EA 1-1-2 IN LG X 3-4 IN WD X 7-32 IN THK O-A 938Z (24655)	EA	REF				*	*	*						3	E2	
PAHZZ	5970-557-2350	INSULATOR, PLATE E3 FOR BINDING POST . BLACK PHENOLIC 1-1-2 X 3-4 IN 37202 (76487)	EA	2				*	*	*						3	E3	
PAHZZ	5970-557-2350	INSULATOR, PLATE E4 FOR BINDING POST . BLACK PHENOLIC 1-1-2 X 3-4 IN 37202 (76487)	EA	REF				*	*	*						3	E4	
PAOZZ	5355-667-5971	KNOB NO-REF-DESIG BAR W-POINTER 1-13-32 X 7-8 X 13-16 IN 11500 (74330)	EA	5				*	*	*						3	1	
PAOZZ	5355-579-6390	KNOB MP3 RD W-SKIRT 0-906 IN DIA X 1-. 015 IN THK MS91528-2F2D (81349)	EA	5				*	*	*						3	MP3	
PAOZZ	5355-579-6390	KNOB MP4 RD W-SKIRT 0-906 IN DIA X 1-. 015 IN THK MS91528-2F2D (81349)	EA	REF				*	*	*						3	MP4	
PAOZZ	5355-579-6390	KNOB MP19 RD W-SKIRT 0-906 IN DIA X 1-. 015 IN THK MS91528-2F2D (81349)	EA	REF				*	*	*						3	MP19	
PAOZZ	5355-579-6390	KNOB MP20 RD W-SKIRT 0-906 IN DIA X 1-. 015 IN THK MS91528-2F2D (81349)	EA	REF				*	*	*						3	MP20	
PAOZZ	5355-579-6390	KNOB MP21 RD W-SKIRT 0-906 IN DIA X 1-. 015 IN THK MS91528-2F2D (81349)	EA	REF				*	*	*						3	MP21	
PAOZZ	5355-667-9295	KNOB MP2 RD W-SKIRT ACCOM 3-8 IN DIA.. SHAFT KNS12 (24655)	EA	2				*	*	*						3	1	MP2

SECTION II

TM11-6625-258-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION			(4) UNIT OF MEAS	(5) QTY IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
							(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100	(a)	(b)	(a)	(b)	
		REFERENCE NUMBER & MFR. CODE	USABLE ON CODE														
PAOZZ	5355-667-9295	KNOB E5 RD W-SKIRT ACCOM 3-8 IN DIA.. SHAFT KNS12 (24655)		EA	REF					*	*	*			3		E5
PAOZZ	6240-155-8706	LAMP, INCANDESCENT LM-52 DS1 6-8V 0-15 AMP		EA	1					*	*	*			50	24.3	DS1
PAHZZ	6210-643-4871	MS15571-2 (80058) LIGHT, INDICATOR XDS1..... LH62PR2 (80058)		EA	1					*	*	*			5	24.2	XDS1
PAHZZ	6105-623-0020	MOTOR, ALTERNATING CURRENT B1 115 V,.. 60 CYC, 1PH 0-002 HP 2,800 RPM		EA	1					*	*	*			2	23	B1
PAHZZ	6105-774-9400	13750-3 (73793) MOTOR, ALTERNATING CURRENT B1 117 V,.. 60 CYC, 1PH 0-088 HP, 2,900 RPM		EA	1					*	*	*			2	11.1	B1
PAHZZ	6105-838-3660	JS0600 (01316) AF6 MOTOR, ALTERNATING CURRENT B1 115 V,.. 60 CYC, 1 PH OPEN FRAME		EA	1					*	*	*			2	11.1	B1
PAHZZ	5940-223-1434	JS0503 (17870) AWW,AF8 POST, BINDING J3 W-SCREW ACTION CAP .. W-TIP JACK FEATURE		EA	2					*	*	*			1	24	J3
PAHZZ	5940-223-1434	938A (24655) AF5,AF7 POST, BINDING J4 W-SCREW ACTION CAP .. W-TIP JACK FEATURE		EA	REF					*	*	*			1		J4
PAHZZ	5940-549-9037	938A (24655) AF5,AF7 POST, BINDING J3 W-SCREW ACTION CAP .. ACCOM BANANA PLU		EA	1					*	*	*			1	24.1	J3
PAHZZ	5940-549-8121	938D (24655) AF6 POST, BINDING J4 W-SPRING ACTION CAP .. 0-110 IN DIA WIRE OPENING		EA	1					*	*	*			1		J4
PAHZZ	5940-838-6606	938C (24655) AF6 POST, BINDING E1 NONREMOVABLE CAP 37223RED (76487) AWW,AF8		EA	1					*	*	*			1	3	E1
PAHZZ	5940-838-6605	POST, BINDING E2 NONREMOVABLE CAP 37223BLK (76487) AWW,AF8		EA	1					*	*	*			1	3	E2
PAHZZ	5905-252-4018	RESISTOR, FIXED, COMPOSITION R4 47.... OHMS PORM5PCT 1-2W RC20GF470J (81349)		EA	16					*	*	*			3	25.1	R4
PAHZZ	5905-252-4018	RESISTOR, FIXED, COMPOSITION R5 47.... OHMS PORM5PCT 1-2W RC20GF470J (81349)		EA	REF					*	*	*			3	25.1	R5
PAHZZ	5905-252-4018	RESISTOR, FIXED, COMPOSITION R35 47.... OHMS PORM5PCT 1-2W RC20GF470J (81349)		EA	REF					*	*	*			3	25.1	R35
PAHZZ	5905-252-4018	RESISTOR, FIXED, COMPOSITION R37 47.... OHMS PORM5PCT 1-2W RC20GF470J (81349)		EA	REF					*	*	*			3	25.1	R37
PAHZZ	5905-252-4018	RESISTOR, FIXED, COMPOSITION R44 47.... OHMS PORM5PCT 1-2W RC20GF470J (81349)		EA	REF					*	*	*			3	24.2	R44
PAHZZ	5905-252-4018	RESISTOR, FIXED, COMPOSITION R46 47.... OHMS PORM5PCT 1-2W RC20GF470J (81349)		EA	REF					*	*	*			3	24.2	R46
PAHZZ	5905-252-4018	RESISTOR, FIXED, COMPOSITION R48 47.... OHMS PORM5PCT 1-2W CONTINUED		EA	REF					*	*	*			3	24.2	R48

SECTION II

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.
		CONTINUED												
PAHZZ	5905-252-4018	OHMS PORM5PCT 1-2 W RC20GF470J (81349)	RESISTOR, FIXED, COMPOSITION	R49 47....	EA	REF				*	*	*		3 24.2 R49
PAHZZ	5905-252-4018	OHMS PORM5PCT 1-2 W RC20GF470J (81349)	RESISTOR, FIXED, COMPOSITION	R50 47....	EA	REF				*	*	*		3 24.2 R50
PAHZZ	5905-252-4018	OHMS PORM5PCT 1-2 W RC20GF470J (81349)	RESISTOR, FIXED, COMPOSITION	R52 47....	EA	REF				*	*	*		3 24.2 R52
PAHZZ	5905-252-4018	OHMS PORM5PCT 1-2 W RC20GF470J (81349)	RESISTOR, FIXED, COMPOSITION	R73 47....	EA	REF				*	*	*		3 24.2 R73
PAHZZ	5905-252-4018	OHMS PORM5PCT 1-2 W RC20GF470J (81349)	RESISTOR, FIXED, COMPOSITION	R76 47....	EA	REF				*	*	*		3 24.2 R76
PAHZZ	5905-252-4018	OHMS PORM5PCT 1-2 W RC20GF470J (81349)	RESISTOR, FIXED, COMPOSITION	R77 47....	EA	REF				*	*	*		3 24.2 R77
PAHZZ	5905-252-4018	OHMS PORM5PCT 1-2 W RC20GF470J (81349)	RESISTOR, FIXED, COMPOSITION	R78 47....	EA	REF				*	*	*		3 24.2 R78
PAHZZ	5905-252-4018	OHMS PORM5PCT 1-2 W RC20GF470J (81349)	RESISTOR, FIXED, COMPOSITION	R80 47....	EA	REF				*	*	*		3 24.2 R80
PAHZZ	5905-252-4018	OHMS PORM5PCT 1-2 W RC20GF470J (81349)	RESISTOR, FIXED, COMPOSITION	R83 47....	EA	REF				*	*	*		3 24.2 R83
PAHZZ	5905-279-3516	OHMS PORM5PCT 1-2 W RC20GF910J (81349)	RESISTOR, FIXED, COMPOSITION	R53 91....	EA	5				*	*	*		3 25.3 R53
PAHZZ	5905-279-3516	OHMS PORM5PCT 1-2 W RC20GF910J (81349)	RESISTOR, FIXED, COMPOSITION	R58 91....	EA	REF				*	*	*		3 25.3 R58
PAHZZ	5905-279-3516	OHMS PORM5PCT 1-2 W RC20GF910J (81349)	RESISTOR, FIXED, COMPOSITION	R66 91....	EA	REF				*	*	*		3 25.2 R66
PAHZZ	5905-279-3516	OHMS PORM5PCT 1-2 W RC20GF910J (81349)	RESISTOR, FIXED, COMPOSITION	R69 91....	EA	REF				*	*	*		3 25.2 R69
PAHZZ	5905-279-3516	OHMS PORM5PCT 1-2 W RC20GF910J (81349)	RESISTOR, FIXED, COMPOSITION	R72 91....	EA	REF				*	*	*		3 25.2 R72
PAHZZ	5905-279-3516	OHMS PORM5PCT 1-2 W RC20GF910J (81349)	RESISTOR, FIXED, COMPOSITION	R75 91....	EA	REF				*	*	*		3 25.2 R75
PAHZZ	5905-256-0409	OHMS PORM10PCT 1-2 W RC20GF221K (81349)	RESISTOR, FIXED, COMPOSITION	R19 220...	EA	1				*	*	*		3 25.1 R19
PAHZZ	5905-195-6806	CONTINUED	RESISTOR, FIXED, COMPOSITION	R16 1,000.	EA	1				*	*	*		3 25.1 R16

SECTION II

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
		CONTINUED												
PAHZZ	5905-279-3499	OHM PORM5PCT; 1-2 W RC20GF102J (81349) RESISTOR, FIXED, COMPOSITION DHMS PORM5PCT 1-2W RC20GF273J (81349)	R60 27,000	EA 1				*	*	*			3 24.3	R60
PAHZZ	5905-249-3661	RESISTOR, FIXED, COMPOSITION OHMS PORM5PCT 1-2W RC20GF683K (81349)	R41 68,000	EA 1				*	*	*			3 25	R41
PAHZZ	5905-254-7097	RESISTOR, FIXED, COMPOSITION OHMS PDRM10PCT 1-2W RC20GF823K (81349)	R45 82000.	EA 1				*	*	*			3 25	R45
PAHZZ	5905-295-3409	RESISTOR, FIXED, COMPOSITION 000 OHMS PDRM10PCT 1-2W RC20GF224K (81349)	R56 220,..	EA 1				*	*	*			3 25	R56
PAHZZ	5905-221-5860	RESISTOR, FIXED, COMPOSITION 000 OHMS PDRM10PCT 1-2W RC20GF334K (81349)	R14 330,..	EA 1				*	*	*			3 23	R14
PAHZZ	5905-192-0390	RESISTOR, FIXED, COMPOSITION MEGOHM PORM5PCT 1-2W RC20GF105J (81349)	R32 1.....	EA 3				*	*	*			3 24	R32
PAHZZ	5905-192-0390	RESISTOR, FIXED, COMPOSITION MEGOHM PORM5PCT 1-2W RC20GF105J (81349)	R54 1.....	EA REF				*	*	*			3 25	R54
PAHZZ	5905-192-0390	RESISTOR, FIXED, COMPOSITION MEGOHM PORM5PCT 1-2W RC20GF105J (81349)	R70 1.....	EA REF				*	*	*			3 25	R70
PAHZZ	5905-279-1740	RESISTOR, FIXED, COMPOSITION DHMS PDRM10PCT 1W RC32GF180K (81349)	R97 18....	EA 1				*	*	*			3 25	R97
PAHZZ	5905-549-7785	RESISTOR, FIXED, COMPOSITION DHMS PDRM10PCT 1W RC32GF271K (81349)	R64 270...	EA 1				*	*	*			3 25	R64
PAHZZ	5905-279-2546	RESISTOR, FIXED, COMPOSITION DHMS PORM5PCT 1W RC32GF361J (81349)	R59 360...	EA 3				*	*	*			3 25.3	R59
PAHZZ	5905-279-2546	RESISTOR, FIXED, COMPOSITION DHMS PDRM5PCT 1W RC32GF361J (81349)	R68 360...	EA REF				*	*	*			3 25.2	R68
PAHZZ	5905-279-2546	RESISTOR, FIXED, COMPOSITION DHMS PDRM5PCT 1W RC32GF361J (81349)	R74 360...	EA REF				*	*	*			3 25.2	R74
PAHZZ	5905-279-1722	RESISTOR, FIXED, COMPOSITION DHMS PDRM10PCT 1W RC32GF102K (81349)	R89 1000..	EA 1				*	*	*			3 24	R89
PAHZZ	5905-299-2044	RESISTOR, FIXED, COMPOSITION DHMS PDRM10PCT 1W RC32GF222K (81349)	R1 2,200.	EA 1				*	*	*			3 23	R1
PAHZZ	5905-279-3837	RESISTOR, FIXED, COMPOSITION DHMS PORM5PCT 1W RC32GF272K (81349)	R7 2,700.	EA 1				*	*	*			3 23	R7
PAHZZ	5905-299-2020	RESISTOR, FIXED, COMPOSITION CONTINUED	R38 27,000	EA 1				*	*	*			3 23	R38

SECTION II

TM11-6625-258-4OP

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
					(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)	
					1-20	21-50	51-100	1-20	21-50	51-100					
		CONTINUED													
PAHZZ	5905-299-2014	OHMS; PORM5PCT; 1 W RC32GF273J (81349) RESISTOR, FIXED, COMPOSITION R93 47,000	EA	1				*	*	*			3	24	R93
PAHZZ	5905-537-6463	OHMS PORM10PCT 1W RC32GF473K (81349) RESISTOR, FIXED, COMPOSITION R33 82,000	EA	1				*	*	*			3	23	R33
PAHZZ	5905-299-2005	OHMS PORM10PCT 1W RC32GF823K (81349) AF5,AF6,AWW,AF8 RESISTOR, FIXED, COMPOSITION R26 82,000	EA	2				*	*	*			3	25,3	R26
PAHZZ	5905-299-2005	OHMS PORM10PCT 1W RC32GF823K (81349) AF7 RESISTOR, FIXED, COMPOSITION R33 82,000	EA	REF				*	*	*			3	25,3	R33
PAHZZ	5905-299-2003	RESISTOR, FIXED, COMPOSITION R6 100,.. 000 OHMS PORM5PCT 1W RC32GF104J (81349)	EA	2				*	*	*			3	23	R6
PAHZZ	5905-299-2003	RESISTOR, FIXED, COMPOSITION R90 100,.. 000 OHMS PORM5PCT 1W RC32GF104J (81349)	EA	REF				*	*	*			3	24	R90
PAHZZ	5905-299-2002	RESISTOR, FIXED, COMPOSITION R85 120,.. 000 OHMS PORM10PCT 1W RC32GF124K (81349)	EA	1				*	*	*			3	24	R85
PAHZZ	5905-279-1717	RESISTOR, FIXED, COMPOSITION R41 150,.. 000 OHMS PORM10PCT 1W RC32GF154K (81349)	EA	1				*	*	*			3	24,2	R41
PAHZZ	5905-279-1714	RESISTOR, FIXED, COMPOSITION R96 220,.. 000 OHMS PORM10PCT 1W RC32GF154K (81349) AF6,AWW,AF8	EA	1				*	*	*			3	24	R96
PAHZZ	5905-299-1996	RESISTOR, FIXED, COMPOSITION R94 330,.. 000 OHMS PORM10PCT 1W RC32GF334K (81349)	EA	1				*	*	*			3	24	R94
PAHZZ	5905-299-1985	RESISTOR, FIXED, COMPOSITION R86 1..... MEGOHM PORM10PCT 1W RC32GF105K (81349)	EA	1				*	*	*			3	24	R86
PAHZZ	5905-247-9329	RESISTOR, FIXED, COMPOSITION R91 47.... OHMS PORM10PCT 2W RC42GF470K (81349)	EA	2				*	*	*			3	24	R91
PAHZZ	5905-247-9329	RESISTOR, FIXED, COMPOSITION R92 47.... OHMS PORM10PCT 2W RC42GF470K (81349)	EA	REF				*	*	*			3	24	R92
PAHZZ	5905-192-9185	RESISTOR, FIXED, COMPOSITION R36 3,900. OHMS PORM10PCT 2W RC42GF392K (81349)	EA	1				*	*	*			3	23	R36
PAHZZ	5905-195-6449	RESISTOR, FIXED, COMPOSITION R2 4,700. OHMS PORM10PCT 2W RC42GF472K (81349)	EA	1				*	*	*			3	23	R2
PAHZZ	5905-503-6716	RESISTOR, FIXED, FILM R55 230 OHMS..... PORM1PCT 1W DC1-230 (19701)	EA	2				*	*	*			3	25	R55
PAHZZ	5905-503-6716	RESISTOR, FIXED, FILM R71 230 OHMS..... CONTINUED	EA	REF				*	*	*			3	25	R71

SECTION II

TM11-6625-258-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	(4) UNIT OF MEAS.	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) (b)		
					(a)	(b)	(c)	(a)	(b)	(c)			FIGURE NO.	ITEM NO.	
		CONTINUED													
PAHZZ	5905-646-5771	FORM1PCT; 1 W DC1-230 (19701) RESISTOR, FIXED, FILM R3 422 OHMS.....	EA	2				*	*	*			3	23	R3
PAHZZ	5905-646-5771	FORM1PCT 1-2W RN70B4220F (81349) RESISTOR, FIXED, FILM R40 422 OHMS.....	EA	REF				*	*	*			3	25.2	R40
PAHZZ	5905-578-9405	FORM1PCT 1-2W RN70B4220F (81349) RESISTOR, FIXED, FILM R27 1,500 OHMS... FORM1PCT 1W	EA	1				*	*	*			3	25.3	R27
PAHZZ	5905-615-8032	RESISTOR, FIXED, FILM R42 2,000 OHMS... AF6, AWW, AF7, AF8 FORM1PCT 2W	EA	4				*	*	*			3	25	R42
PAHZZ	5905-615-8032	RESISTOR, FIXED, FILM R43 2,000 OHMS... FORM1PCT 2W	EA	REF				*	*	*			3	25	R43
PAHZZ	5905-615-8032	RESISTOR, FIXED, FILM R81 2,000 OHMS... FORM1PCT 2W	EA	REF				*	*	*			3	25	R81
PAHZZ	5905-615-8032	RESISTOR, FIXED, FILM R82 2,000 OHMS... FORM1PCT 2W	EA	REF				*	*	*			3	25	R82
PAHZZ	5905-655-4054	RESISTOR, FIXED, FILM R7 2,700 OHMS... FORM1PCT 1-2W	EA	1				*	*	*			3	23	R7
PAHZZ	5905-279-4892	RESISTOR, FIXED, FILM R27 12,500 OHMS.. AF6, AWW, AF8 FORM5PCT 2W	EA	1				*	*	*			3	25.3	R27
PAHZZ	5905-542-9199	DCH (81349) RESISTOR, FIXED, FILM R22 30,500 OHMS.. AF5 FORM1PCT 1W	EA	1				*	*	*			3	25.3	R22
PAHZZ	5905-552-2612	DC1-30-5K (19701) RESISTOR, FIXED, FILM R26 61,900 OHMS.. FORM1PCT 1W	EA	1				*	*	*			3	23	R26
PAHZZ	5905-988-0149	RN75B6192F (81349) RESISTOR, FIXED, FILM R26 90,500 OHMS.. AF5 FORM1PCT 1W	EA	1				*	*	*			3	25.3	R26
PAHZZ	5905-503-5572	DC1-95-5K (19701) RESISTOR, FIXED, FILM R62 95,500 OHMS.. AF6, AWW, AF8 FORM1PCT 1W	EA	2				*	*	*			3	25	R62
PAHZZ	5905-503-5572	DC1-95-5K (19701) RESISTOR, FIXED, FILM R67 95,500 OHMS.. FORM1PCT 1W	EA	REF				*	*	*			3	25	R67
PAHZZ	5905-283-6196	DC1-95-5K (19701) RESISTOR, FIXED, FILM R13 216,000 OHMS.. FORM1PCT 1W	EA	2				*	*	*			3	25.2	R13
PAHZZ	5905-283-6196	DC1-216K (19701) RESISTOR, FIXED, FILM R31 216,000 OHMS.. FORM1PCT 1W	EA	REF				*	*	*			3	25.2	R31
PAHZZ	5905-518-5056	DC1-216K (19701) RESISTOR, FIXED, FILM R12 370,000 OHM.. CONTINUED	EA	2				*	*	*			3	25.2	R12

SECTION II

TM11-6625-258-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
					(a)	(b)	(c)	(a)	(b)	(c)			FIGURE NO.	ITEM NO.	
		CONTINUED													
PAHZZ	5905-518-5056	PORM1PCT; 1 W DC1-370K (19701) RESISTOR, FIXED, FILM R30 370,000 OHM..	EA	REF				*	*	*			3	25.2	R30
PAHZZ	5905-542-9198	PORM1PCT 1W DC1-370K (19701) RESISTOR, FIXED, FILM R47 479,000 OHM..	EA	2				*	*	*			3	25	R47
PAHZZ	5905-542-9198	PORM1PCT 1W DC1-479K (19701) RESISTOR, FIXED, FILM R79 479,000 OHM..	EA	REF				*	*	*			3	25	R79
PAHZZ	5905-655-1701	PORM1PCT 1W DC1-479K (19701) RESISTOR, FIXED, FILM R11 684,000.....	EA	2				*	*	*			3	25.2	R11
PAHZZ	5905-655-1701	PORM1PCT 1W DC1-684K (19701) RESISTOR, FIXED, FILM R29 684,000.....	EA	REF				*	*	*			3	25.2	R29
PAHZZ	5905-655-1702	PORM1PCT 1W DC1-684K (19701) RESISTOR, FIXED, FILM R15 1-03 MEGOHM..	EA	1				*	*	*			3	25.2	R15
PAHZZ	5905-542-9197	PORM1PCT 1W DC1-1-03M (19701) RESISTOR, FIXED, FILM R10 3-05 MEGOHMS.	EA	2				*	*	*			3	25.3	R10
PAHZZ	5905-542-9197	PORM1PCT 1W DC1-3-05M (19701) RESISTOR, FIXED, FILM R28 3-05 MEGOHMS.	EA	REF				*	*	*			3	25.3	R28
PAHZZ	5905-556-3041	PORM1OPCT 2W DC1-3-05M (19701) RESISTOR, VARIABLE R51 75 OHMS.....	EA	1				*	*	*			3	23	R51
PAHZZ	5905-284-3418	JU7501LSD2056 (01121) PORM1OPCT 2W RESISTOR, VARIABLE R51 75 OHMS.....	EA	1	AF5,AF7			*	*	*			3	23.1	R51
PAHZZ	5905-838-3319	JU7501P3048 (01121) PORM1OPCT 2W RESISTOR, VARIABLE R51 75 OHMS.....	EA	1	AF6			*	*	*			3	25.3	R51
PAHZZ	5905-615-8057	J83115 (01121) RESISTOR, VARIABLE R17 250 OHMS 2W	EA	1	AWW,AF8			*	*	*			3	25.2	R17
PAHZZ	5905-542-9228	RV4NAXSD251A (81349) RESISTOR, VARIABLE R84 2 SECT 1,200... OHM PORM1OPCT 2W	EA	1				*	*	*			3	25.2	R84
PAHZZ	5905-655-4065	JJUU1021P3108 (01121) RESISTOR, VARIABLE R84 2 SECT 1,200... OHMS PORM1OPCT 2W	EA	1	AF5,AF7			*	*	*			3	25.2	R84
PAHZZ	5905-838-3320	JJU1221P3048 (01121) RESISTOR, VARIABLE R84 2 SECT 1,200... OHMS PORM1OPCT 2W	EA	1	AF6			*	*	*			3	25.2	R84
PAHZZ	5905-752-3737	JJ83114 (01121) RESISTOR, VARIABLE R8 3,000 OHMS.....	EA	1	AWW,AF8			*	*	*			3	23	R8
PAHZZ	5905-577-7516	RV2NAXSD302A (81349) RESISTOR, VARIABLE R8 5,000 OHMS..... PORM1OPCT 1-2W RV5LAXSB502A (81349)	EA	1	AF5,AF7 AF6, AWW, AF8			*	*	*			3	25.3	R8

SECTION II

TM11-6625-258-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) (b)		
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			FIGURE NO.	ITEM NO.	
PAHZZ	5905-655-1704	RESISTOR, VARIABLE R9 50,000 OHMS..... PORM5PCT 8W 975Q (24655)	EA	1				*	*	*			3	23	R9
PAHZZ	5905-683-2120	RESISTOR, VARIABLE R18 50,000 OHMS..... PORM10PCT 1W RV2NAXSD503A (81349)	EA	6				*	*	*			3	25.3	R18
PAHZZ	5905-683-2120	RESISTOR, VARIABLE R21 50,000 OHMS..... PORM10PCT 1W RV2NAXSD503A (81349)	EA	REF				*	*	*			3	25.3	R21
PAHZZ	5905-683-2120	RESISTOR, VARIABLE R23 50,000 OHMS..... PORM10PCT 1W RV2NAXSD503A (81349)	EA	REF				*	*	*			3	25.3	R23
PAHZZ	5905-683-2120	RESISTOR, VARIABLE R24 50,000 OHMS..... PORM10PCT 1W RV2NAXSD503A (81349)	EA	REF				*	*	*			3	25.2	R24
PAHZZ	5905-683-2120	RESISTOR, VARIABLE R25 50,000 OHMS..... PORM10PCT 1W RV2NAXSD503A (81349)	EA	REF				*	*	*			3	25.3	R25
PAHZZ	5905-683-2120	RESISTOR, VARIABLE R39 50,000 OHMS..... PORM10PCT 1W RV2NAXSD503A (81349)	EA	REF				*	*	*			3	25.3	R39
PAHZZ	5905-660-5295	RESISTOR, VARIABLE R21 50,000 OHMS..... PORM10PCT 2W RV4NAXSD503A (81349)	EA	4				*	*	*			3	25.3	R21
PAHZZ	5905-660-5295	RESISTOR, VARIABLE R23 50,000 OHMS..... PORM10PCT 2W RV4NAXSD503A (81349)	EA	REF				*	*	*			3	25.3	R23
PAHZZ	5905-660-5295	RESISTOR, VARIABLE R24 50,000 OHMS..... PORM10PCT 2W RV4NAXSD503A (81349)	EA	REF				*	*	*			3	25.2	R24
PAHZZ	5905-660-5295	RESISTOR, VARIABLE R25 50,000 OHMS..... PORM10PCT 2W RV4NAXSD503A (81349)	EA	REF				*	*	*			3	25.3	R25
PAHZZ	5905-615-3535	RESISTOR, VARIABLE R18 50,000 OHMS..... PORM10PCT 1-2W RV5LAXSB503A (81349)	EA	6				*	*	*			3	25.3	R18
PAHZZ	5905-615-3535	RESISTOR, VARIABLE R21 50,000 OHMS..... PORM10PCT 1-2W RV5LAXSB503A (81349)	EA	REF				*	*	*			3	25.3	R21
PAHZZ	5905-615-3535	RESISTOR, VARIABLE R23 50,000 OHMS..... PORM10PCT 1-2W RV5LAXSB503A (81349)	EA	REF				*	*	*			3	25.3	R23
PAHZZ	5905-615-3535	RESISTOR, VARIABLE R24 50,000 OHMS..... PORM10PCT 1-2W RV5LAXSB503A (81349)	EA	REF				*	*	*			3	25.2	R24
PAHZZ	5905-615-3535	RESISTOR, VARIABLE R25 50,000 OHMS..... PORM10PCT 1-2W RV5LAXSB503A (81349)	EA	REF				*	*	*			3	25.3	R25
PAHZZ	5905-615-3535	RESISTOR, VARIABLE R39 50,000 OHMS..... PORM10PCT 1-2W RV5LAXSB503A (81349)	EA	REF				*	*	*			3	25.3	R39
PAHZZ	5905-577-2950	RESISTOR, VARIABLE R18 50,000 OHMS..... CONTINUED	EA	2				*	*	*			3	23	R18

SECTION II

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.	
		CONTINUED													
		PFOM20PCT; 1-2 W UPM45EM8784-1377 (11237)	AF5												
PAHZZ	5905-577-2950	RESISTOR, VARIABLE R39 50,000 OHMS.....	EA	REF				*	*	*			3	23	R39
PAHZZ	5905-644-6693	RESISTOR, VARIABLE R95 100,000 OHMS.....	EA	1				*	*	*			3	24.2	R95
PAHZZ	5905-615-8087	RESISTOR, VARIABLE R20 1 MEGOHM.....	EA	1				*	*	*			3	23	R20
PAHZZ	5905-838-0719	RESISTOR, FIXED, WIRE WOUND R57 470....	EA	3				*	*	*			3	25	R57
PAHZZ	5905-838-0719	RESISTOR, FIXED, WIRE WOUND RW586471 (81349) OHMS PORM5PCT 5W	EA	REF				*	*	*			3	25	R61
PAHZZ	5905-838-0719	RESISTOR, FIXED, WIRE WOUND R61 470....	EA	REF				*	*	*			3	25	R63
PAHZZ	5905-615-8034	RESISTOR, FIXED, WIRE WOUND R34 540....	EA	1				*	*	*			3	23	R34
PAHZZ	5905-615-8033	RESISTOR, FIXED, WIRE WOUND R87 800....	EA	1				*	*	*			3	24.2	R87
PAHZZ	5905-299-7979	RESISTOR, FIXED, WIRE WOUND R88 2000... OHM 11W	EA	1				*	*	*			3	24	R88
PAHZZ	5960-860-2520	RETAINER, ELECTRON TUBE MP1 FOR V12 ... 33087E1-3-8 (76487) AWW,AF7	EA	1				*	*	*			3	10.1	MP1
PAHZZ	5960-710-7930	RETAINER, ELECTRON TUBE MP2 FOR V13 ... 33087E1-5-8 (76487) AWW,AF7	EA	1				*	*	*			3	10.1	MP2
PAHZZ	5961-581-8066	SEMICONDUCTOR DEVICE, DIODE CR1.....	EA	1				*	*	*			3		CR1
PAHZZ	5935-063-5789	SOCKET, ELECTRON TUBE XV12 OCTAL	EA	2				*	*	*			3	24	XV12
PAHZZ	5935-063-5789	SOCKET, ELECTRON TUBE XV13 OCTAL	EA	REF				*	*	*			3	24	XV13
PAHZZ	5935-260-0516	SOCKET, ELECTRON TUBE XV4 7 PIN..... MINIATURE	EA	4				*	*	*			3	25.2	XV4
PAHZZ	5935-260-0516	TS102P01 (81349) AF6,AWW,AF7,AF8	EA	REF				*	*	*			3	25.3	XV5
PAHZZ	5935-260-0516	SOCKET, ELECTRON TUBE XV5 7 PIN..... MINIATURE	EA	REF				*	*	*			3	24	XV14
PAHZZ	5935-260-0516	TS102P01 (81349) AF6,AWW,AF7,AF8	EA	REF				*	*	*			3	24	XV15
PAHZZ	5935-260-0516	SOCKET, ELECTRON TUBE XV15 7 PIN..... CONTINUED	EA	REF				*	*	*			3	24	

SECTION II

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) (b)		
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			FIGURE NO.	ITEM NO.	
CONTINUED															
PAHZZ	5935-160-1365	MINIATURE TS102P01 (81349) SOCKET, ELECTRON TUBE AF6, AWW, AF7, AF8 XV1 9-PIN.....	EA	9				*	*	*			3	25.1	XVI
PAHZZ	5935-160-1365	MINIATURE TS103P01 (81349) SOCKET, ELECTRON TUBE AF6, AWW, AF7, AF8 XV2 9-PIN.....	EA	REF				*	*	*			3	24.3	XV2
PAHZZ	5935-160-1365	MINIATURE TS103P01 (81349) SOCKET, ELECTRON TUBE AF6, AWW, AF7, AF8 XV6 9-PIN.....	EA	REF				*	*	*			3	24.2	XV6
PAHZZ	5935-160-1365	MINIATURE TS103P01 (81349) SOCKET, ELECTRON TUBE AF6, AWW, AF7, AF8 XV7 9-PIN.....	EA	REF				*	*	*			3	24.2	XV7
PAHZZ	5935-160-1365	MINIATURE TS103P01 (81349) SOCKET, ELECTRON TUBE AF6, AWW, AF7, AF8 XV8 9-PIN.....	EA	REF				*	*	*			3	24.2	XV8
PAHZZ	5935-160-1365	MINIATURE TS103P01 (81349) SOCKET, ELECTRON TUBE AF6, AWW, AF7, AF8 XV9 9-PIN.....	EA	REF				*	*	*			3	24.2	XV9
PAHZZ	5935-160-1365	MINIATURE TS103P01 (81349) SOCKET, ELECTRON TUBE AF6, AWW, AF7, AF8 XV10 9-PIN.....	EA	REF				*	*	*			3	24.2	XV10
PAHZZ	5935-160-1365	MINIATURE TS103P01 (81349) SOCKET, ELECTRON TUBE AF6, AWW, AF7, AF8 NO-REF-DESIG 9-PIN	EA	REF				*	*	*			3		
PAHZZ	5935-160-1365	MINIATURE TS103P01 (81349) SOCKET, ELECTRON TUBE AF6, AWW, AF7, AF8 NO-REF-DESIG 9-PIN	EA	REF				*	*	*			3		
PAHZZ	5935-160-1365	MINIATURE TS103P01 (81349) SOCKET, ELECTRON TUBE AF6, AWW, AF7, AF8 NO-REF-DESIG 9-PIN	EA	REF				*	*	*			3		
PAHZZ	5935-160-1365	MINIATURE TS103P01 (81349) SOCKET, ELECTRON TUBE AF6, AWW, AF7, AF8 XV11 9-PIN.....	EA	REF				*	*	*			3	24.2	XV11
PAHZZ	5935-583-5800	AF6, AWW, AF7, AF8 SOCKET, ELECTRON TUBE XV1 NOVAL	EA	3				*	*	*			3	25.1	XVI
PAHZZ	5935-583-5800	AF5 7490-0118 (94151) SOCKET, ELECTRON TUBE XV2 NOVAL	EA	REF				*	*	*			3	25.2	XV2
PAHZZ	5935-583-5800	AF5 7490-0118 (94151) SOCKET, ELECTRON TUBE XV3 NOVAL	EA	REF				*	*	*			3	25.2	XV3
PAHZZ	5935-545-7659	AF5 7490-0118 (94151) SOCKET, ELECTRON TUBE XV14 7-PIN.....	EA	2				*	*	*			3	24	XV14
PAHZZ	5935-545-7659	AF5 116PHSPTD (04156) SOCKET, ELECTRON TUBE XV15 7-PIN.....	EA	REF				*	*	*			3	24	XV15
PAHZZ	5930-583-8477	AF5 SWITCH, ROTARY S2 2 SECT, 4 PNS 6.... MOVING CONT, 8 FIXED CONT RD FLAT SHAFT 1- 4 IN DIA X 7-8 IN FMS 19912-354 (74330) AF5, AF7	EA	1				*	*	*			5	25.2	S2

SECTION II

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) (b)	
					(a)	(b)	(c)	(a)	(b)	(c)			FIGURE NO.	ITEM NO.
PAHZZ	5930-649-5944	SWITCH, ROTARY S2 2 SECT, 4 POS 4.... MOVING CONT, 7 FIXED CONT RD SHAFT 1-4 IN DIA X 3-4 IN LG FMS BS7383 (04846) AF6	EA	1				*	*	*			5	25.2
PAHZZ	5930-823-0302	SWITCH, ROTARY S2 2 SECT, 4 POS SP4T RD SHAFT 1-4 IN DIA, 1-1-8 IN LG FMS SCA369933 (80063) AWW,AF8	EA	1				*	*	*			5	25.2
PAHZZ	5930-649-5943	SWITCH, ROTARY S1 4 SECT, 6 POS 4.... MOVING CONT, 28 FIXED CONT 4P6T BS7384 (04846) AF6	EA	1				*	*	*			5	25.2
PAHZZ	5930-583-8476	SWITCH, ROTARY S1 7 SECT, 6 POS 4.... MOVING CONT 28 FIXED CONT 4P6T	EA	1				*	*	*			5	25.2
PAHZZ	5930-729-9883	SWITCH, ROTARY S1 7 SECT, 6 POS 2P6T 19912-353 (74330) AF5,AF7 RD SHAFT 1-4 IN DIA, 1-1-8 IN LG	EA	1				*	*	*			5	25.1
PAHZZ	5930-050-2704	SWITCH, TOGGLE S3 DPST	EA	1				*	*	*			5	24.3
PAHZZ	5950-583-4489	TRANSFORMER, POWER, STEP-DOWN AND STEP-UP. T1 2 PRI WND, 115 V, 50-60 CYC, 1 PH SECD WNDY 580 V CT, 0-315 AMP5 V, 3 AMP 20800-206 (285691) AF5,AF7	EA	1				*	*	*			3	23
PAHZZ	5950-655-0556	TRANSFORMER, POWER, STEP-DOWN AND STEP-UP. T1 115-230 V, 60 CYC, 1 PH ENCAPSULATED 15 SOLDER LUG TERM TF3RX03ZZ (81349) AWW,AF7	EA	1				*	*	*			3	23.1
PAHZZ	5950-067-7753	TRANSFORMER, POWER, STEP-DOWN AND STEP-UP. T1 115/230V PRI WND 115/230V SECD WNDG 290 V, 300 MA 6.3 V, 4.5 MA 5V, 3.25A SMB369907 (80063) AF8	EA	1				*	*	*			3	23.1
PAHZZ	5950-577-9188	TRANSFORMER, RADIO FREQUENCY L7 2 WND, 10 TURNS 7385 (04846) AF6	EA	1				*	*	*			3	23.1
PAHZZ	5950-583-4492	TRANSFORMER, RADIO FREQUENCY L7 2 WND, 10 TURNS 3320-31 (74330) AF5,AF7	EA	1				*	*	*			3	23.1

INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
4130-542-2049		F1	5905-503-5572	25	R62
4140-356-1639		MP33	5905-503-5572	25	R67
5325-682-2080		MP34	5905-503-6716	25	R55
5325-682-2080		MP35	5905-503-6716	25	R71
5325-682-2080		MP36	5905-518-5056	25.2	R12
5325-682-2080		MP37	5905-518-5056	25.2	R30
5325-682-2080		MP38	5905-537-6463	23	R33
5325-682-2080		MP39	5905-542-9197	25.3	R10
5325-682-2080	1		5905-542-9197	25.3	R28
5340-619-7513			5905-542-9198	25	R47
5355-579-6390		MP3	5905-542-9198	25	R79
5355-579-6390		MP4	5905-542-9199	25.3	R22
5355-579-6390		MP19	5905-542-9228	25.2	R84
5355-579-6390		MP20	5905-549-7785	25	R64
5355-579-6390		MP21	5905-552-2612	23	R26
5355-667-5971	1		5905-556-3041	23	R51
5355-667-9295	1	E5	5905-577-2950	23	R18
5355-667-9295	1	MP2	5905-577-2950	23	R39
5905-192-0390	24	P32	5905-577-7516	25.3	R8
5905-192-0390	25	P54	5905-578-9405	25.3	R27
5905-192-0390	25	R70	5905-615-3535	25.2	R24
5905-192-9185	23	R36	5905-615-3535	25.3	R18
5905-195-6449	23	R2	5905-615-3535	25.3	R21
5905-195-6806	25.1	P16	5905-615-3535	25.3	R23
5905-221-5860	23	R14	5905-615-3535	25.3	R25
5905-247-9329	24	R91	5905-615-3535	25.3	R39
5905-247-9329	24	R92	5905-615-8032	25	R42
5905-249-3661	25	R41	5905-615-8032	25	R43
5905-252-4018	24.2	R44	5905-615-8032	25	R81
5905-252-4018	24.2	R46	5905-615-8032	25	R82
5905-252-4018	24.2	R48	5905-615-8033	24.2	R87
5905-252-4018	24.2	R49	5905-615-8034	23	R34
5905-252-4018	24.2	R50	5905-615-8057	25.2	R17
5905-252-4018	24.2	R52	5905-615-8087	23	R20
5905-252-4018	24.2	R73	5905-644-6693	24.2	R95
5905-252-4018	24.2	R76	5905-646-5771	23	R3
5905-252-4018	24.2	R77	5905-646-5771	25.2	R40
5905-252-4018	24.2	R78	5905-655-1701	25.2	R11
5905-252-4018	24.2	R80	5905-655-1701	25.2	R29
5905-252-4018	24.2	R83	5905-655-1702	25.2	R15
5905-252-4018	25.1	R4	5905-655-1704	23	R9
5905-252-4018	25.1	R5	5905-655-4054	23	R7
5905-252-4018	25.1	R35	5905-655-4065	25.2	R84
5905-252-4018	25.1	R37	5905-660-5295	25.2	R24
5905-254-7097	25	R45	5905-660-5295	25.3	R21
5905-256-0409	25.1	R19	5905-660-5295	25.3	R23
5905-279-1714	24	R96	5905-660-5295	25.3	R25
5905-279-1717	24.2	R41	5905-683-2120	25.2	R24
5905-279-1722	24	R89	5905-683-2120	25.3	R18
5905-279-1740	25	R97	5905-683-2120	25.3	R21
5905-279-2546	25.2	R68	5905-683-2120	25.3	R23
5905-279-2546	25.2	R74	5905-683-2120	25.3	R25
5905-279-2546	25.3	R59	5905-683-2120	25.3	R39
5905-279-3499	24.3	R60	5905-752-3737	23	R8
5905-279-3516	25.2	R66	5905-838-0719	25	R57
5905-279-3516	25.2	R69	5905-838-0719	25	R61
5905-279-3516	25.2	R72	5905-838-0719	23	R63
5905-279-3516	25.2	R75	5905-838-3319	25.3	R51
5905-279-3516	25.3	R53	5905-838-3320	25.2	R84
5905-279-3516	25.3	R58	5905-988-0149	25.3	R26
5905-279-3837	23	R7	5910-012-8582		
5905-279-4892	25.3	R27	5910-190-9522	23.1	C5
5905-283-6196	25.2	R13	5910-190-9522	23.1	C16
5905-283-6196	25.2	R31	5910-190-9522	24.1	C18
5905-284-3418	23.1	R51	5910-190-9522	24.1	C30
5905-295-3409	25	R56	5910-240-7780	25.1	C9
5905-299-1985	24	R86	5910-280-7401	24.3	C21
5905-299-1996	24	R94	5910-280-7401	24.3	C25
5905-299-2002	24	R85	5910-280-7401	25.2	C7
5905-299-2003	23	R6	5910-280-7401	25.3	C10
5905-299-2003	24	R90	5910-280-7401	25.3	C11
5905-299-2005	25.3	R26	5910-284-4018	24.2	C23
5905-299-2005	25.3	R33	5910-284-4018	24.2	C24
5905-299-2014	24	R93	5910-284-4018	25.2	C4
5905-299-2020	23	R38	5910-284-4018	25.2	C15
5905-299-2044	23	R1	5910-284-4049	23.1	C6
5905-299-7979	24	R88	5910-284-4049	23.1	C17

21

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
5910-543-0710	41.2	C31	5940-223-1434		J4
5910-583-4486	23	C31	5940-223-1434	24	J3
5910-615-0099	25.3	C19	5940-549-8121		J4
5910-615-0099	25.3	C28	5940-549-9037	24.1	J3
5910-643-9018	25.3	C1	5940-838-6605		F2
5910-643-9018	25.3	C13	5940-838-6606		E1
5910-665-0309	25.3	C2	5950-067-7753	23.1	T1
5910-665-0309	39	C12	5950-266-0634	25.3	L3
5910-665-0309	25.3	C32	5950-577-9188	23.1	L7
5910-666-6569	25.2	C27	5950-583-4489	23	T1
5910-666-6569	25.2	C29	5950-583-4492	23.1	L7
5910-666-6569	25.3	C20	5950-655-0556	23.1	T1
5910-666-6569	25.3	C22	5950-821-0139	23	L1
5910-666-6569	25.3	C26	5950-821-0139	23	L4
5910-834-7078	25.1	C3	5950-823-3148	23	L2
5910-834-7078	25.1	C14	5950-823-3151	25	L5
5910-846-0194	25.3	C8	5950-823-3151	25	L6
5910-890-9666	25.2	C34	5950-841-6510	25.3	L7
5910-927-0785	41.1	C31	5960-188-3602	10.1	V14
5920-280-3178	24.1	F1	5960-262-0185	10.1	V4
5920-285-0755	24.1	XF1	5960-262-0286	10.1	V15
5930-050-2704	24.3	S3	5960-262-3781	10.1	V1
5930-583-8476	25.1	S1	5960-543-1001	10.1	V13
5930-583-8477	25.2	S2	5960-557-6780	10.1	V5
5930-649-5943	25.2	S1	5960-615-0243	10.1	V2
5930-649-5944	25.2	S2	5960-615-0243	10.1	V3
5930-729-9883	25.1	S1	5960-615-0243	10.1	V6
5930-823-0302	25.2	S2	5960-615-0243	10.1	V7
5935-063-5789	24	XV12	5960-615-0243	10.1	V8
5935-063-5789	24	XV13	5960-615-0243	10.1	V9
5935-160-1365	24.2		5960-615-0243	10.1	V10
5935-160-1365	24.2	XV6	5960-615-0243	10.1	V11
5935-160-1365	24.2	XV	5960-642-8341	10.1	V12
5935-160-1365	24.2	XV6	5960-710-7930	10.1	MP2
5935-160-1365	24.2	XV9	5960-860-2520	10.1	MP1
5935-160-1365	24.2	XV10	5961-581-8066		CP1
5935-160-1365	24.2	XV11	5970-557-2350	23	E1
5935-160-1365	24.3	XV2	5970-557-2350		F2
5935-160-1365	25.1	XV1	5970-557-2350		E3
5935-260-0516	24	XV14	5970-557-2350		F4
5935-260-0516	24	XV15	5975-273-0788		
5935-260-0516	25.2	XV4	5975-685-9518		
5935-260-0516	25.2	XV5	6105-623-0020	23	B1
5935-545-7659	24	XV14	6105-774-9400	11.1	B1
5935-545-7659	24	XV15	6105-838-3660	11.1	B1
5935-583-5800	25.1	XV1	6145-660-9321		
5935-583-5800	25.2	XV2			
5935-583-5800	25.2	XV3	6145-661-0191		W2
5935-636-7145	41.2	P1	6145-752-1307		W1
5935-665-5718	24.2	J1	6210-643-4871	24.2	XDS1
5935-665-5718	24.2	J2	6240-155-8706	24.3	DS1
5940-186-8960			6625-584-4690		

REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.	REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.
BS7383	04846	25.2	S2	CM20D102G	80063	24.2	C23
BS7384	04846	25.2	S1	CM20D102G	80063	24.2	C24
B11938-38		17870	25.3	CM20D102G	80063	25.2	C4
CE31F250R	81349	25.2	C34	CM20D102G	80063	25.2	C15
CE32F400R	81349	23.1	C31	CM35E103JN3	81349	25.1	C3
CE41F800R	81349	41.2	C31	CM35E103JN3	81349	25.1	C14
CK63Y103Z	81349	24.3	C21	CP05A1EE474K	81349	25.3	C8
CK63Y103Z	81349	24.3	C25	CP05A1KE104K	81349	25.3	C2
CK63Y103Z	81349	25.2	C7	CP05A1KE104K	81349	39	C13
CK63Y103Z	81349	25.3	C10	CP05A1KE104K	81349	25.3	C32
CK63Y103Z	81349	25.3	C11	CP09A1KE224K1	81349	25.3	C1
CM15B150KN3	80063	25.2	C27	CP09A1KE224K1	81349	25.3	C12
CM15B150KN3	80063	25.2	C29	C002MGF2-18SJ0735	81349		
CM15B150KN3	80063	25.3	C20	C002MGF2-18SJ0735	81349		W1
CM15B150KN3	80063	25.3	C22	C003LGF3-18-0260	81349		W1
CM15B150KN3	80063	25.3	C26	DCH	81349	23	R27
CM15C390J	81349	23.1	C6	DC1-1-03M	19701	25.2	R15
CM15C390J	81349	23.1	C17	DC1-216K	19701	25.2	R13
CM15D201JN3	80063	23.1	C5	DC1-216K	19701	25.2	R31
CM15D201JN3	80063	23.1	C16	DC1-230	19701	25	R55
CM15D201JN3	80063	24.1	C18	DC1-230	19701	25	R71
CM15D201JN3	80063	24.1	C30	DC1-3-05M	19701	25.3	R10

REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.	REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.
DC1-3-05M	19701	25.3	R28	RC32GF473K	81349	24	R93
DC1-30-5K	19701	25.3	R22	RC32GF823K	81349	23	R33
DC1-370K	19701	25.2	R12	RC32GF823K	81349	25.3	R26
DC1-370K	19701	25.2	R30	RC32GF823K	81349	25.3	R33
DC1-479K	19701	25	R47	RC42GF392K	81349	23	R36
DC1-479K	19701	25	R79	PC42GF470K	81349	24	R91
DC1-684K	19701	25.2	R11	RC42GF470K	81349	24	R92
DC1-684K	19701	25.2	R29	RC42GF472K	81349	23	R2
DC1-90-5K	19701	25.3	R26	RFC50-68	05267	25	L5
DC1-95-5K	19701	25	R62	RFC50-68	05267	25	L6
DC1-95-5K	19701	25	R67	RFC54-7	05267	23	L1
D26781	56289	41	C31	RFC54-7	05267	23	L4
F10086	82864		FL1	RFC56-8	05267	23	L2
JJU1021P3108	01121	25.2	R84	RG598U	81349	W2	
JJU1221P3048	01121	25.2	R84	RN7082701F	81349	23	R7
JJ83114	01121	25.2	R84	RN7084220F	81349	23	R3
JS0503	17870	11.1	B1	RN7084220F	81349	25.2	R40
JS0600	01316	11.1	B1	RN75B1501F	81349	25.3	R27
JU7501P3048	01121	23.1	R51	RN75B6192F	81349	23	R26
JU7501SD2056	01121	23	R51	RN8082001F	81349	25	R42
J83115	01121	25.3	R51	RN8082001F	81349	25	R43
KNS12	24655	1	E5	RN8082001F	81349	25	R81
KNS12	24655	1	MP2	RN8082001F	81349	25	R82
LH62PR2	80058	24.2	XDS1	RV2NAXSD302A	81349	23	R8
MS15571-2	80058	24.3	DS1	RV2NAXSD503A	81349	25.2	R24
MS35059-9	81349	24.3	S3	RV2NAXSD503A	81349	25.3	R18
MS91528-2F2D	81349		MP3	RV2NAXSD503A	81349	25.3	R21
MS91528-2F2D	81349		MP4	RV2NAXSD503A	81349	25.3	R23
MS91528-2F2D	81349		MP19	PV2NAXSD503A	81349	25.3	R25
MS91528-2F2D	81349		MP20	PV2NAXSD503A	81349	25.3	R39
MS91528-2F2D	81349		MP21	PV4LAXSA105B	81349	23	R20
NFT396	14655	41.2		RV4NAXSD251A	81349	25.2	R17
RC20GF102J	81349	25.1	R16	RV4NAXSD503A	81349	25.2	R24
RC20GF105J	81349	24	R32	RV4NAXSD503A	81349	25.3	R21
RC20GF105J	81349	25	P54	RV4NAXSD503A	81349	25.3	R23
RC20GF105J	81349	25	R70	RV4NAXSD503A	81349	25.3	R25
RC20GF221K	81349	25.1	R19	RV4NAYSD104A	81349	24.2	R95
RC20GF224K	81349	25	R56	RV5LAXS8502A	81349	25.3	R8
RC20GF273J	81349	24.3	R60	RV5LAXS8503A	81349	25.2	R24
RC20GF334K	81349	23	R14	RV5LAXS8503A	81349	25.3	R18
RC20GF470J	81349	24.2	R44	RV5LAXS8503A	81349	25.3	R21
RC20GF470J	81349	24.2	R46	RV5LAXS8503A	81349	25.3	R23
RC20GF470J	81349	24.2	R48	RV5LAXS8503A	81349	25.3	R25
RC20GF470J	81349	24.2	R49	RV5LAXS8503A	81349	25.3	R39
RC20GF470J	81349	24.2	R50	RW22V801	81349	24.2	R87
RC20GF470J	81349	24.2	R52	RW29V202	81349	24	R88
RC20GF470J	81349	24.2	R73	RW58G471	81349	25	R57
RC20GF470J	81349	24.2	R76	RW58G471	81349	25	R61
RC20GF470J	81349	24.2	R77	RW58G471	81349	25	R63
RC20GF470J	81349	24.2	R78	R50-0-5	42498	25.3	L3
RC20GF470J	81349	24.2	R80	SCA369933	80063	25.2	S2
RC20GF470J	81349	24.2	R83	SCB136552	75915		
RC20GF470J	81349	25.1	R4	SCB136552	75915	26.1	XF1
RC20GF470J	81349	25.1	R5	SMA369931	80063	25.2	S1
RC20GF470J	81349	25.1	R35	SMB146149	80063		
RC20GF470J	81349	25.1	R37	SMB369907	80063	23.1	T1
RC20GF683K	81349	25	R41	SMD369901-4	60399	11.1	
RC20GF823K	81349	25	R45	SR6P1	28520		
RC20GF910J	81349	25.2	R56	SR7PS18-2	28520		
RC20GF910J	81349	25.2	R69	SU5E205M	72928	25.3	C19
RC20GF910J	81349	25.2	R72	SU5E205M	72928	25.3	C28
RC20GF910J	81349	25.2	R75	TF3PX03ZZ	81349	23.1	T1
RC20GF910J	81349	25.3	R53	TS101P01	81349	24	XV12
RC20GF910J	81349	25.3	R58	TS101P01	81349	24	XV13
RC32GF102K	81349	24	R89	TS102P01	81349	24	XV14
RC32GF104J	81349	23	R6	TS102P01	81349	24	XV15
RC32GF104J	81349	24	P90	TS102P01	81349	25.2	XV4
RC32GF105K	81349	24	R86	TS102P01	81349	25.3	XV5
RC32GF124K	81349	24	R85	TS103P01	81349	24.2	
RC32GF154K	81349	24.2	R41	TS103P01	81349	24.2	XV6
RC32GF180K	81349	25	R97	TS103P01	81349	24.2	XV7
RC32GF222K	81349	23	R1	TS103P01	81349	24.2	XV8
RC32GF224K	81349	24	R96	TS103P01	81349	24.2	XV9
RC32GF271K	81349	25	R64	TS103P01	81349	24.2	XV10
RC32GF272K	81349	23	R7	TS103P01	81349	24.2	XV11
RC32GF273J	81349	23	R38	TS103P01	81349	24.3	XV2
RC32GF334K	81349	24	R94	TS103P01	81349	25.1	XV1
RC32GF361J	81349	25.2	R68	UG1094U	80058	24.2	J1
RC32GF361J	81349	25.2	R74	UG1094U	80058	24.2	J2
RC32CF361J	81349	25.3	R59	UPM45EM8784-137723	11237	23	R18

SECTION IV

TM11-6625-258-40P

REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.	REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.
UPM45EM8784-137723	11237	23	R39	5726-6AL5W	81349	10.1	V4
UPIUM	80058	41.2	P1	6BH6	81349	10.1	V14
LN69A	81349		CR1	6BQ7A	81349	10.1	V1
1042C	80058		MP33	6CL6	81349	10.1	V2
1042C	80058		MP34	6CL6	81349	10.1	V3
1042C	80058		MP35	6CL6	81349	10.1	V6
1042C	80058		MP36	6CL6	81349	10.1	V7
1042C	80058		MP37	6CL6	81349	10.1	V8
1042C	80058		MP38	6CL6	81349	10.1	V9
1042C	80058		MP39	6CL6	81349	10.1	V10
11500	74330	1		6CL6	81349	10.1	V11
116PHSPTD	04156	24	XV14	6C4WA	81349	10.1	V5
116PHSPTD	04156	24	XV15	6080WA	81349	10.1	V13
13750-3	73793	23	B1	7385	04846	23.1	L7
19912-353	74330	25.2	S1	7490-0118	94151	25.1	XV1
19912-354	74330	25.2	S2	7490-0118	94151	25.2	XV2
20800-206	28569	23	T1	7490-0118	94151	25.2	XV3
33087E1-3-8	76487	10.1	MP1	824895-02	09708	25.1	C9
33087F1-5-8	76487	10.1	MP2	938A	24655		J4
3320-31	74330	23.1	L7	938A	24655	24	J3
37202	76487		E3	938C	24655		J4
37202	76487		E4	938D	24655	24.1	J3
37223BLK	76487	3	E2	938Z	24655		E1
37223RED	76487	3	E1	938Z	24655		E2
5U4GB	81349	10.1	V12	945	76385	1	
5X540	04726	23	R34	975Q	24655	23	R9
5651WA	81349	10.1	V15	9954778	21450	24.1	F1

By Order of the Secretary of the Army:

Official:

VERNE L. BOWERS

*Major General, United States Army
The Adjutant General*

CREIGHTON W. ABRAMS
*General, United States Army
Chief of Staff*

Distribution:

Active Army:

USASA (2)	Army Dep (2)
CNGB(I)	LEAD (7)
ACSC-E (2)	LBAD (14)
USAARENBD (2)	SAAD (30)
USAMB (10)	TOAD (14)
AMC (I)	ATAD (10)
FORSCOM (5)	USA Dep (2)
ARADCOM (2)	Sig Sec USA Dep (2)
ARADCOM Rgn (2)	Sig Dep (5)
OS Maj Comd (4)	Sig FLDMS (1)
LOGCOMD (5)	USAERDAA (1)
MICOM (2)	USAERDAW (1)
TECOM (2)	MAAG (1)
USASTRATCOM (4)	USARMIS (1)
HISA (ECOM) (21)	Ft Richardson (ECOM Ofc) (2)
MDW(I)	WRAMC (1)
Armies (2)	Units org under fol TOE:
Corps (2)	(1 COPY each)
Svc Colleges (2)	7
USASESS (5)	11016
USAADS (2)	11-97
USAFAS (2)	11-98
USAARMS (2)	11-117
USAIS (2)	11-500(AA-AC)
USAES (2)	29-1
USAINTS (3)	29-11
USACDCEC (5)	29-15
Instl (2) except	29-16
Fort Gordon (10)	29-21
Fort Huachuca (10)	29-25
Fort Carson (10)	29-35
WSMR (2)	29-36

NG: State AG(3) Units-Same as Active Army.

USAR: None

For explanation of abbreviations used, see AR 310-50.

This fine document...

Was brought to you by me:



Liberated Manuals -- free army and government manuals

Why do I do it? I am tired of sleazy CD-ROM sellers, who take publicly available information, slap “watermarks” and other junk on it, and sell it. Those masters of search engine manipulation make sure that their sites that sell free information, come up first in search engines. They did not create it... They did not even scan it... Why should they get your money? Why are not letting you give those free manuals to your friends?

I am setting this document FREE. This document was made by the US Government and is NOT protected by Copyright. Feel free to share, republish, sell and so on.

I am not asking you for donations, fees or handouts. If you can, please provide a link to liberatedmanuals.com, so that free manuals come up first in search engines:

<A HREF=<http://www.liberatedmanuals.com/>>Free Military and Government Manuals

- Sincerely
Igor Chudov
<http://igor.chudov.com/>
- [Chicago Machinery Movers](http://chicagomachinerymovers.com)