

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

DIRECT SUPPORT AND GENERAL SUPPORT MAINTENANCE
REPAIR PARTS AND SPECIAL TOOLS LISTS (INCLUDING
DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS)
ELECTRON TUBE TEST SETS
TV-2/U, TV-2A/U, TV-2B/U, AND TV-2C/U
FSN 6625-669-0263

Headquarters, Department of the Army, Washington, D.C.
17 September 1973

Current as of February 1973

		Paragraph	Page
Section I.	INTRODUCTION		
	Scope.....	1-1	2
	General.....	1-2	2
	Explanation of columns.....	1-3	2
	Special information.....	1-4	4
	Location of repair parts.....	1-5	4
	Abbreviations (Not applicable).....	1-6	4
	Reporting of equipment publication improvements.....	1-7	5
II.	REPAIR PARTS LIST.....		6
III.	SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not applicable)		
IV.	INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER		13

* This manual supersedes TM 11-6625-316-35P, 23 July 1959, including all changes.

SECTION I

INTRODUCTION

1.1. Scope

This manual lists repair parts and special tools required for the performance of direct support, general support, and depot maintenance of the TV-2/U, TV-2A/U, TV-2B/U, and TV-2C/U. The PCCN for the equipment is GTEABO for all models.

1-2. General

This repair parts and special tools list is divided into the following sections:

a. *Repair Parts List—Section II.* A list of repair parts authorized for the performance of maintenance at the direct support, general support, and depot level. This repair parts list is arranged in alphabetical order.

b. *Special Tools, Test and Support Equipment – Section III.* Not applicable.

c. *Index—Federal Stock Number and Reference Number Cross-Reference to Figure and Item Number—Section IV.* A list, in ascending numerical sequence, of all Federal stock numbers appearing in the listings, followed by a list, in alphabetic sequence, of all reference numbers appearing in the listings. Federal stock number and reference numbers are cross-referenced to each illustration figure and item number or reference designation appearance.

1-3. Explanation of Columns

The following provides an explanation of columns found in the tabular list.

a. *Source, Maintenance, and Recoverability Codes (SMR).*

(1) *Source code.* Indicates the manner of acquiring support items for maintenance, repair, or overhaul of end items. Source codes are—

Code *Explanation*

PA – Item procured and stocked for anticipated or known usage.

PB – Item procured and stocked for insurance purposes because essentiality dictates that a minimum quantity be available in the supply systems.

PC – Item procured and stocked and which otherwise would be coded PA except that it is deteriorative in nature.

PD – Support item, excluding support equipment, procured for initial issue or outfitting and stocked only for subsequent or additional initial issues or outfitting. Not subject to automatic replenishment.

<i>Code</i>	<i>Explanation</i>
PE	Support equipment procured and stocked for initial issue or outfitting to specified maintenance repair activities.
PF	Support equipment which will not be stocked but which will be centrally procured on demand.
PG	Item procured and stocked to provide for sustained support for the life of the equipment. It is applied to an item peculiar to the equipment which because of probable discontinuance or shutdown of production facilities would prove uneconomical to reproduce at a later time.
KD	An item of depot overhaul/repair kit and not purchased separately. Depot kit defined as a kit that provides items required at the time of overhaul or repair.
KF	An item of a maintenance kit and not purchased separately. Maintenance kit defined as a kit that provides an item that can be replaced at organizational or direct support or general support levels of maintenance.
KB	Item included in both a depot overhaul/repair kit and a maintenance kit.
MO	Item to be manufactured or fabricated at organizational level.
MF	Item to be manufactured or fabricated at direct support maintenance level.
MH	Item to be manufactured or fabricated at general support maintenance level.
MD	Item to be manufactured or fabricated at depot maintenance level.
AO	Item to be assembled at organizational level.
AF	Item to be assembled at direct support maintenance level.
AH	Item to be assembled at general support maintenance level.
AD	Item to be assembled at depot maintenance level.
XA	Item is not procured or stocked because the requirements for the item will result in the replacement of the next higher assembly.
XB	Item is not procured or stocked. If not available through salvage, requisition.
XC	Installation drawing, diagram instruction sheet, field service drawing, that is identified by manufacturers' part number.
XD	Support items can be requisitioned with justification.

<i>Code</i>	<i>Explanation</i>	<i>Code</i>	<i>Explanation</i>
NOTE			
Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded XA and aircraft support items as restricted by AR 700-42.			D - The lowest maintenance level capable of complete repair of the support item is the depot level.
(2) Maintenance code. Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code Format as follows-			L - Repair restricted to designated Specialized Repair Activity.
(a) Use (third position). The maintenance code entered in the third position indicates the lowest maintenance level authorized to remove, replace, and use the support item. The maintenance code entered in the third position indicates one of the following levels of maintenance.			Z - Non-repairable. No repair is authorized.
<i>Code</i>		<i>Application/Explanation</i>	
o - Support item is removed, replaced, used at the organizational level of maintenance.		B - No repair is authorized. The item may be reconditioned by adjusting, lubricating, etc., at the user level. No parts or special tools are procured for the maintenance of this item.	
NOTE			
A code "C" may be used in this position to denote crew or operator maintenance performed within organizational maintenance.			(3) Recoverability code. Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the uniform SMR Code Format as follows-
F - Support item is removed, replaced, used at the direct support maintenance level.			<i>Code</i>
H - Support item is removed, replaced, used at the general support maintenance.			<i>Explanation</i>
D - Support items that are removed, replaced, used at depot only.			Z - Nonrepairable item. When unserviceable, condemn and dispose at the level indicated in the first digit of the maintenance code.
(b) Repair (fourth position). The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (i.e., all authorized maintenance functions). When a maintenance code is not used a dash (-) sign is entered. For multi-service equipment/systems or when a code is entered, this position will contain one of the following maintenance codes as assigned by the service(s) that require the code -			O - Repairable item. When uneconomically repairable, condemn and dispose at organizational level.
<i>Code</i>		<i>Application/Explanation</i>	F - Repairable item. When uneconomically repairable, condemn and dispose at the direct support level.
O - The lowest maintenance level capable of complete repair of the support item is the organizational level.		H - Repairable item. When uneconomically repairable, condemn and dispose at the general support level.	H - Repairable item. When beyond lower level repair capability, return to depot. Condemnation and disposal not authorized below depot level.
F - The lowest maintenance level capable of complete repair of the support item is direct support.		D - Repairable item. Repair, condemnation, and disposal not authorized below depot/Specialized Repair Activity level.	L - Repairable item. Item requires special handling or condemnation procedures because of specific reasons (i.e., precious metal content, high dollar value, critical material or hazardous material).
H - The lowest maintenance level capable of complete repair of the support item is general support.		<i>b. Federal Stock Number.</i> Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.	<i>c. Description.</i> Indicates the Federal item name and a minimum description required to identify the item. The last line indicates the reference number followed by the applicable Federal Supply Code for Manufacturer (FSCM) in parentheses. The FSCM is used as an element in item identification to designate manufacturer or distributor or Government agency, etc., and is identified in SB 708-42.

d. Unit of Measure (U/M). Indicates the standard or basic quantity by which the listed item is used in performing the actual maintenance function. This measure is expressed by a two-character alphabetical abbreviation; e.g., ea, in, pr, etc., and is the basis used to indicate quantities and allowances in subsequent columns. When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.

e. Quantity Incorporated in Unit. This column indicates the quantity of the item used in the equipment. Subsequent appearances of the same item in the same assembly are indicated by the letters "REF".

f. 30-Day DS/GS Maintenance Allowances.

NOTE

Allowances in GS column are for GS maintenance only.

(1) The repair parts indicated by asterisk entries in separate allowance columns for DS and GS represent those authorized for use at that category of maintenance to be requisitioned on an "as required" basis, until stockage is based on demand in accordance with AR 710-2.

(2) Allowance quantities are indicated in the special tool lists section for special tools, TMDE, and other support equipment.

g. 1-Year Allowances Per 100 Equipments/Contingency Planning Purposes. Column intentionally left blank.

h. Depot Maintenance Allowance Per 100 Equipments. This column indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipments.

i. Illustration. This column is divided as follows:

(1) *Figure number.* Indicates the figure number of the illustration on which the item is shown in TM 11-6625-316-35.

(2) *Item number.* Indicates the item number or reference designation used to reference the item in the illustration.

1-4. Special Information

a. Usable on codes are included in column 3. Uncoded items are applicable to all models. Identification of the usable on codes used in this publication are-

Code	Used on
AMF	TV-2/U
AMG	TV-2A/U
AMH	TV-2B/U
AMI	TV-2 C/U

b. The following publications pertain to the equipment and its components:

TM 11-6625-316-12	Operator and Organizational Maintenance Manual: Test Sets, Electron Tube TV-2/U, Tv-2A/U, TV-2B/U, and TV-2C/U.
TM 11-6625-316-20P	Organizational Maintenance Repair Parts and Special Tools Lists: Test Sets, Electron Tube TV-2/U, TV-2A/U, TV-2B/U, and TV-2C/U.
TM 11-6625-316-35	Field and Depot Maintenance Manual: Test Sets, Electron Tube TV-2/U, TV-2A/U, TV-2B/U, and TV-2C/U.

1-5. Location of Repair Parts

a. This manual contains one cross-reference index (sec IV) to be used to locate a repair part when either the Federal stock number or reference number (manufacturer's part number) is known. The first column in the index is prepared in numerical or alphanumeric sequence in ascending order. The reference numbers (manufacturer's part numbers) are listed immediately following the last listed Federal stock number in the index of Federal stock numbers.

b. When the Federal stock number or reference number is known, follow the procedures given in (1) and (2) below.

(1) Refer to the index of Federal stock numbers (sec IV) and locate the Federal stock number or reference number. The FSN and reference number are cross-referenced to the applicable figure and item number or reference designation.

(2) Refer to the repair parts list (sec II) and locate the figure number (co1 10a) and item number or reference designation (co1 10b) as noted in the FSN index.

c. When the figure and item number or reference designation are known, scrutinize columns 10a and 10b of the repair parts list (sec II) until the item is located.

d. When the FSN, reference number, figure number, item number and reference designation are not known, scrutinize column 3 of the repair parts list (sec II), which is arranged in alphabetical order.

1-6. Abbreviations

Not applicable.

1-7. Reporting of Equipment Publication Improvements

The reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications) and forwarded direct to Commander, US Army Electronics Command, ATTN: AMSEL-MA-CRA, Fort Monmouth, N.J., 07703.

SECTION II

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF MEAS	(5) QTY IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE		(7) 30-DAY GS MAINT ALLOWANCE		(8) 1-YR ALW PER CNGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a)	(b) ITEM NO.
					(a)	(b)	(c)	(d)				
PANZZ	6625-618-9929	ADAPTER, TEST B246-502 (00641)	EA	1	*	*	*	*	*	*	4	5
PANZZ	6625-684-1189	ADAPTER, TEST A1313 (00641)	EA	1	*	*	*	*	*	*	4	5
PA0ZZ	6625-618-9928	ADAPTER, TEST B246-502 (00641)	EA	1	*	*	*	*	*	*	4	5
PANZZ	5935-204-8379	ADAPTER, TEST SMB179212 (30063)	EA	1	*	*	*	*	*	*	4	5
PAHZZ	6145-548-1258	CABLE, POWER, ELECTRICAL POWER CORD 7FT LONG UL5V (71700)	EA	1	*	*	*	*	*	*	10	1
PA0ZZ	5920-283-7178	CAP, ELECTRICAL FUSE HOLDER	EA	1	*	*	*	*	*	*	3	1
PAHZZ	5910-577-1150	342003SA2 (75915) CAPACITOR, FIXED, ELECTROLYTIC CE41C22E (81350)	EA	1	*	*	*	*	*	*	3	19
PAHZZ	5910-683-7075	CAPACITOR, FIXED, ELECTROLYTIC CE41C22E (81350)	EA	1	*	*	*	*	*	*	3	26
PAHZZ	5910-270-9000	2 SECTIONS COMPRISE ONE UNIT CE42C10N (81350)	EA	1	*	*	*	*	*	*	3	19
PAHZZ	5910-557-6793	CAPACITOR, FIXED, ELECTROLYTIC CE41C50K (81350)	EA	1	*	*	*	*	*	*	3	17
PAHZZ	5340-393-2196	CATCH, LUGGAGE H3.....	EA	2	*	*	*	*	*	*	3	H3
PAHZZ	6625-656-1095	15834 (14608) CHART N1.....	EA	1	*	*	*	*	*	*	3	N1
PAHZZ	5963-300-6478	MW011-6625-316-4 (ZZZZZ) CLAMP, ELECTRICAL H7.....	EA	1	*	*	*	*	*	*	3	H7
PA0ZZ	5999-230-1212	73317 (77748) CLIP, ELECTRICAL W1A ELECTRICAL CLIPS	EA	2	*	*	*	*	*	*	3	W1A
PA0ZZ	5999-230-1212	48C (76545) CLIP, ELECTRICAL W2A ELECTRICAL CLIPS	EA	REF	*	*	*	*	*	*	1	W2A
PAHZZ	5935-518-9653	CONNECTOR, PLUG, ELECTRICAL UP120M (81349)	EA	1	*	*	*	*	*	*	3	01
PAHZZ	5935-549-1386	CONNECTOR, RECEPTACLE, ELECTRICAL SOA1017 (71575)	J1...	EA	1	*	*	*	*	*	3	J1
PA0ZZ	5960-272-9182	ELECTRON TUBE 6X4W (81350)	EA	2	*	*	*	*	*	*	100	V2
PA0ZZ	5960-272-9182	ELECTRON TUBE 6X4W (81350)	EA	REF	*	*	*	*	*	*	17	V3
PA0ZZ	5960-100-7323	6X4W (81350)	EA	1	*	*	*	*	*	*	100	V1
PA0ZZ	5920-010-6652	93 (81350)	EA	2	*	*	*	*	*	*	3	F1
PANZZ	5920-010-6652	FUSE, CARTRIDGE 312003 (75915)	EA	REF	*	*	*	*	*	*	3	F2
PAHZZ	5920-556-0144	312C03 (75915) FUSEHOLDER XF1.....	EA	2	*	*	*	*	*	*	3	XF1
PAHZZ	5920-556-0144	342003A (75915) FUSEHOLDER XF2.....	EA	REF	*	*	*	*	*	*	8	XF2
PAHZZ	6625-677-1232	342003A (75915) GALVANIMETER 795M3 (63060)	EA	1	*	*	*	*	*	*	3	W3

SECTION II	(1)	(2)	(3)	DESCRIPTION	REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4)			(5)			(6)			(7)			(8)			(9)		
							QTY IN UNIT	UNIT OF MEAS	INC IN UNIT	(a)	(b)	(c)												
PA07Z	5355-284-5667	KNOB S643-70-1118R (75376)	55.....	FA	RFF		2			*	*	*	*	*	*	*	*	*	*	*	*	1	1	1
PA07Z	5355-284-5667	KNOB S643-70-1113R (75376)	06.....	FA	REF		2			*	*	*	*	*	*	*	*	*	*	*	*	1	1	1
PA07Z	5355-284-5667	KNDR S643-70-1118R (75376)	07.....	FA	1		*	*		*	*	*	*	*	*	*	*	*	*	*	*	3	1	1
PA07Z	5355-284-5667	KNDR S643-70-1113R (75376)	03.....	FA	1		*	*		*	*	*	*	*	*	*	*	*	*	*	*	3	1	1
PA07Z	5255-66-9715	KNDR S643-70-1118R (75376)	08.....	FA	1		*	*		*	*	*	*	*	*	*	*	*	*	*	*	3	1	1
PA07Z	624-223-9100	KNAL004 (71575) LAMP, GLOW 11C.....	ΔWF, AMG	FA	2		*	*		*	*	*	*	*	*	*	*	*	*	*	*	3	1	1
PA07Z	624-223-9100	NF51 (CR108) LAMP, GLOW 12C.....	FA	RFF	*		*	*		*	*	*	*	*	*	*	*	*	*	*	*	3	1	1
PA07Z	6210-188-8778	LENS, INDICATOR LIGHT 25CLEAR (72619)	11R.....	FA	1	*	*	*		*	*	*	*	*	*	*	*	*	*	*	*	5	1	1
PA07Z	6210-548-0157	LENS, INDICATOR LIGHT 25RED (72765)	12S.....	EA	1	*	*	*		*	*	*	*	*	*	*	*	*	*	*	*	5	1	1
PAHZZ	6210-299-6635	LIGHT, INDICATOR J101.....	FA	2		*	*	*		*	*	*	*	*	*	*	*	*	*	*	*	5	1	1
PAHZZ	6210-299-6635	LIGHT, INDICATOR J102.....	FA	RFF	*		*	*		*	*	*	*	*	*	*	*	*	*	*	*	5	1	1
PAHZZ	6625-539-8514	MULTIMETER, REPLACEMENT M5.....	EA	1		*	*	*		*	*	*	*	*	*	*	*	*	*	*	*	3	1	1
PAHZZ	5905-195-0761	RESISTOR, FIXED COMPOSITION RC20G104J (81349)	938.....	EA	1	*	*	*		*	*	*	*	*	*	*	*	*	*	*	*	3	1	1
PAHZZ	5905-239-3583	RESISTOR, FIXED COMPOSITION RC20G125K (81349)	960.....	EA	1	*	*	*		*	*	*	*	*	*	*	*	*	*	*	*	3	1	1
PAHZZ	5905-192-9260	RESISTOR, FIXED, COMPOSITION PC205F154K (81349)	R35.....	EA	1	*	*	*		*	*	*	*	*	*	*	*	*	*	*	*	3	1	1
PAHZZ	5905-192-0662	RESISTOR, FIXED, COMPOSITION RC205F184K (81349)	R18.....	EA	3		*	*		*	*	*	*	*	*	*	*	*	*	*	*	3	1	1
PAHZZ	5905-192-0662	PESTATOR, FIXED, COMPOSITION RC20GF184K (81349)	R58.....	EA	REF		*	*		*	*	*	*	*	*	*	*	*	*	*	*	3	1	1
PAHZZ	5905-192-0662	RESISTOR, FIXED, COMPOSITION RC205F184K (81349)	R62.....	EA	RFF		*	*		*	*	*	*	*	*	*	*	*	*	*	*	3	1	1
PAHZZ	5905-192-3972	RESISTOR, FIXED, COMPOSITION RC20GF184K (81349)	R28.....	EA	REF		*	*		*	*	*	*	*	*	*	*	*	*	*	*	3	1	1
PAHZZ	5905-171-2902	RESISTOR, FIXED, COMPOSITION RC206F274K (81349)	R61.....	EA	1		*	*		*	*	*	*	*	*	*	*	*	*	*	*	3	1	1
PAHZZ	5905-171-2902	RESISTOR, FIXED, COMPOSITION RC206F470K (81349)	R52.....	EA	2		*	*		*	*	*	*	*	*	*	*	*	*	*	*	3	1	1
PAHZZ	5905-192-3972	RESISTOR, FIXED, COMPOSITION RC205F391K (81349)	R27.....	EA	2		*	*		*	*	*	*	*	*	*	*	*	*	*	*	3	1	1
PAHZZ	5905-249-9491	RESISTOR, FIXED, COMPOSITION RC206F391K (81349)	R28.....	EA	REF		*	*		*	*	*	*	*	*	*	*	*	*	*	*	3	1	1
PAHZZ	5905-192-3972	RESISTOR, FIXED, COMPOSITION RC205F391K (81349)	R25.....	EA	1		*	*		*	*	*	*	*	*	*	*	*	*	*	*	3	1	1
PAHZZ	5905-171-2902	RESISTOR, FIXED, COMPOSITION RC206F470K (81349)	R59.....	EA	REF		*	*		*	*	*	*	*	*	*	*	*	*	*	*	3	1	1
PAHZZ	5905-279-2649	RESISTOR, FIXED, COMPOSITION RC32GF181K (81349)	R25.....	EA	1		*	*		*	*	*	*	*	*	*	*	*	*	*	*	3	1	1
PAHZZ	5905-279-3837	RESISTOR, FIXED, COMPOSITION RC32GF272J (81349)	R19.....	EA	2		*	*		*	*	*	*	*	*	*	*	*	*	*	*	3	1	1
PAHZZ	5905-279-3837	RESISTOR, FIXED, COMPOSITION RC32GF272J (81349)	R24.....	EA	REF		*	*		*	*	*	*	*	*	*	*	*	*	*	*	3	1	1

SECTION II		(2)	(3)	(4)				(5)	(6)			(7)	(8)			(9)	(10)	
SMR CODE	FEDERAL STOCK NUMBER		DESCRIPTION	REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	QTY INC IN UNIT	UNIT OF MEAS	30-DAY DS MAINT ALLOWANCE	(a)	(b)	(c)	30-DAY GS MAINT ALLOWANCE	(a)	(b)	1-YR ALW PER 100 EQUIP CNTGTY	DEPOT MAINT ALW PER 100 EQUIP	ILLUSTRATION FIGURE NO.	
PAHZZ	5905-542-8882		RESISTOR, FIXED, FILM RN20X9901F (81349)	R11.....		EA	1					#				3	16	R11
PAHZZ	5905-155-6984		RESISTOR, VARIABLE R44.....			EA	1					*				3	15	R44
PAHZZ	5905-538-4233		RESISTOR, VARIABLE R33.....			EA	1					*				3	15	R33
PAHZZ	5905-174-1474		RESISTOR, VARIABLE R46A, B COMPRIZE ONE UNIT PTA1001B (71575)	R46A, B COMPRIZE		EA	2					*				3	26	R46A
PAHZZ	5905-174-1474		RESISTOR, VARIABLE ONE UNIT PTA1001B (71575)	R46B		EA	REF					*				26	446B	
PAHZZ	5905-158-5445		RESISTOR, VARIABLE RP101FD52KK (81349)	R54.....		EA	1					*				3	15	R54
PAHZZ	5905-108-6176		RESISTOR, VARIABLE R29.....			EA	1					*				3	15	R29
PAHZZ	5905-683-2007		RESISTOR, VARIABLE R50 (24681)	R1.....		EA	2					*				3	15	R1
PAHZZ	5905-683-2007		RESISTOR, VARIABLE R50 (24681)	R45.....		AMH, AMI EA	REF					*				15	445	
PAHZZ	5905-158-5445		RESISTOR, VARIABLE RH2524 (24681)	R54.....		AMH, AMI EA	1					*				3	15	R54
PAHZZ	5905-549-7399		RESISTOR, FIXED, WIRE WOUND RB52AE15RQOF (81349)	R66.....		AMH, AMI EA	1					*				3	16	R66
PAHZZ	5905-552-3170		RESISTOR, FIXED, WIRE WOUND RB19AE87R50D (81349)	R45.....		AMG, AMH, AMI EA	2					*				3	16	R40
PAHZZ	5905-552-3170		RESISTOR, FIXED, WIRE WOUND RB19AE87R50D (81349)	R42.....		AMG, AMH, AMI EA	REF					*				16	442	
PAHZZ	5905-642-0189		RESISTOR, FIXED, WIRE WOUND RB52AE50R00D (81349)	R49.....		AMG, AMH, AMI EA	2					*				3	16	R49
PAHZZ	5905-642-0189		RESISTOR, FIXED, WIRE WOUND RB52AE7R140D (81349)	R50.....		AMF, AMG EA	REF					*				3	16	R50
PAHZZ	5905-636-6738		RESISTOR, FIXED, WIRE WOUND RB52AE7R140D (81349)	R51.....		AMG, AMH, AMI EA	1					*				3	16	R51
PAHZZ	5905-360-7871		RESISTOR, FIXED, WIRE WOUND RB52AE57R15D (81349)	R47.....		AMG, AMH, AMI EA	1					*				3	16	R47
PAHZZ	5905-636-5103		RESISTOR, FIXED, WIRE WOUND RB52AE1000D (81349)	R30.....		AMG, AMH, AMI EA	1					*				3	16	R30
PAHZZ	5905-636-6087		RESISTOR, FIXED, WIRE WOUND RB52AE2700D (81349)	R31.....		AMG, AMH, AMI EA	1					*				3	16	R31
PAHZZ	5905-174-2254		RESISTOR, FIXED, WIRE WOUND RW336103 (81349)	R55.....		AMG, AMH, AMI EA	1					*				3	19	R55
PAHZZ	2990-542-8067		RESISTOR, FIXED, WIRE WOUND RW33V102 (81349)	R64.....		AMG, AMH, AMI EA	1					*				3	16	R64
PA0ZZ	5960-249-5009		RETAINER, ELECTRON TUBE H1.....			AMG, AMH, AMI EA	2					*				3	8	H1
PA0ZZ	5960-249-5009		RETAINER, ELECTRON TUBE H2.....			AMG, AMH, AMI EA	REF					*				8	42	
PAHZZ	6625-515-6089		ROLLER, CHART ASB1002 (72219)	029A.....		AMG, AMH, AMI EA	2					*				2	29A	
PAHZZ	6625-515-6089		ROLLER, CHART ASB1002 (72219)	029B.....		AMG, AMH, AMI EA	REF					*				29B		

SECTION II

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(5) QTY IN UNIT			(6) 30-DAY GS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR GS MAINT ALLOWANCE			(9) 1-YR DEPOT EQUIP 100 CNTGTY			(10) ILLUSTRATION (a) ITEM NO.		
					UNIT OF MEAS	(a)	(b)	(c)	(a)	(b)	(c)	1-20	21-50	51-100	1-20	21-50	51-100	1-20	21-50	51-100	1-20	21-50
PAHZZ	5960-295-7652	SHIELD, ELECTRON TUBE	E1.....		EA	2	*	*	*	*	*	*	*	*	*	*	*	*	*	10	9	E1
PAHZZ	5960-295-7652	SHIELD, ELECTRON TUBE	TS1020103 (81350)		EA	REF	*	*	*	*	*	*	*	*	*	*	*	*	*	8	8	E2
PAHZZ	5935-173-5722	SOCKET, ELECTRON TUBE	E2.....		EA	REF	*	*	*	*	*	*	*	*	*	*	*	*	3	14	X2	
PAHZZ	5935-173-5722	SOCKET, ELECTRON TUBE	TS1020103 (81350)		EA	2	*	*	*	*	*	*	*	*	*	*	*	*	*	3	14	X14
PAHZZ	5935-227-7758	SOCKET, ELECTRON TUBE	78S4TM (02660)		EA	REF	*	*	*	*	*	*	*	*	*	*	*	*	*	3	14	X8
PAHZZ	5935-222-9891	SOCKET, ELECTRON TUBE	78S5TM (02660)		EA	1	*	*	*	*	*	*	*	*	*	*	*	*	*	3	14	X5
PAHZZ	5935-228-5548	SOCKET, ELECTRON TUBE	78S6TM (02660)		EA	1	*	*	*	*	*	*	*	*	*	*	*	*	*	3	14	
PAHZZ	5905-279-5145	RESISTOR, FIXED WIRE WOUND	53C18724 (71785)	NO-REF-DESIG 7...	EA	1	*	*	*	*	*	*	*	*	*	*	*	*	*	3	16	R40
PAHZZ	5905-279-5145	RESISTOR, FIXED WIRE WOUND	REA10024 (71575)	R40.....	EA	2	*	*	*	*	*	*	*	*	*	*	*	*	*	3	16	R42
PAHZZ	5935-224-4467	SOCKET, ELECTRON TUBE	REA10024 (71575)		EA	REF	*	*	*	*	*	*	*	*	*	*	*	*	*	3	14	X10
PAHZZ	5935-260-0516	SOCKET, ELECTRON TUBE	TS102P01 (81350)		EA	1	*	*	*	*	*	*	*	*	*	*	*	*	*	3	14	X15
PAHZZ	5935-260-0516	SOCKET, ELECTRON TUBE	TS102P01 (81350)		EA	REF	*	*	*	*	*	*	*	*	*	*	*	*	*	3	14	X16
PAHZZ	5935-643-6143	SOCKET, ELECTRON TUBE	TS102P02 (81350)		EA	1	*	*	*	*	*	*	*	*	*	*	*	*	*	3	14	X12
PAHZZ	5935-224-0838	SOCKET, ELECTRON TUBE	TS102P02 (81350)		EA	2	*	*	*	*	*	*	*	*	*	*	*	*	*	3	14	X6
PAHZZ	5935-173-5728	SOCKET, ELECTRON TUBE	122-247-5 (74970)		EA	1	*	*	*	*	*	*	*	*	*	*	*	*	*	3	14	X1
PAHZZ	5935-188-3079	SOCKET, ELECTRON TUBE	78S8TX13 (02660)		EA	1	*	*	*	*	*	*	*	*	*	*	*	*	*	3	14	X9
PAHZZ	5935-280-2843	SOCKET, ELECTRON TUBE	78-7CDM (02660)		EA	1	*	*	*	*	*	*	*	*	*	*	*	*	*	3	14	X11
PAHZZ	5935-224-0381	SOCKET, ELECTRON TUBE	14513-54A (71785)		EA	1	*	*	*	*	*	*	*	*	*	*	*	*	*	3	14	X3
PAHZZ	5935-224-0881	SOCKET, ELECTRON TUBE	78S8TX13 (02660)		EA	2	*	*	*	*	*	*	*	*	*	*	*	*	*	3	14	X7
PAHZZ	6625-392-6408	SPRING	030.....		EA	REF	*	*	*	*	*	*	*	*	*	*	*	*	3	030		
PAHZZ	5340-290-7257	STAY, FOLDING	MSA1001B (01498)		EA	1	*	*	*	*	*	*	*	*	*	*	*	*	3	14	H8	
PAHZZ	5939-296-3927	SWITCH, LEVER, PILE-UP	432 (570681)	S21.....	EA	1	*	*	*	*	*	*	*	*	*	*	*	*	5	14	S21	
PAHZZ	5939-536-1481	SWITCH, LEVER, PILE-UP	SWB1001-1 (71575)	S17.....	EA	2	*	*	*	*	*	*	*	*	*	*	*	*	5	14	S17	
PAHZZ	5950-636-1481	SWITCH, LEVER, PILE-UP	SWB1001-2 (71575)	S20.....	EA	REF	*	*	*	*	*	*	*	*	*	*	*	*	14	S20		

SECTION II

(1)	(2)	FEDERAL STOCK NUMBER	REFERENCE NUMBER & MFR. CODE	DESCRIPTION	(3)			(4)			(5)			(6)			(7)			(8)			(9)			
					QTY INC IN UNIT	UNIT OF MEAS	(a)	(b)	(c)	(e)																
PAHZZ	5930-296-3924	SWITCH, LEVER, PILE-UP SWB1001-4 (71575)	\$16.....	EA	1				*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	5	14	S16
PAHZZ	5930-808-3760	SWITCH, LEVER, PILE-UP SWB1001-5 (71575)	\$19.....	EA	1				*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	5	14	S19
PAHZZ	5930-296-3928	SWITCH, LEVER, PILE-UP SWB1001-3 (71575)	\$18.....	EA	1				*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	5	14	S18
PAHZZ	5930-636-2990	SWITCH, ROTARY S12.....	EA	2					*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	5	14	S12
PAHZZ	5930-636-2990	SWITCH, ROTARY S13.....	EA	REF					*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	5	14	S13
PAHZZ	5930-636-0998	SWITCH, ROTARY S5.....	EA	1				*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	5	14	S5
PAHZZ	5930-636-3392	SWITCH, ROTARY S4.....	EA	1				*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	5	14	S4
PAHZZ	5930-392-7565	SWITCH, ROTARY S1.....	EA	1				*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	5	14	S1
PAHZZ	5930-399-7793	SWITCH, ROTARY S2.....	EA	1				*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	5	14	S2
PAHZZ	5930-392-7566	SWITCH, ROTARY S6.....	EA	5				*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	5	14	S6
PAHZZ	5930-392-7566	SWITCH, ROTARY S7.....	EA	REF				*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	5	14	S7
PAHZZ	5930-392-7566	SWITCH, ROTARY S8.....	EA	REF				*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	5	14	S8
PAHZZ	5930-392-7566	SWITCH, ROTARY S14.....	EA	REF				*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	5	14	S14
PAHZZ	5930-392-7566	SWITCH, ROTARY S15.....	EA	REF				*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	5	14	S15
PAHZZ	5930-392-7566	SWITCH, ROTARY S11.....	EA	1				*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	5	14	S11
PAHZZ	5930-7797	SWITCH, ROTARY S3.....	EA	1				*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	5	14	S3
PAHZZ	5930-603-9527	SWITCH, ROTARY S3 (FOR USE ON ORDER..)	EA	1				*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	5	14	S3
PAHZZ	5930-655-1514	42789-PH-57 ONLY	AMG	1				*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	5	14	S9
PAHZZ	5930-645-5938	FTC149-1270 (95937) ST42A (81350)	AMG	1				*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	3	19	T1
PAHZZ	5950-545-7281	TRANSFORMER, POWER, STEP-DOWN AND STEP-UP T1	EA	1				*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	3	19	T2
PAHZZ	6625-539-9084	TRC1002D (71575) T2	EA	1				*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	4	15	M1
PAHZZ	6625-668-8147	VOLTMETER M1.....	EA	1				*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	4	15	M2
PAHZZ	6625-668-8146	MFB1005 (71575) M2.....	EA	1				*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	4	15	M6
PAHZZ	5930-771-3761	SMC29555 (80033) SCR33917 (80063)	NO-REF-DESIG..... AMG, AMG	1				*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	5	14	

SECTION IV

INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
2990-542-8067	16	R64	5905-552-6532	16	R10
3020-677-1233		Q3	5905-552-6532	16	R65
5310-599-1215		H12	5905-555-3528	16	R3
5330-392-9182		Q2	5905-636-5103	16	R30
5340-290-7257		H8	5905-636-6087	16	R31
5340-393-2196		H3	5905-636-6738	16	R51
5355-160-5910	1	Q15	5905-642-0189	16	R49
5355-160-5910	1	Q16	5905-642-0189	16	R50
5355-160-5910	1	Q17	5905-683-2007	15	P1
5355-160-5910	1	Q18	5905-683-2007	15	R45
5355-160-5910	1	Q19	5910-270-9000	19	C3
5355-160-5910	1	Q20	5910-557-6793	17	C2
5355-160-5910	1	Q21	5910-577-1150	19	C1
5355-160-5910	1	Q22	5910-683-7075	26	
5355-160-5910	1	Q23	5920-010-6652	14	F1
5355-160-5910	1	Q24	5920-010-6652	14	F2
5355-160-5910	1	Q25	5920-283-7178	1	
5355-160-5910	1	Q26	5920-556-0144	8	XF1
5355-160-5910	1	Q27	5920-556-0144	8	XF2
5355-160-5910	1	Q28	5930-296-3924	14	S16
5355-284-5600	1	Q31	5930-296-3927	14	S21
5355-284-5667	1	Q4	5930-293-3928	14	S18
5355-284-5667		Q5	5930-392-7564	14	S11
5355-284-5667	1	Q6	5930-392-7565	14	S1
5355-284-5667	1	Q7	5930-392-7566	14	S6
5355-667-9675	1	Q8	5930-392-7566	14	S7
5905-060-7871	16	R47	5930-392-7566	14	S8
5905-087-4202	16	R12	5930-392-7566	14	S14
5905-108-6176	15	R29	5930-392-7566	14	S15
5905-155-6984	15	R44	5930-399-7797	14	S3
5905-158-5445	15	R54	5930-399-7798	14	S2
5905-171-2002	16	R52	5930-603-9527	14	S3
5905-171-2002	16	R59	5930-636-0998	14	S5
5905-174-1474	26	R46A	5930-636-1481	14	S17
5905-174-1474	26	R46B	5930-636-2990	14	S12
5905-174-2254	19	R55	5930-636-2990	14	S13
5905-192-0662	16	R18	5930-636-3392	14	S4
5905-192-0662	16	R58	5930-655-1514	14	S9
5905-192-0662	16	R62	5930-771-3751		
5905-192-3972	16	R27	5930-808-3760	14	S19
5905-192-3972	16	R28	5935-173-5722	14	X14
5905-192-9260	16	R35	5935-173-5722	14	X2
5905-195-6752	16	R26	5935-173-5728	14	X1
5905-195-6752	16	R34	5935-188-3079	14	X9
5905-195-6761	16	R38	5935-197-3921	14	X4
5905-239-0583	16	R60	5935-204-8379	5	X13B
5905-249-0491	16	R61	5935-222-9891	14	X5
5905-279-1976	16	R6	5935-224-0838	14	X6
5905-279-1976	16	R7	5935-224-0891	14	X3
5905-279-1976	16	R8	5935-224-0881	14	X13
5905-279-1976	16	R9	5935-234-4467	14	X10
5905-279-1976	16	R17	5935-227-7758	14	X8
5905-279-1976	16	R20	5935-228-5548		
5905-279-1976	16	R21	5935-260-0516		X15
5905-279-1976	16	R22	5935-260-0516		X16
5905-279-1976	16	R23	5935-280-2843	14	X11
5905-279-2637	16	R13	5935-518-9653	26	P1
5905-279-2637	16	R14	5935-549-1386	14	J1
5905-279-2637	16	R15	5935-643-6143	14	X12
5905-279-2637	16	R16	5935-892-8987	14	X7
5905-279-2649	16	R25	5950-636-1481	14	S20
5905-279-3837	16	R19	5950-645-5938	19	T1
5905-279-3837	16	R24	5950-645-7281	19	T2
5905-279-5145	16	R43	5950-100-7323	17	V1
5905-279-5145	16	R42	5960-249-5009	8	H1
5905-279-6258	16	R4	5960-249-5009	8	H2
5905-280-1399	16	R37	5960-272-9182	17	V2
5905-538-4223	15	R33	5960-272-9182	17	V3
5905-539-3766	15	R5	5960-295-7652	8	E1
5905-542-8882	15	R11	5960-295-7652	8	E2
5905-542-9793	15	R39	5960-300-6478		H7
5905-549-7399	16	R66	5975-281-0046	5	W1R
5905-552-3170	16	R40	5975-351-6114		H4
5905-552-3170	16	R42	5975-393-1318		W2B
5905-552-6529	16	R63	5975-501-2441		H5
5905-552-6531	16	R36	5975-501-2441		H6
5905-552-6531	16	R56	5999-230-1212	1	W1A

SECTION IV

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
5999-230-1212	1	W2A	6625-539-8514	14	M5
6145-548-1258	1	11B	6625-539-9084	15	M1
6210-188-8778			6625-569-0252	14	M3
6210-299-6635		J101	6625-569-0253	14	M4
6210-299-6635		J102	6625-618-9928	5	X7B
6210-548-0157		12B	6625-618-9929	5	X10B
6240-223-9100		11C	6625-656-1095		N1
6240-223-9100		12C	6625-668-8146	15	M6
6625-392-6408		930	6625-668-8147	15	M2
6625-515-6089		29A	6625-677-1232	14	M3
6625-515-6089		29B	6625-684-1189	5	X2B
6625-517-0514		03			

REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.	REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.
ASB1002	72219	29A	RCA42GF101K	81349	16	R23	
ASB1002	72219	29B	PC42GF393J	81349	16	R26	
A1313	09641	5	X3B	RC42GF393J	81349	16	R34
B246-502	00641	5	X7B	REA10024	71575	16	R40
B246-502	00641	5	X103	REA10024	71575	16	R42
CE41C202F	81350	19	C1	RH2524	24681	15	R54
CE41C500K	81350	19	C3	RN20X1004F	81349	16	R37
CE42C100N	81350	26		RN20X2002F	81349	16	R4
CE63C101E	81350	17	C2	RN20X2401F	81349	16	R39
FTC149-1270	95937	14	S3	RN20X2503F	81349	16	R36
GA C1001	97966		O2	RN20X2503F	81349	16	R56
GRA1001	97966		O3	RN20X2782F	81349	16	R63
KNA1004	71575	1	O3	RN20X4901F	81349	16	R12
MEB1001	71575	15	M2	RN20X5002F	81349	16	R10
MEB1002	71575	14	M5	RN20X5032F	81349	16	R65
MEB1004C	71575	14	M3	RN20X7001F	81349	16	R5
MEB1005	97966	14	M4	RN20X7002F	81349	16	P3
MEB1006	71575	15	M1	RN20X9901F	81349	16	R11
MSA1001B	01498		O30	RP101FD252KK	81349	15	R54
MW011-6625-316-4	ZZZZZ		N1	RW33G103	81349	19	R55
NE51	08108		11C	RW33V102	81349	16	R64
NE51	09108		12C	R50	24681	15	R1
PTA1001B	71575	26	R46A	R50	24681	15	R45
PTA1001B	71575	26	R46B	SC833917	80063		
RA20A1FD103AK	81349	15	R29	SM8179212	80063	5	X13R
RA20A1F250AK	81349	15	R44	SMC292555	80063	15	M6
RA25A1FD102AJ	81349	15	P33	STA1017	71575	14	J1
R819AE875R50D	81349	15	R40	SRWB1001D	71575	14	S3
R819AF875P50D	81349	16	R42	SRWB1002	71575	14	S4
R852AF1000D	81349	15	R30	SRWB1003	71575	14	S2
R852AE15R00F	81349	16	R66	SRWB1004A	71575	14	S5
R852AE27000D	81349	16	R31	SRWB1005	71575	14	S11
RB52AE50R00D	81349	16	R51	SRWB1006	71575	14	S1
R852AE57P150	81349	15	R47	SRWB1007	71575	14	S12
RB52AE7R140D	81349	16	R49	SRWB1007	71575	14	S13
RB52AF7R140D	81349	16	R50	SRWB1008A	71575	14	S6
RC20GF104J	81349	16	R38	SRWB1008A	71575	14	S7
RC20GF125K	81349	16	R60	SRWB1008A	71575	14	S8
RC20GF154K	81349	16	R35	SRWB1008A	71575	14	S14
RC20GF184K	81349	16	R18	SRWB1008A	71575	14	S15
RC20GF184K	81349	16	R58	SR4P	28520		H5
RC20GF184K	81349	16	R62	SR4P	28520		H6
RC20GF274K	81349	16	R61	SR5P	28520		H4
RC20GF391K	81349	16	R27	ST42A	81350	14	S9
RC20GF391K	81349	16	R28	S4R1001-1	71575	14	S21
RC20GF470K	81349	16	P52	SWB1001-2	71575	14	S17
RC20GF470K	81349	16	P59	SWB1001-2	71575	14	S20
RC32GF181K	81349	16	R25	SWB1001-3	71575	14	S18
RC32GF272J	81349	16	R19	SWB1001-4	71575	14	S16
RC32GF272J	81349	16	R24	SWB1001-5	71575	14	S19
RC32GF470J	81349	16	P13	S041004	71785	14	X12
RC32GF470J	81349	16	P14	S246-3L	75376	1	015
RC32GF470J	81349	16	R15	S246-3L	75376	1	016
RC32GF470J	81349	16	R16	S246-3L	75376	1	017
RC42GF101K	81349	16	R6	S246-3L	75376	1	018
RC42GF101K	81349	16	R7	S246-3L	75376	1	019
RC42GF101K	81349	16	R8	S246-3L	75376	1	020
RC42GF101K	81349	16	R9	S246-3L	75376	1	021
RC42GF101K	81349	16	R17	S246-3L	75376	1	022
RC42GF101K	81349	16	R20	S246-3L	75376	1	023
RC42GF101K	81349	16	R21	S246-3L	75376	1	024
RC42GF101K	81349	16	R22	S246-3L	75376	1	025

REFERENCE NO.	MER CODE	FIG. NO.	ITEM NO.	REFERENCE NO.	MER CODE	FIG. NO.	ITEM NO.
S643-70-1118B	75376	1	026	342003A	75915	8	XF2
S643-70-1118B	75376	1	027	342003SA2	75915	1	
S645-3L	75376	1	028	4HAT	97983	8	H1
TRC1001D	75376	1	04	4HAT	97983	8	H2
TS102P01	75376	1	05	432	57068		H8
TS102P01	75376	1	06	457V1	01039	14	X6
TS102P01	75376	1	07	48C	76545	1	W1A
TS102P02	75376	1	031	48C	76545	1	W2A
TS102U03	71575	19	T2	49BLACK	76545		W2B
TS102U03	71575	19	T1	49RED	76545	5	W1B
TS103P03	81350		X15	53C18724	71785		
UL5V	81350		X16	6X4W	81350	17	V2
UP120M	81349	26	P1	6X4W	81350	17	V3
WAAL003	71575		H12	78S6TM	77748		H7
122-247-5	74970	14	X1	78S9LTM	02660	14	X9
14513-54A	71785	14	X11	78S8TX13	02660	14	X14
15834	14608		H3	78S8TX13	02660	14	X2
25CLEAR	72619		118	78202	02660	14	X8
25PRED	72765		128	79202	02660	14	X5
312003	75915	14	F1	795-03	63060		03
312003	75915	14	F2	795M3	63060	14	M3
342003A	75915	8	XF1	83	81350	17	V1

By Order of the Secretary of the Army:

CREIGHTON W. ABRAMS
General, United States Army
Chief of Staff

Official:

VERNE L. BOWERS

Major General, United States Army
The Adjutant General

Distribution:

Active Army:

USASA (2)	Instl (2) except
CNGB (1)	Fort Gordon (10)
ACSC-E (2)	Fort Huachuca (10)
USAARENBD (2)	Fort Carson (10)
USAMB (10)	WSMR(2)
AMC (I)	Army Dep (2) except
FORSCOM (5)	LBAD (14)
ARADCOM (2)	SAAD (30)
ARADCOM Rgn (2)	TOAD (14)
OS Maj Comd (4)	LEAD (7)
LOGCOMDS (5)	ATAD (10)
MICOM (2)	USA Dep (2)
TECOM (2)	Sig Sec USA Dep (2)
USASTRATCOM (4)	Sig Dep (5)
HISA (ECOM) (18)	Sig FLDMS (1)
MDW(I)	USAERDAA (I)
Armies (2)	USAERDAW (I)
Corps (2)	MAAG (1)
Svc Colleges (2)	USARMIS (I)
USASESS(5)	Ft Richardson (ECOM Ofc) (2)
USAADS(2)	WRAMC (I)
USAFAS (2)	Units org under fol TOE: (1 copy each)
USAARMS (2)	11-158
USAIS (2)	29-134
USAES (2)	29-136
USAINTS (3)	
USACDCEC(5)	

NG: State AG (3): Units - Same As Active Army.

USAR: None

For explanation of abbreviations used, see AR 310-50.

*U.S. GOVERNMENT PRINTING OFFICE: 1973-754339/61

This fine document...

Was brought to you by me:



Liberated Manuals -- free army and government manuals

Why do I do it? I am tired of sleazy CD-ROM sellers, who take publicly available information, slap “watermarks” and other junk on it, and sell it. Those masters of search engine manipulation make sure that their sites that sell free information, come up first in search engines. They did not create it... They did not even scan it... Why should they get your money? Why are not letting you give those free manuals to your friends?

I am setting this document FREE. This document was made by the US Government and is NOT protected by Copyright. Feel free to share, republish, sell and so on.

I am not asking you for donations, fees or handouts. If you can, please provide a link to liberatedmanuals.com, so that free manuals come up first in search engines:

<A HREF=<http://www.liberatedmanuals.com/>>Free Military and Government Manuals

- Sincerely
Igor Chudov
<http://igor.chudov.com/>
- [Chicago Machinery Movers](http://chicagomachinerymovers.com)