DEPARTMENT OF THE ARMY TECHN ICAL MANUAL

ORGANIZATIONAL MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LISTS TRANSMISSION MEASURING SETS TS-559A/FT, TS-559B/FT, TS-559C/FT, AND TS-559D/FT FSN 6625-540-9051

Headquarters, Department of the Army, Washington, D.C. 5 June 1973

Current as of November 1972

	Paragraph	Page
Section I. INTRODUCTION		
Scope	1-1	2
General	1-2	2
Explanation of columns	1-3	2
Special information	1-4	3
Location of repair parts	1-5	4
Abbreviations(Not applicable)		4
Reporting of equipment publication improvements II. PRESCRIBED LOAD ALLOWANCE (Not applicable)	1-7	4
 III. REPAIR PARTS LIST IV. SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not applicable) V. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFE 	 ER-	6
ENCE TO FIGURE AND ITEM NUMBER		7

*This manual supersedes TM 11-6625-356-20P, 18 July 1961.

1-1. Scope

This manual lists repair parts and special tools required for the performance of organizational maintenance of the TS-559A/FT, TS-559B/FT, TS-559C/ft, and TS-559D/FT.The PCCN for the equipment is GCMACU for all models.

1-2. General

This repair parts and special tools list is divided into the following sections:

a. Prescribed Load Allowance (PLA)-Section II. Not applicable.

b. Repair Parts List-Section III. A list of repair parts authorized for the performance of maintenance at the organizational level. This repair parts list is arranged in alphabetical order.

c. Special Tools, Test and Support Equipment-Section IV. Not applicable.

d. Index-Federal Stock Number and Reference Number Cross-Reference to Figure and Item Number-Section V. A list, in ascending numerical sequence, of all Federal stock numbers appearing in the listings, followed by a list, in alphameric sequence, of all reference numbers appearing in the listings. Federal stock number and reference numbers are cross-referenced to each illustration figure and item number or reference designation appearance.

1-3. Explanation of Columns

The following provides an explanation of columns in the tabular lists

a. Source, Maintenance, and Recoverability Codes (SMR).

(1) Source code. Indicates the source for the listed items. Source codes are-

Code

Explanation

- P- Repair parts, special tools and test equipment supplied from the GSA/DSA or Army supply system and authorized for use at indicated maintenance categories.
- P2- Repair parts, special tools and test equipment "which are procured and stocked for insurance purposes because the combat or military essentiality of the end item dictates that a minimum quantity be available in the supply system.

Code P9-

Explanation

- Assigned to items which are NSA design controlled: unique repair parts, special tools, test, measuring, and diagnostic equipment which are stocked and sup- plied by the Army COSMIC Logistic System and which are not subject to the provisions of AR 380-41.
- P10- Assigned to items which are NSA design controlled: special tools, test, measuring, and diagnostic equipment for COMSEC support, which are accountable under the provisions of AR 380-41 and ware stocked and supplied by the Army COMSEC Logistic System.

M- Repair parts, special tools and test equipment which are not procured or stocked as such in the supply system but are to be manufactured at indicated maintenance levels.

- A- Assemblies which are not procured or stocked as such, but are made up of two or more units. Such component units carry individual stock numbers and descriptions, are procured and stocked separately, and can be assembled to form the required assembly at indicated maintenance categories.
- X- Parts and assemblies that are not procured or stocked because the failure rate is normally below that of the applicable end item or component. The failure of such part or assembly should result in retirement of the end item from the supply system.
- X1- Repair parts which are not procured or stocked. The requirement for such items will be filled by the next higher assembly or component.
- X2- Repair parts, special tools and test equipment which are not stocked and have no foreseen mortality. The indicated maintenance category requiring such repair parts will attempt to obtain the parts through cannibalization or salvage. The item may be requisitioned, \with exception data, from the end item manager for immediate use.
- G- Major assemblies that are procured with PEMA funds for initial issue only as ex- change assemblies at DS and GS level These assemblies will not be stocked above DS and GS level or returned to depot sup- ply level.

NOTE

Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded X1 and air- craft support items as restricted by AR 700-42.

(2) Maintenance code. Indicates the lowest category of maintenance authorized to install the listed item. The maintenance level code is-

CodeExplanationC.....Crew/operatorO.....Organizational maintenance

(3) Recoverability code. Indicates whether unserviceable items should be returned for recovery or salvage Items not coded are expendable. Recover- ability codes are-

Code

Explanation

- R- Repair parts (assemblies and components), special tools and test equipment which are considered economically reparable at direct and general support maintenance levels. When the item is no longer economically reparable, it is normally disposed of at the GS level. When supply considerations dictate, some of these repair parts may be listed for automatic return to supply for depot level repair as set forth in AR 710-1.When so listed, they will be replaced by supply on an exchange basis.
- S- Repair parts, special tools and test equipment, and assemblies which are economically reparable at DS and GS activities and which normally are furnished by sup- ply on an exchange basis. When items are determined by, a GSU to be uneconomically reparable, they will be evacuated to a depot for evaluation and analysis before final disposition.
- T- High dollar value recoverable repair parts, special tools and test equipment which are subject to special handling and are issued on an exchange basis. Such items \ill be repaired or overhauled at depot maintenance activities only. No repair may be accomplished at lower levels.
- U- Repair parts, special tools and test equipment specifically selected for salvage by reclamation units because of precious metal content, critical materials, high dollar value, or reusable casings or castings.

b. Federal Stock Number. Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

c. Description. Indicates the Federal item name and a minimum description required to identify the item. The last line indicates the reference number followed by the applicable Federal Supply Code for Manufacturer (FSCM) in parentheses. The FSCM is used as an element in item identification to designate manufacturer or distributor or Government agency, etc., and is identified in SB 708-42.

d. Unit or Measure (U/M). Indicates the standard or basic quantity by which the listed item is used in performing the actual maintenance function. This measure is expressed by a two-character alphabetical abbreviation; e.g., ea, in, pr, etc., and is the bas- is used to indicate quantities and allowances in subsequent columns. When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.

e. Quantity Incorporated in Unit. This column indicates the quantity of the item used in the equipment. Subsequent appearances of the same item in the same assembly are indicated by the letters "REF".

f. 15-Day Organizational Maintenance Allowance.

(1) The repair parts indicated by an asterisk in the allowance column represent those authorized for use at the organizational category, and will be requisitioned on an "as required" basis, until stockage is based on demand in accordance with AR 710-2.

(2) Major Army commanders are authorized to approve reduction in the range of support items authorized for use in units within their commands. Recommendations for increase in range of items authorized for use will be forwarded to Commander, US Army Electronics Command, ATTN: AMSEL- MA-CW, Fort Monmouth, N.J., 07703.Any changes approved will be reflected in a revision to the RPSTL.

(3) Allowance quantities are indicated in the special tools list section for special tools, TMDE, and other equipment.

g. Illustration. This column is divided as follows:

(1) Figure number. Indicates the figure number of the illustration on which the item is shown in TM 11-6625-356-12.

(2) Item number. Indicates the item number or reference designation used to reference the item in the illustration.

1-4. Special information

a. Usable on codes are included in column 3.Uncoded items are applicable to all models. Identification of the usable on codes used in this publication are-

Code			Use	əd on		
AQK			TS-559	A/FT		
AQL			TS-559	B/FT		
AQM			TS-559	C/FT		
AT7			TS-559	D/FT		

b. The following publication pertains to the equipment and its components:

TM 11-6625-356-12	Operator and Organizational
	Maintenance Manual:
	Transmission Measuring
	Sets TS-559A/FT, TS-559B/FT,
	TS-559C/FT, and TS-559D/FT.

1-5. Location of Repair Parts

a. This manual contains one cross-reference index (sec V) to be used to locate a repair part when either the Federal stock number or reference number (manufacturer's part number) is known. The first column in the index is prepared in numerical or alphanumeric sequence in ascending order. The reference numbers (manufacturer's part numbers) are listed immediately following the last listed Federal stock numbers.

b. When the Federal stock number of reference number is known, follow the procedures given in (1) and (2) below.

(1) Refer to the index of Federal stock numbers (sec V) and locate the Federal stock number of reference

number. The FSN and reference number are crossreferenced to the applicable figure and item number of reference designation.

(2) Refer to the repair parts list (sec III) and locate the figure number (col 7a) and item number or reference designation (col 7b) as noted in the FSN index.

c. When the figure and item number or reference designation are known, scrutinize columns 7a and 7b of the repair parts list (sec III) until the item is located.

d. When the FSN, reference number, figure number, item number and reference designation are not known, scrutinize column 3 of the repair parts list (sec III), which is arranged in alphabetical order.

1-6. Abbreviations

Not applicable.

1-7. Reporting of Equipment Publication Improvements

The reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications) and forwarded direct to Commander, US Army Electronics Command, ATTN: AMSEL-MA-CW, Fort Monmouth, N.J., 07703.

(Next printed page is 6)

4

TM 11-6625-356-20P

SECTION III

(1)	(2)	(3)	(4)	(5)			(6		(7)
		DESCRIPTION		QTY	15-DAY ORGANIZATIONAL MAINTENANCE ALW				ILLUSTRATION	
SMR CODE	FEDERAL STOCK NUMBER	REFERENCE NUMBER & MFR CODE US	ABLE ON CODE UNIT OF MEAS	INC IN UNIT	(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(a) FIGURE NO.	(b) ITEM NO.
P 0	6625-506-9310	CHART NO-REF-DESIG CALIBRATION AND MEASUREMENT INSTRUMENTS	EA	1	*	*	*	*		
P 0	6625-822-1129		QL, AQM DND W/TRIMM EA	1	*	*	*	*		W1
Ρ0	6625-244-8519	CORD, ÀSSEMBLY, ELECTRICAL W1 2 CO TINSEL 15 IN LG EXCL TERM BLACK ONE END SPADE TERM OTHER END	DND, 6 EA W/PLUG PJ-327	1	*	*	*	*		W1
Ρ0	5935-642-0743	DUMMY PLUG, TELEPHONE NO-REF-DESIG PLUG SINGLE SHANK PLASTIC BODY 165C (01401)	DUMMY EA	4	*	*	*	*		
Ρ0	5960-188-3593	ELECTRON TUBE V1 1U4 (12992)	EA	3	*	*	*	*	9	V1
P 0	5960-188-3593	ELECTRON TUBE V2	EA	REF	*	*	*	*	9	V2
P 0	5960-188-3593	ELECTRON TUBE V3 X1-2 (79727)	EA	REF	*	*	*	*	9	V3
P 0	5930-170-5566	HANDLE, SWITCH NO-REF-DESIG SCREW ON TY PHENOLIC		2	*	*	*	*		
Ρ0	5355-668-5528	48BD (76572) AQK, A0 KNOB NO-REF-DESIG RD BLACK, PLASTIC S308-64-40275 (75376)	QL, AQM	1	*	*	*	*		
P 0	5355-284-5194	KNOB NO-REF-DESIG RD PLASTIC, BLACK MS91531-3F2M (81349) AT7	EA	1	*	*	*	*		
P 0	6625-818-5273	LABEL, INSTRUCTION NO-REF-DESIG INSTRUCT	TON EA	1	*	*	*	*		
Ρ0	5965-557-3816	T335-104492 (81849) AT7 RECEIVER, TELEPHONE NO-REF-DESIG RESOI MAGNETIC TYPE 10000 OHM AT 1000 CYC TYPE 29-3 (81812)		1	*	*	*	*		
P 0	5960-272-9)94	SHIELD, ELECTRON TUBE E9 TS102VO2 (12992)	EA	3	*	*	*	*		E9
P 0	5960-272-9094	SHIELD, ELECTRON TUBE E10 TS102VO2 (12992)	EA	REF	*	*	*	*		E10
P 0	5960-272-9094	SHIELD, ELECTRON TUBE E11 TS102U02 (12992)	EA	REF	*	*	*	*		E11
P 0	5305-531-1069		SCREW BRASS EA	2	*	*	*	*	15	
Ρ0	5305-506-9309	THUMBSCREW NO-REF-DESIG THUMBSCREW NICKEL PLATED NO.12-28 X 4-3/4 IN LG A3178-82 (17870)	BRASS EA	2	*	*	*	*	15	

SECTION V

INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

	FIGURE	ITEM	
STOCK NUMBER	NO.	NO.	STOCK NUMBER
5305-506-9309	15		5960-272-9094
5305-531-1069	15		5960-272-9094
5355-284-5194			5960-272-9094
5355-668-5528			5965-557-3816
5930-170-5566			6625-244-8519
5935-642-0743			6625-506-9310
5960-188-3593	9	V1	6625-818-5273
5960-188-3593	9	V2	6625-822-1129
5960-188-3593	9	V3	

REFERENCE	MFR	FIG.	ITEM	REFERENCE	MFR	FIG.	ITEM
NO.	CODE	NO.	NO	.NO.	CODE	NO.	NO.
A1376-86 A3178-82 MS91531-3F2M M2GC M2GC S308-64-40275 TS102U02 TS102V02 TS102V02	17870 17870 81349 64959 81849 75376 12992 12992 12992	15 15	W1 W1 E11 E9 E10	T335-104492 X1-2 1U4 1U4 13-1378-121B 165C 29-3 488BD	81849 79727 12992 12992 14140 01401 81812 76572	9 9 9	V3 V1 V2

7

By order of the Secretary of the Army:

Official:

VERNE L.BOWERS, Major General, United States Army, The Adjutant General.

Distribution:

Active Army:

USA SA (2) CNGB(1) ACSC-E (2) USAARENBD(2) USA MB (1) USACDC (2) USACDC Agcy (1) AMC() CONARC(5) ARADCOM(2) ARADCOM Rgn (2) OS Maj Comd (4) LOGCOMD(5) MICOM (2) TECOM (2) **USA STRATCOM (4)** MD (1) Armies(2) Corps (2) Svc Colleges (2) USASESS(5) USAADS(2) USAFAS(2Z USAARMS(2) USAIS(2) USAES(2) USAINTS (3) WRAMC()

USACDCEC (5) Instl (2) except Fort Gordon (10) Fort Huachuca(10) Fort Carson (10) Ft Richardson (ECOM Ofc) (2) WSMR (2) Army Dep (2) except LBAD (14 **SAAD(30) TOAD** (14) LEAD (7) ATAD(10) USA Dep (2) Sig Sec USA Dep (2) Sig Dep (5) Sig FLDMS (I) USAERDAA (2) USA ERDAW (2) USACRREL (2) MAAG(I) USARMIS (1) HISA (ECOM)(70) Units org under fol TOE: (1 copy each) 11-158 29-134 29-136

NG: State AG (3) *USAR* None For explanation of abbreviations used, see A R 310-50.

U.S.GOVERNMENT PRINTING OFFICE: 1973-769619/832 887-887

CREIGHTON W.ABRAMS General United States Army Chief of Staff

111		SOMETI	iing wroi	B WITH THIS PUBLICATION?
	DOPE FORM, OUT, I	. JOT DOWN THE ABOUT IT ON THIS CAREFULLY TEAR IT OLD IT AND DROP IT E MAIL!		R UNIT'S COMPLETE ADDRESS)
PUBLICATION NUMB	ER	PUBLICATION D	ATE PUBLICATIO	IN TITLE
BE EXACTPIN-P PAGE PARA- NO. GRAPH	OINT WHERE IT IS FIGURE TABLE NO NO.	HI ITTIS SPACE IELL	WHAT IS WRONG	i:
PRINTED NAME, GRAD	E OR TITLE, AND TE	EPHONE NUMBER	SIGN HERE:	

PIN: 017163-000

This fine document...

Was brought to you by me:



Liberated Manuals -- free army and government manuals

Why do I do it? I am tired of sleazy CD-ROM sellers, who take publicly available information, slap "watermarks" and other junk on it, and sell it. Those masters of search engine manipulation make sure that their sites that sell free information, come up first in search engines. They did not create it... They did not even scan it... Why should they get your money? Why are not letting you give those free manuals to your friends?

I am setting this document FREE. This document was made by the US Government and is NOT protected by Copyright. Feel free to share, republish, sell and so on.

I am not asking you for donations, fees or handouts. If you can, please provide a link to liberatedmanuals.com, so that free manuals come up first in search engines:

<A HREF=<u>http://www.liberatedmanuals.com/</u>>Free Military and Government Manuals

Sincerely
 Igor Chudov
 <u>http://igor.chudov.com/</u>
 Chicago Machinery Movers