

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

GENERAL SUPPORT MAINTENANCE REPAIR PARTS AND
SPECIAL TOOLS LISTS (INCLUDING DEPOT MAINTENANCE
REPAIR PARTS AND SPECIAL TOOLS)
TEST SET, RADIO RECEIVER AN/ARM-71
FSN 6625-965-1341

Headquarter, Department of the Army, Washington, DC
29 November 1974

Current as 30 September 1974

| | | Paragraph | Page |
|---------|---|-----------|------|
| SECTION | I. INTRODUCTION | | |
| | Scope | 1-1 | 2 |
| | General | 1-2 | 2 |
| | Explanation of columns | 1-3 | 2 |
| | Special information..... | 1-4 | 4 |
| | Location of repair parts | 1-5 | 4 |
| | Abbreviations (Not applicable) | 1-6 | 5 |
| | Reporting of equipment publication improvements..... | 1-7 | 5 |
| | II. REPAIR PARTS LIST | | 6 |
| Group | 001. Test Set, receiver, radio AN/ARM-71..... | | 6 |
| | 002. Simulator, receiver, radio SM-S80/ARM-71 | | 7 |
| | 003. Test Set, receiver, radio TS-2077/ARM-71 | | 12 |
| | III. SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not applicable) | | |
| | IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS- REFERENCE TO FIGURE AND ITEM NUMBER | | 14 |

* This manual supersedes TM 11-6625-583-45P, 7 June 1965.

**SECTION I
INTRODUCTION**

1-1. Scope

This manual lists repair parts and special tools required for the performance of general support and depot maintenance of the AN/ARM-71. The PCCN for the AN/ARM-71 is GANABF for all models.

NOTE

No parts authorized for stockage at direct support.

1-2. General

This repair parts and special tools list is divided into the following sections:

a. Repair Parts List Section II. A list of repair parts authorized for the performance of maintenance at the direct support, general support, and depot level. This repair parts list is arranged in alphabetical order.

b. Special Tools, Test and Support Equipment - Section III. Not applicable.

c. Index -Federal Stock Number and Reference Number Cross-Reference to Figure and Item Number Section IV. A list, in ascending numerical sequence, of all Federal stock numbers appearing in the listings, followed by a list, in alphameric sequence, of all reference numbers appearing in the listings. Federal stock number and reference numbers are cross-referenced to each illustration figure and item number or reference designation appearance.

1-3. Explanation of Columns

The following provides an explanation of columns found in the tabular list.

a. Source, Maintenance, and Recoverability Codes (SMR).

(1) *Source code.* Indicates the manner of acquiring support items for maintenance, repair, or overhaul of end items. Source codes are:

| <i>Code</i> | <i>Explanation</i> |
|-------------|--|
| PA - | Item procured and stocked for anticipated or known usage. |
| PB - | Item procured and stocked for insurance purposes because essentiality dictates that a minimum quantity be available in the supply systems. |
| PC- | Item procured and stocked and which otherwise would be coded PA except that it is deteriorative in nature. |

| <i>Code</i> | <i>Explanation</i> |
|-------------|---|
| PD - | Support item, excluding support equipment, procured for initial issue or outfitting and stocked only for subsequent or additional initial issues or outfittings. Not subject to automatic replenishment. |
| PE - | Support equipment procured and stocked for initial issue or outfitting to specified maintenance repair activities. |
| PF - | Support equipment which will not be stocked but which will be centrally procured on demand. |
| PG- | Item procured and stocked to provide for sustained support for the life of the equipment. It is applied to an item peculiar to the equipment which because of probable discontinuance or shutdown of production facilities would prove uneconomical to reproduce at a later time. |
| KD - | An item of depot overhaul/repair kit and not purchased separately. Depot kit defined as a kit that provides items required at the time of overhaul or repair. |
| KF- | An item of a maintenance kit and not purchased separately. Maintenance kit defined as a kit that provides an item that can be replaced at organizational or direct support or general support levels of maintenance. |
| KB - | Item included in both a depot overhaul/repair kit and a maintenance kit. |
| MO - | Item to be manufactured or fabricated at organizational level. |
| MF - | Item to be manufactured or fabricated at direct support maintenance level. |
| MH - | Item to be manufactured or fabricated at general support maintenance level. |
| MD - | Item to be manufactured or fabricated at depot maintenance level. |
| AO - | Item to be assembled at organizational level. |
| AF - | Item to be assembled at direct support maintenance level. |
| AH - | Item to be assembled at general support maintenance level. |
| AD - | Item to be assembled at depot maintenance level. |
| XA - | Item is not procured or stocked because the requirements for the item will result in the replacement of the next higher assembly. |

| <i>Code</i> | <i>Explanation</i> |
|-------------|---|
| XB- | Item is not procured or stocked. If not available through salvage, requisition. |
| XC- | Installation drawing, diagram instruction sheet, field service drawing, that is identified by manufacturers' part number. |
| XD - | Support items can be requisitioned with justification. |

NOTE

Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded XA and aircraft support items as restricted by AR 700-42.

(2) *Maintenance code.* Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code format as follows:

(a) *Use (third position).* The maintenance code entered in the third position indicates the lowest maintenance level authorized to remove, replace, and use the support item. The maintenance code entered in the third position indicates one of the following levels of maintenance.

| <i>Code</i> | <i>Explanation</i> |
|-------------|---|
| O- | Support item is removed, replaced, used at the organizational level of maintenance. |

NOTE

A code "C" may be used in this position to denote crew or operator maintenance performed within organizational maintenance.

| | |
|-----|--|
| F - | Support item is removed, replaced, used at the direct support maintenance level. |
| H - | Support item is removed, replaced, used at the general support maintenance. |
| D - | Support items that are removed, replaced, used at depot only. |

(b) *Repair (fourth position).* The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (i.e., all authorized maintenance functions). When a maintenance code is not used a dash (-) sign is entered. For multiservice equipment/systems or when a code is entered, this position will contain one of the following maintenance

codes as assigned by the service(s) that require the code:

| <i>Code</i> | <i>Application/Explanation</i> |
|-------------|---|
| O- | The lowest maintenance level capable of complete repair of the support item is the organizational level. |
| F - | The lowest maintenance level capable of complete repair of the support item is direct support. |
| H - | The lowest maintenance level capable of complete repair of the support item is general support. |
| D-- | The lowest maintenance level capable of complete repair of the support item is the depot level. |
| L- | Repair restricted to designated Specialized Repair Activity. |
| Z - | Nonrepairable. No repair is authorized. |
| B - | No repair is authorized. The item may be reconditioned by adjusting, lubricating, etc., at the user level. No parts or special tools are procured for the maintenance of this item. |

(3) *Recoverability code.* Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the Uniform SMR Code format as follows:

| <i>Code</i> | <i>Explanation</i> |
|-------------|---|
| Z - | Nonrepairable item. When unserviceable, condemn and dispose at the level indicated in the first digit of the maintenance code. |
| O - | Repairable item. When uneconomically repairable, condemn and dispose at organizational level. |
| F - | Repairable item. When uneconomically repairable, condemn and dispose at the direct support level. |
| H - | Repairable item. When uneconomically repairable, condemn and dispose at the general support level. |
| D- | Repairable item. When beyond lower level repair capability, return to depot. Condemnation and disposal not authorized below depot level. |
| L - | Repairable item. Repair, condemnation, and disposal not authorized below depot/Specialized Repair Activity level. |
| A - | Item requires special handling or condemnation procedures because of specific reasons (i.e., precious metal content, high dollar value, critical material or hazardous material). |

b. *Federal Stock Number.* Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

c. *Description.* Indicates the Federal item name and a minimum description required to identify the item. The last line indicates the reference number followed by the applicable Federal Supply Code for Manufacturer (FSCM) in parentheses. The FSCM is used as an element in item identification to designate manufacturer or distributor or Government agency, etc., and is identified in SB 70&42.

NOTE

For requisitioning purposes, the Federal stock number must be converted to the National stock number by adding "-W" after the Federal stock classification (FSC) code (first four digits) For example, FSN 6625-653-0142 converts to NSN 6626(553-0142.

d. *Unit of Measure (UIM).* Indicates the standard or basic quantity by which the listed item is used in performing the actual maintenance function. This measure is expressed by a two-character alphabetical abbreviation; e.g., ea, in, pr, etc., and is the basis used to indicate quantities and allowances in subsequent columns. When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.

e. *Quantity Incorporated in Unit.* This column indicates the quantity of the item used in the equipment. Subsequent appearances of the same item in the same assembly are indicated by the letters "REF".

f. *30-Day DS/GS Maintenance Allowances.*

NOTE

Allowances in GS column are for GS maintenance only.

(1) The repair parts indicated by asterisk entries in separate allowance columns for DS and GS represent those authorized for use at that category of maintenance to be requisitioned on an "as required" basis, until stockage is based on demand in accordance with AR 710-2.

(2) Allowance quantities are indicated in the special tool lists section for special tools, TMDE, and other support equipment.

g. *1-Year Allowances Per 100 Equipments Contingency Planning Purposes.* Column intentionally left blank.

h. *Depot Maintenance Allowance Per 100 Equipments.* This column indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipments.

i. *Illustration.* This column is divided as follows:

(1) *Figure number.* Indicates the figure number of the illustration on which the item is shown in TM 114-662812.

(2) *Item number.* Indicates the item number or reference designation used to reference the item in the illustration.

1-4. Special Information

a. Usable on codes are included in column 3. Uncoded items are applicable to all models. Identification of the usable on codes used in this publication are:

| | |
|-------------|----------------|
| <i>Code</i> | <i>Used on</i> |
| A7U | AN/ARM-71 |

b. The following publications pertain to the AN/ARM-71 and its components:

| | |
|--------------------|--|
| TM 11-6625-583-12 | Operator and Organizational Maintenance Manual: Test Set, Receiver, Radio AN/ARM-71. |
| TM 11-6625-583-20P | Organizational Maintenance Repair Parts and Special Tools Lists: Test Set, Radio Receiver AN/ARM-71, FSN 662&965B1341. |

1-5. Location of Repair Parts

a. This manual contains one cross-reference index (sec IV) to be used to locate a repair part when either the Federal stock number or reference number (manufacturer's part number) is known. The first column in the index is prepared in numerical or alphanumeric sequence in ascending order. The reference numbers (manufacturer's part numbers) are listed immediately following the last listed Federal stock number in the index of Federal stock numbers.

b. When the Federal stock number or reference number is known, follow the procedures given in (1) and (2) below.

(1) Refer to the index of Federal stock numbers (sec IV) and locate the Federal stock number or reference number. The FSN and reference number are cross-referenced to the applicable figure and item number or reference designation.

(2) Refer to the repair parts list (sec II) and locate the figure number (col 10a) and item number or reference designation (col O10b) as noted in the FSN index.

c. When the figure and item number or reference designation are known, scrutinize columns 10a and 10b of the repair parts list (see II) until the item is located.

d. When the FSN, reference number, figure number, item number and reference designation are not known, scrutinize column 3 of the repair parts list sec II), which is arranged in alphabetical order.

1-6. Abbreviations

Not applicable.

1-7. Reporting of Equipment Publication Improvements

The reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications and Blank Forms) and forwarded direct to Commander, US Army Electronics Command, A'ITN: AMSEL-MA-AN, Fort Monmouth, NJ, 07708.

SECTION II

TM 11-6625-583-40P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE | | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAY DS MAINT ALLOWANCE | | | (7) 30DAY GS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTG | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION (a) (b) FIGURE ITEM NO. NO/ | |
|--------------------|-----------------------------------|---|--|---------------------------|---------------------------------|-------------------------------------|-------|--------|------------------------------------|-------|--------|--|--|--|--------------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | ALW PER 100 EQUIP CNTG | ALW PER 100 EQUIP | (a) FIGURE NO. | (b) ITEM NO/ |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | | | |
| PAHHD | 6625-965-1342 | GROUP 001 TEST SET, RECEIVER, RADIO AN/ARM-71 COVER, TEST SET, RECEIVER, RADIO NO-REF-DESIG | | EA | 1 | | | | * | * | * | | 3 | | |
| AHHZZ | | CW744ARM61 (800581) CABLE ASSEMBLY, POWER, ELECTRICAL CX-9727/ARM-71 NO-REF-DESIG 5 FT LG 702-022 (82050) | | | 1 | | | | | | | | | | |
| PAHZZ | 5999-204-8350 | CLIP, BATTERY NO-REF-DESIG 24C (76545) | | EA | 2 | | | | * | * | * | | 3 | | |
| PAHZZ | 5935-539-2650 | CONNECTOR, PLUG, ELECTRICAL NO-REF-DESIG MS310GAIOSL3S (81349) | | EA | 1 | | | | * | * | * | | 3 | | |
| PAHZZ | 5975-814-6844 | INSULATOR, BLACK NO-REF-DESIG (BATTERY CLIP) FLEXINSULATOR 23 (76545) | | EA | 1 | | | | * | * | * | | 3 | | |
| PAHZZ | 5975-281-0024 | INSULATOR, RED NO-REF-DESIG (BATTERY CLIP) RED 23 (76545) | | EA | 1 | | | | * | * | * | | 3 | | |
| AHHZZ | | CABLE ASSEMBLY, RADIO FREQUENCY CG-2950/U (5 T) NO-REF-DESIG 702-023 (82050) | | | 2 | | | | | | | | | | |
| PAHZZ | 6145-542-6092 | CABLE, RADIO FREQUENCY NO-REF-DESIG 5 FEET LONG RG5 8AU (80058) | | EA | 1 | | | | * | * | * | | 10 | | |
| PAHZZ | 5940-552-4878 | CONNECTOR, PLUG, ELECTRICAL NO-REF-DESIG MX1684U (80058) | | EA | 1 | | | | * | * | * | | 3 | | |
| PAHZZ | 5935-823-0487 | CONNECTOR, PLUG, ELECTRICAL NO-REF-DESIG UG88EU 1800581 | | EA | 1 | | | | * | * | * | | 3 | | |
| PAHZZ | 6625-985-7862 | CABLE ASSEMBLY, SPECIAL PURPOSE, ELECTRICAL CX-9725/ NO-REF-DESIG 702-020 (82050) | | EA | 1 | | | | * | * | * | | 5 | | |
| XDHZZ | | CONNECTOR, PLUGT ELECTRICAL NO-REF-DESIG PT06SE16-26SSR (77820) | | EA | 2 | | | | * | * | * | | | | |
| AHHZZ | | CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL NO-REF-DESIG CX9726ARM71 (80058) | | | 1 | | | | | | | | | | |
| PAHZZ | 5935-225-9300 | CONNECTOR PLUG, ELECTRICAL NO-REF-DESIG PT865E16-26PSR (77820) | | EA | 1 | | | | * | * | * | | 3 | | |
| XDHZZ | | CONNECTOR, PLUG, ELECTRICAL NO-REF-DESIG PTO1SE16-26PSR (77820) | | EA | 1 | | | | * | * | * | | | | |
| AHHZZ | | EXTENDER, MODULE MX-6363/ARM-71 NO-REF-DESIG 702-024 (82050) | | | 1 | | | | | | | | | | |
| XDHZZ | | CABLE, RADIO FREQUENCY NO-REF-DESIG RGL88U (81349) | | EA | 2 | | | | * | * | * | | | | |
| XDHZZ | | CONNECTOR, PLUG, ELECTRICAL NO-REF-DESIG DDA38C2S (71468) | | EA | 1 | | | | * | * | * | | | | |
| XDHZZ | | CONNECTOR, PLUG, ELECTRICAL NO-REF-DESIG DDA38C2P (71468) | | EA | 1 | | | | * | * | * | | | | |
| PAHZZ | 5935-961-3772 | SHELL, ELECTRICAL CONNECTOR NO-REF-DESIG DD51216-1 (71468) | | EA | 2 | | | | * | * | * | | 3 | | |
| AHHZZ | | EXTENDER, MODULE MX-6364/ARM-71 NO-REF-DESIG | | | 1 | | | | | | | | | | |

CONTINUED

SECTION II

TM 11-6625-583-40P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE | | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAY DS MAINT ALLOWANCE | | | (7) 30DAY GS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGCTY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | |
|--------------------|-----------------------------------|---|--|---------------------------|---------------------------------|-------------------------------------|-------|--------|------------------------------------|-------|--------|---|--|----------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | | FIGURE NO. | ITEM NO/ |
| | | CONTINUED | | | | | | | | | | | | | |
| PAHZZ | 5935-225-9300 | CONNECTOR PLUG, ELECTRICAL NO-REF-DESIG 702-025 (82050) | | EA | 1 | | | | * | * | * | | 3 | | |
| XDHZZ | | CABLE, RADIO FREQUENCY NO-REF-DESIG 2 FEET LONG RG188U (81349) | | EA | 1 | | | | * | * | * | | | | |
| XDHZZ | | CONNECTOR, PLUG, ELECTRICAL NO-REF-DESIG DBL21CIS (71468) | | EA | 1 | | | | * | * | * | | | | |
| XDHZZ | | CONNECTOR PLUG, ELECTRICAL NO-REF-DESIG DBL21CIP (71468) | | EA | 1 | | | | * | * | * | | | | |
| XDHZZ | | SHELL NO-REF-DESIG OD51212-1 (71468) | | EA | 2 | | | | * | * | * | | | | |
| AHHZZ | | EXTENDER, MODULE MS-6365/ARM-71 NO-REF- DESIG 702-026 (82050) | | | 1 | | | | | | | | | 1 | |
| PAHZZ | 5935-880-5441 | CONNECTOR PLUG, ELECTRICAL NO-REF-DESIG DEM9P (71468) | | EA | 1 | | | | * | * | * | | 3 | | |
| XDHZZ | | CONNECTOR PLUG, ELECTRICAL NO-REF-DESIG DEM9S (71468) | | EA | 1 | | | | * | * | * | | | | |
| PAHZZ | 5935-590-6997 | SHELL, ELECTRICAL CONNECTOR NO-REF-DESIG DE51218-1 (71468) | | EA | 2 | | | | * | * | * | | 3 | | |
| PDDFL | 6625-073-9357 | GROUP 002 SIMULATOR, RECEIVER, RADIO SM-380/AKM-71 SIMULATOR, RECEIVER, RADIO SM-380/ARM-71 | | EA | 1 | | | | | | | | 3 | 2-4 | |
| XDHZZ | | NO-REF-DESIG 702-004 (82050) CIRCUIT BREAKER CB1 | | EA | 1 | | | | * | * | * | | | 2-4 | CB1 |
| PAHZZ | 5935-783-5402 | C501A102 (815411) CONNECTOR J4 | | EA | 1 | | | | * | * | * | | 3 | 2-4 | J4 |
| PAHZZ | 5935-149-4066 | PT02SE1626P (77820) CONNECTOR, RECEPTACLE, ELECTRICAL J5 | | EA | 2 | | | | * | * | * | | 3 | 5-4 | J5 |
| PAHZZ | 5935-149-4066 | UG88U (80058) CONNECTOR, RECEPTACLE, ELECTRICAL J6 | | EA | REF | | | | * | * | * | | | 5-4 | J6 |
| PAHZZ | 6625-759-2847 | UG88U (80058) DIRECTIONAL COUPLER DC1 75 MC | | EA | 1 | | | | * | * | * | | 3 | 2-4 | DC1 |
| PAHZZ | 6625-759-2848 | 702-017 (82050) DIRECTIONAL COUPLER DC2 332 MC | | EA | 1 | | | | * | * | * | | 3 | 2-4 | DC2 |
| PAOZZ | 6240-155-7836 | 702-018 (82050) LAMP, INCANDESCENT DS1 T-1-3/4 BULB | | EA | 23 | | | | * | * | * | | 50 | 2-4 | DS1 |
| PAOZZ | 6240-155-7836 | MS25237-327 (96906) LAMP, INCANDESCENT DS2 T-1-3/4 BULB | | EA | REF | | | | * | * | * | | | 2-4 | DS2 |
| PAOZZ | 6240-155-7836 | MS25237-327 (96906) LAMP, INCANDESCENT DS3 T-1-3/4 BULB | | EA | REF | | | | * | * | * | | | 2-4 | DS3 |
| PAOZZ | 6240-155-7836 | MHS25237-327 (96906) LAMP, INCANDESCENT DS4 T-1-3/4 BULB | | EA | REF | | | | * | * | * | | | 2-4 | DS4 |
| PAOZZ | 6240-155-7836 | MS25237-327 (96906) LAMP, INCANDESCENT DS5 T-1-3/4 BULB | | EA | REF | | | | * | * | * | | | 2-4 | DS5 |
| PAOZZ | 6240-155-7836 | MS25237-327 (96906) LAMP, INCANDESCENT DS6 T-1-3/4 BULB | | EA | REF | | | | * | * | * | | | 2-4 | DS6 |
| PAOZZ | 6240-155-7836 | MS25237-327 (96906) LAMP, INCANDESCENT DS7 T-1-3/4 BULB | | EA | REF | | | | * | * | * | | | 2-4 | DS7 |
| | | MS25237-327 (969061) | | | | | | | | | | | | | |

SECTION II

TM 11-6625-583-40P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE | | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAY DS MAINT ALLOWANCE | | | (7) 30DAY GS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGCV | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | |
|--------------------|-----------------------------------|--|----|---------------------------|---------------------------------|-------------------------------------|-------|--------|------------------------------------|-------|--------|--|--|----------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | | FIGURE NO. | ITEM NO/ |
| PAOZZ | 6240-155-7836 | LAMP, INCANDESCENT DS8 T-1-3/4 BULB..... | EA | REF | | | | * | * | * | | | 2-4 | DS8 | |
| PAOZZ | 6240-155-7836 | MS25237-327 (96906) LAMP, INCANDESCENT DS9 T-1-3/4 BULB..... | EA | REF | | | | * | * | * | | | 2-4 | DS9 | |
| PAOZZ | 6240-155-7836 | MS25237-327 (96906) LAMP, INCANDESCENT DS10 T-1-3/4 BULB..... | EA | REF | | | | * | * | * | | | 2-4 | DS10 | |
| PAOZZ | 6240-155-7836 | MS25237-327 196906 LAMP, INCANDESCENT DS11 T-1-3/4 BULB..... | EA | REF | | | | * | * | * | | | 2-4 | DS11 | |
| PAOZZ | 6240-155-7836 | MS25231-321 (969061) LAMP, INCANDESCENT DS12 T-1-3/4 BULB..... | EA | REF | | | | * | * | * | | | 2-4 | D512 | |
| PAOZZ | 6240-155-7836 | MS25237-321 (96906) LAMP, INCANDESCENT DS13 T-1-3/4 BULB..... | EA | REF | | | | * | * | * | | | 2-4 | D513 | |
| PAOZZ | 6240-155-7836 | NS25237-327 (96906) LAMP, INCANDESCENT DS14 T-1-3/4 BULB..... | EA | REF | | | | * | * | * | | | 2-4 | D514 | |
| PAOZZ | 6240-155-7836 | MS25237-327 (96906) LAMP, INCANDESCENT DS15 T-1-3/4 BULB..... | EA | REF | | | | * | * | * | | | 2-4 | DS15 | |
| PAOZZ | 6240-155-7836 | MS2523 1-327 (96906) LAMP, INCANDESCENT DS16 T-1-3/4 BULB..... | EA | REF | | | | * | * | * | | | 2-4 | D516 | |
| PAOZZ | 6240-155-7836 | MS252A7-327 (96906) LAMP, INCANDESCENT DS17 T-1-3/4 BULB..... | EA | REF | | | | * | * | * | | | 2-4 | DS17 | |
| PAOZZ | 6240-155-7836 | MS25237-327 196906 LAMP, INCANDESCENT DS18 T-1-3/4 BULB..... | EA | REF | | | | * | * | * | | | 2-4 | D518 | |
| PAOZZ | 6240-155-7836 | MS25237-327 (96906) LAMP, INCANDESCENT DS19 T-1-3/4 BULB..... | EA | REF | | | | * | * | * | | | 2-4 | D519 | |
| PAOZZ | 6240-155-7836 | MS25237-327 (96906) LAMP, INCANDESCENT DS20 T-1-3/4 BULB..... | EA | REF | | | | * | * | * | | | 2-4 | D520 | |
| PAOZZ | 6240-155-7836 | MS25237-327 (969061) LAMP INCANDESCENT DS21 T-1-3/4 BULB..... | EA | REF | | | | * | * | * | | | 2-4 | DS21 | |
| PAOZZ | 6243-155-7836 | MS25237-327 (96906) LAMP, INCANDESCENT DS22 T-1-3/4 BULB..... | EA | REF | | | | * | * | * | | | 2-4 | D522 | |
| PAOZZ | 6243-155-7836 | MS25231-327 (96906) LAMP, INCANDESCENT DS23 T-1-3/4 BULB..... | EA | REF | | | | * | * | * | | | 2-4 | D523 | |
| PAHZZ | 6210-578-6587 | MS25237-327 (96906) LAMPHOLDER XDS1..... | EA | 23 | | | | * | * | * | | 5 | 2-4 | XDS1 | |
| PAHZZ | 6210-578-6587 | 111-5030 (72619) LAMPHOLDER XDS2..... | EA | REF | | | | * | * | * | | | 2-4 | XDS2 | |
| PAHZZ | 6210-578-6587 | 111-5030 (72619) LAMPHOLDER XDS3..... | EA | REF | | | | * | * | * | | | 2-4 | XDS3 | |
| PAHZZ | 6210-578-6587 | 111-5030 (72619) LAMPHOLDER XDS4..... | EA | REF | | | | * | * | * | | | 2-4 | XDS4 | |
| PAHZZ | 6210-578-6587 | 111-5030 (72619) LAMPHOLDER XDS5..... | EA | REF | | | | * | * | * | | | 2-4 | XDS5 | |
| PAHZZ | 6210-578-6587 | 111-5030 (72619) LAMPHOLDER XDS6..... | EA | REF | | | | * | * | * | | | 2-4 | XDS6 | |
| PAHZZ | 6210-578-6587 | L11-5030 (12619) LAMPHOLDER XDS7..... | EA | REF | | | | * | * | * | | | 2-4 | XDS7 | |
| PAHZZ | 6210-578-6587 | 111-5033 (72619) LAMPHOLDER XDS8..... | EA | REF | | | | * | * | * | | | 2-4 | XDS8 | |
| PAHZZ | 6210-578-6587 | 111-5030 (72619) LAMPHOLDER XDS9..... | EA | REF | | | | * | * | * | | | 2-4 | XDS9 | |
| PAHZZ | 6210-578-6587 | 111-5030 (72619) LAMPHOLDER XDS10..... | EA | REF | | | | * | * | * | | | 2-4 | XDS10 | |
| | | 111-5030 (72619) | | | | | | | | | | | | | |

SECTION II

TM 11-6625-583-40P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE | | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAY DS MAINT ALLOWANCE | | | (7) 30DAY GS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGCV | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | |
|--------------------|-----------------------------------|--|--|---------------------------|---------------------------------|-------------------------------------|-------|--------|------------------------------------|-------|--------|--|--|----------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | | FIGURE NO. | ITEM NO/ |
| PAHZZ | 6210-578-6587 | LAMPHOLOER XDS11..... | | EA | REF | | | | * | * | * | | | 2-4 | |
| | | 111-5030 (72619) | | | | | | | | | | | | | |
| PAHZZ | 6210-578-6587 | LAMPHOLDER XDS21..... | | EA | REF | | | | * | * | * | | | 2-4 | |
| | | 111-5030 (72619) | | | | | | | | | | | | | |
| PAHZZ | 6210-578-6587 | LAMPHOLOER XDS13..... | | EA | REF | | | | * | * | * | | | 2-4 | |
| | | 111-5030 (72619) | | | | | | | | | | | | | |
| PAHZZ | 6210-578-6587 | LAMPHOLOER XDS14..... | | EA | REF | | | | * | * | * | | | 2-4 | |
| | | 111-5030 (72619) | | | | | | | | | | | | | |
| PAHZZ | 6210-578-6587 | LAMPHOLDER XDS15..... | | EA | REF | | | | * | * | * | | | 2-4 | |
| | | 111-5030 (72619) | | | | | | | | | | | | | |
| PAHZZ | 6210-578-6587 | LAMPHOLDER XDS16..... | | EA | REF | | | | * | * | * | | | 2-4 | |
| | | 111-5030 (72619) | | | | | | | | | | | | | |
| PAHZZ | 621D-578-6587 | LAMPHOLOER XDS17..... | | EA | REF | | | | * | * | * | | | 2-4 | |
| | | 111-5030 (72619) | | | | | | | | | | | | | |
| PAHZZ | 6210-578-6587 | LAMPHOLDER XDS18..... | | EA | REF | | | | * | * | * | | | 2-4 | |
| | | 111-5030 (72619) | | | | | | | | | | | | | |
| PAHZZ | 6210-578-6587 | LAMPHOLDER XDS19..... | | EA | REF | | | | * | * | * | | | 2-4 | |
| | | 1L1-5030 (172619) | | | | | | | | | | | | | |
| PAHZZ | 6210-578-6587 | LAMPHOLDER XDS20..... | | EA | REF | | | | * | * | * | | | 2-4 | |
| | | 111-5030 (72619) | | | | | | | | | | | | | |
| PAHZZ | 6210-578-6587 | LAMPHOLDER XDS21..... | | EA | REF | | | | * | * | * | | | 2-4 | |
| | | L1-5030 (72619) | | | | | | | | | | | | | |
| PAHZZ | 6210-578-6587 | LAMPHOLDER XDS22..... | | EA | REF | | | | * | * | * | | | 2-4 | |
| | | 111-5030 (72619) | | | | | | | | | | | | | |
| PAHZZ | 6210-578-6587 | LAMPHOLDER XDS23..... | | EA | REF | | | | * | * | * | | | 2-4 | |
| | | 111-5030 (72619) | | | | | | | | | | | | | |
| PADZZ | 6210-842-1680 | LENS, INDICATOR, LIGHT DS23 COLOR-GREEN | | EA | 1 | | | | * | * | * | | 5 | 2-4 | DS23 |
| | | 101-932 (72619) | | | | | | | | | | | | | |
| PAOZZ | 6210-978-1138 | LENS, INDICATOR, LIGHT DS21 COLOR- | | EA | 2 | | | | * | * | * | | 5 | 2-4 | DS21 |
| | | ORANGE | | | | | | | | | | | | | |
| | | 101-933 (72619) | | | | | | | | | | | | | |
| PAOZZ | 6210-978-1138 | LENS, INDICATOR, LIGHT DS22 COLOR- | | EA | REF | | | | * | * | * | | | 2-4 | DS22 |
| | | ORANGE | | | | | | | | | | | | | |
| | | 101-933 (72619) | | | | | | | | | | | | | |
| PAOZZ | 6217-842-1679 | LENS, INDICATOR, LIGHT DS1 COLOR-RED | | EA | 20 | | | | * | * | * | | 5 | 2-4 | DS1 |
| | | 101-931 (72619) | | | | | | | | | | | | | |
| PAOZZ | 6213-842-1679 | LENS, INDICATOR, LIGHT DS2 COLOR-RED | | EA | REF | | | | * | * | * | | | 2-4 | DS2 |
| | | 101-931 (72619) | | | | | | | | | | | | | |
| PAOZZ | 6210-842-1679 | LENS, INDICATOR, LIGHT DS3 COLOR-RED | | EA | REF | | | | * | * | * | | | 2-4 | DS3 |
| | | 101-931 (72619) | | | | | | | | | | | | | |
| PAOZZ | 6210-842-1679 | LENS, INDICATOR, LIGHT DS4 COLOR-RED | | EA | REF | | | | * | * | * | | | 2-4 | DS4 |
| | | 101-931 (72619) | | | | | | | | | | | | | |
| PAOZZ | 6210-842-1679 | LENS9 INDICATOR, LIGHT DS5 COLOR-RED | | EA | REF | | | | * | * | * | | | 2-4 | DS5 |
| | | 101-931 (72619) | | | | | | | | | | | | | |
| PAOZZ | 6210-842-1679 | LENS, INDICATOR, LIGHT DS6 COLOR-RED | | EA | REF | | | | * | * | * | | | 2-4 | DS6 |
| | | 101-931 (72619) | | | | | | | | | | | | | |
| PAOZZ | 6210-842-1679 | LENS, INDICATOR, LIGHT DS7 COLOR-RED | | EA | REF | | | | * | * | * | | | 2-4 | DS7 |
| | | 101-931 (72619) | | | | | | | | | | | | | |
| PAOZZ | 6210-842-1679 | LENS, INDICATOR, LIGHT DS8 COLOR-RED | | EA | REF | | | | * | * | * | | | 2-4 | DS8 |
| | | 101-931 (72619) | | | | | | | | | | | | | |
| PAOZZ | 6210-842-1679 | LENS, INDICATOR, LIGHT DS9 COLOR-RED | | EA | REF | | | | * | * | * | | | 2-4 | DS9 |
| | | 101-931 (72619) | | | | | | | | | | | | | |

SECTION II

TM 11-6625-583-40P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE | | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAY DS MAINT ALLOWANCE | | | (7) 30DAY GS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGCTY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | |
|--------------------|-----------------------------------|--|--|---------------------------|---------------------------------|-------------------------------------|-------|--------|------------------------------------|-------|--------|---|--|----------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | | FIGURE NO. | ITEM NO/ |
| PAOZZ | 6210-842-1679 | LENS, INDICATOR, LIGHT DS10 COLOR-RED | | EA | REF | | | | * | * | * | | | 2-4 | DS10 |
| | | 101-931 (72619) | | | | | | | | | | | | | |
| PAOZZ | 6210-842-1679 | LENS, INDICATOR, LIGHT DS11 COLOR-RED | | EA | REF | | | | * | * | * | | | 2-4 | DS11 |
| | | 101-931 (72619) | | | | | | | | | | | | | |
| PAOZZ | 6210-842-1679 | LENS, INDICATOR, LIGHT DS12 COLOR-RED | | EA | REF | | | | * | * | * | | | 2-4 | DS12 |
| | | 101-931 (72619) | | | | | | | | | | | | | |
| PAOZZ | 6210-842-1679 | LENS, INDICATOR, LIGHT DS13 COLOR-RED | | EA | REF | | | | * | * | * | | | 2-4 | DS13 |
| | | 101-931 (72619) | | | | | | | | | | | | | |
| PAOZZ | 6210-842-1679 | LENS, INDICATOR, LIGHT DS14 COLOR-RED | | EA | REF | | | | * | * | * | | | 2-4 | DS14 |
| | | 101-931 (72619) | | | | | | | | | | | | | |
| PAOZZ | 6210-842-1679 | LENS, INDICATOR, LIGHT DS15 COLOR-RED | | EA | REF | | | | * | * | * | | | 2-4 | DS15 |
| | | 101-931 (72619) | | | | | | | | | | | | | |
| PAOZZ | 6210-842-1679 | LENS, INDICATOR, LIGHT DS16 COLOR-RED | | EA | REF | | | | * | * | * | | | 2-4 | DS16 |
| | | 101-931 (72619) | | | | | | | | | | | | | |
| PAOZZ | 6210-842-1679 | LENS, INDICATOR, LIGHT DS17 COLOR-RED | | EA | REF | | | | * | * | * | | | 2-4 | DS17 |
| | | 101-931 (72619) | | | | | | | | | | | | | |
| PAOZZ | 6210-842-1679 | LENS, INDICATOR, LIGHT DS18 COLOR-RED | | EA | REF | | | | * | * | * | | | 2-4 | DS18 |
| | | 101-931 (72619) | | | | | | | | | | | | | |
| PAOZZ | 6210-842-1679 | LENS, INDICATOR, LIGHT DS19 COLOR-RED | | EA | REF | | | | * | * | * | | | 2-4 | DS19 |
| | | 101-931 (72619) | | | | | | | | | | | | | |
| PAOZZ | 6210-842-1679 | LENS, INDICATOR, LIGHT DS20 COLOR-RED | | EA | REF | | | | * | * | * | | | 2-4 | DS20 |
| | | 101-931 (72619) | | | | | | | | | | | | | |
| PAHZZ | 6625-759-2845 | METER M1 | | EA | 1 | | | | * | * | * | | 3 | 2-4 | M1 |
| | | 29-004-2 (82050) | | | | | | | | | | | | | |
| PAHZZ | 5945-761-2038 | RELAY K1 | | EA | 2 | | | | * | * | * | | 3 | 2-3 | K1 |
| | | BR8S600B21 (09026) | | | | | | | | | | | | | |
| PAHZZ | 5945-761-2038 | RELAY K2 | | EA | REF | | | | * | * | * | | | 2-3 | K2 |
| | | BR8S600B21 (09026) | | | | | | | | | | | | | |
| PAHZZ | 5905-279-1878 | RESISTOR, FIXED, COMPOSITION R3 | | EA | 1 | | | | * | * | * | | 3 | 2-3 | R3 |
| | | RC20GF243J (81349) | | | | | | | | | | | | | |
| XDHZZ | | RESISTOR, FIXED, COMPOSITION R5 | | EA | 1 | | | | * | * | * | | | 2-3 | R5 |
| | | RC20GF563J (81349) | | | | | | | | | | | | | |
| XDHZZ | | RESISTOR, FIXED, COMPOSITION R6 | | EA | 1 | | | | * | * | * | | | 2-3 | R6 |
| | | RN65R6003F (81349) | | | | | | | | | | | | | |
| XIXHZZ | | RESISTOR, FIXED, COMPOSITION R7 | | EA | 1 | | | | * | * | * | | * | 2-3 | R7 |
| | | 3067S1-103 (80294) | | | | | | | | | | | | | |
| PAHZZ | 5905-764-4896 | RESISTOR, VARIABLE R1 | | EA | 2 | | | | * | * | * | | 3 | 2-3 | R1 |
| | | 3067S1-103 (80294) | | | | | | | | | | | | | |
| PAHZZ | 5905-764-4896 | RESISTOR, VARIABLE R2 | | EA | REF | | | | * | * | * | | | 2-3 | R2 |
| | | 3067S1-103 (80294) | | | | | | | | | | | | | |
| PAHZZ | 5905-766-0769 | RESISTOR, VARIABLE R10 | | EA | 4 | | | | * | * | * | | 3 | 2-4 | R10 |
| | | 3068S1-203 (80294) | | | | | | | | | | | | | |
| PAHZZ | 5905-766-0769 | RESISTOR, VARIABLE R11 | | EA | REF | | | | * | * | * | | | 2-4 | R11 |
| | | 3068S1-203 (80294) | | | | | | | | | | | | | |
| PAHZZ | 5905-766-0769 | RESISTOR, VARIABLE R12 | | EA | REF | | | | * | * | * | | | 2-4 | R12 |
| | | 3068S1-203 (80294) | | | | | | | | | | | | | |
| PAHZZ | 5905-766-0769 | RESISTOR, VARIABLE R13 | | EA | REF | | | | * | * | * | | | 2-4 | R13 |
| | | 3068S1-203 (80294) | | | | | | | | | | | | | |
| PAHZZ | 5905-539-1559 | RESISTOR, VARIABLE R8 | | EA | 2 | | | | * | * | * | | 3 | 2-4 | R8 |
| | | RV4NAYSD253A (01121) | | | | | | | | | | | | | |
| PAHZZ | 5905-539-1559 | RESISTOR, VARIABLE R9 | | EA | REF | | | | * | * | * | | 2-4 | R9 | |
| | | RV4NAYSD253A (01121) | | | | | | | | | | | | | |

SECTION II

TM 11-6625-583-40P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE | | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAY DS MAINT ALLOWANCE | | | (7) 30DAY GS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | |
|--------------------|-----------------------------------|--|----|---------------------------|---------------------------------|-------------------------------------|-------|--------|------------------------------------|-------|--------|--|--|----------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | | FIGURE NO. | ITEM NO/ |
| PAHZZ | 5905-889-0490 | RESISTOR, VARIABLE R4 | EA | 1 | | | | * | * | * | | 3 | 2-3 | R4 | |
| PAHZZ | 5961-842-9864 | SC1411 (27965) SEMICONDUCTOR CR1 | EA | 20 | | | | * | * | * | | 3 | 2-4 | CR1 | |
| PAHZZ | 5961-842-9864 | IN914 (03877) SEMICONDUCTOR CR2 | EA | REF | | | | * | * | * | | | 2-4 | CR2 | |
| PAHZZ | 5961-842-9864 | IN914 (03877) SEMICONDUCTOR CR3 | EA | REF | | | | * | * | * | | | 2-4 | CR3 | |
| PAHZZ | 5961-842-9864 | IN914 (03877) SEMICONDUCTOR CR4 | EA | REF | | | | * | * | * | | | 2-4 | CR4 | |
| PAHZZ | 5961-842-9864 | IN914 (03877) SEMICONDUCTOR CR5 | EA | REF | | | | * | * | * | | | 2-4 | CR5 | |
| PAHZZ | 5961-842-9864 | IN914 (03877) SEMICONDUCTOR CR6 | EA | REF | | | | * | * | * | | | 2-4 | CR6 | |
| PAHZZ | 5961-842-9864 | IN914 (03877) SEMICONDUCTOR CR7 | EA | REF | | | | * | * | * | | | 2-4 | CR7 | |
| PAHZZ | 5961-842-9864 | IN914 (03877) SEMICONDUCTOR CR8 | EA | REF | | | | * | * | * | | | 2-4 | CR8 | |
| PAHZZ | 5961-842-9864 | IN914 (03877) SEMICONDUCTOR CR9 | EA | REF | | | | * | * | * | | | 2-4 | CR9 | |
| PAHZZ | 5961-842-9864 | IN914 (03877) SEMICONDUCTOR CR10 | EA | REF | | | | * | * | * | | | 2-4 | CR10 | |
| PAHZZ | 5961-842-9864 | IN914 (03877) SEMICONDUCTOR CR11 | EA | REF | | | | * | * | * | | | 2-4 | CR11 | |
| PAHZZ | 5961-842-9864 | IN914 (03877) SEMICONDUCTOR CR12 | EA | REF | | | | * | * | * | | | 2-4 | CR12 | |
| PAHZZ | 5961-842-9864 | IN914 (03877) SEMICONDUCTOR CR13 | EA | REF | | | | * | * | * | | | 2-4 | CR13 | |
| PAHZZ | 5961-842-9864 | IN914 (03877) SEMICONDUCTOR CR14 | EA | REF | | | | * | * | * | | | 2-4 | CR14 | |
| PAHZZ | 5961-842-9864 | IN914 (03877) SEMICONDUCTOR CR15 | EA | REF | | | | * | * | * | | | 2-4 | CR15 | |
| PAHZZ | 5961-842-9864 | IN914 (03877) SEMICONDUCTOR CR16 | EA | REF | | | | * | * | * | | | 2-4 | CR16 | |
| PAHZZ | 5961-842-9864 | IN914 (03877) SEMICONDUCTOR CR17 | EA | REF | | | | * | * | * | | | 2-4 | CR17 | |
| PAHZZ | 5961-842-9864 | IN914 (03877) SEMICONDUCTOR CR18 | EA | REF | | | | * | * | * | | | 2-4 | CR18 | |
| PAHZZ | 5961-842-9864 | IN914 (03877) SEMICONDUCTOR CR19 | EA | REF | | | | * | * | * | | | 2-4 | CR19 | |
| PAHZZ | 5961-842-9864 | IN914 (03877) SEMICONDUCTOR CR20 | EA | REF | | | | * | * | * | | | 2-4 | CR20 | |
| XDHZZ | | IN914 (03877) SEMICONDUCTOR CR21 | EA | 1 | | | | * | * | * | | | 2-3 | CR21 | |
| PAOZZ | 5325-954-9197 | IN2985 (289f9) STUD, FASTNER NO-REF-DESIG | EA | 4 | | | | * | * | * | | 2 | | | |
| PAHZZ | 5930-055-3271 | 1SS1-LAC (71286) SWITCH ROTARY S4A8 | EA | 1 | | | | * | * | * | | 5 | 2-4 | | |
| PAHZZ | 5930-615-9376 | PA4003 (711590) SWITCH, TOGGLE S1 | EA | 1 | | | | * | * | * | | 5 | 2-4 | S1 | |
| PAHZZ | 5930-655-1513 | S23TYPEST52P (81350) SWITCH, TOGGLE S2 | EA | 2 | | | | * | * | * | | 5 | 2-4 | S2 | |
| | | S23TYPEST42E (81350) | | | | | | | | | | | | | |

SECTION II

TM 11-6625-583-40P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE | | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAY DS MAINT ALLOWANCE | | | (7) 30DAY GS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGCTY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | |
|--------------------|-----------------------------------|--|--|---------------------------|---------------------------------|-------------------------------------|-------|--------|------------------------------------|-------|--------|---|--|----------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | | FIGURE NO. | ITEM NO/ |
| PAHZZ | 5930-655-1513 | SWITCH, TOGGLE S6..... | | EA | REF | | | | * | * | * | | | 2-4 | S6 |
| PAHZZ | 5930-655-1575 | S23TYPEST42E (81350) SWITCH, TOGGLE S3..... | | EA | 1 | | | | * | * | * | | 5 | 2-4 | S3 |
| PAHZZ | 5930-655-1515 | S23TYPEST52K (81350) SWITCH, TOGGLE S5..... S23TYPEST42D (813501) GROUP 003 TEST SET, RECEIVERT RADIO TS-2077/ARM-71 | | EA | 1 | | | | * | * | * | | 5 | 5-7 | S5 |
| PAHZZ | 6625-759-2846 | OSILITATOR ASSEMBLY Y1 1KC | | EA | 1 | | | | * | * | * | | 3 | 2-2 | Y1 |
| XDHZZ | | 702009 (820501) CAPACITOR, FIXED, CERAMIC Y1C3 | | EA | 1 | | | | * | * | * | | | 2-2 | Y1C3 |
| PAHZZ | 5910-764-8155 | 150D225X0020A2 (56289) CAPACITOR, FIXED, CERAMIC Y1C1 | | EA | 2 | | | | * | * | * | | 3 | 2-2 | Y1C1 |
| PAHZZ | 5910-764-8195 | 155P10492 (562891) CAPACITOR, FIXED, CERAMIC Y1C2 | | EA | REF | | | | * | * | * | | | 2-2 | Y1C2 |
| XDHZZ | | 155P10492 (562891) RESISTOR, VARIABLE Y1R12 | | EA | 1 | | | | * | * | * | | | 2-2 | |
| PAHZZ | 5905-279-3503 | 35840 (71450) RESISTOR, FIXED, COMPOSITION Y1R11 | | EA | 2 | | | | * | * | * | | 3 | 2-2 | |
| PAHZZ | 5905-279-3503 | RC20GF682J (81349) RESISTOR, FIXED, COMPOSITION Y1R13 | | EA | REF | | | | * | * | * | | | 2-2 | |
| PAHZZ | 5905-195-6806 | RC20GF682J (81349) RESISTOR, FIXED, COMPOSITION Y1R10 | | EA | 3 | | | | * | * | * | | 3 | 2-2 | |
| PAHZZ | 5905-195-6806 | RC20GF102J (813491) RESISTOR, FIXED, COMPOSITION Y1R14 | | EA | REF | | | | * | * | * | | | 2-2 | |
| PAHZZ | 5905-195-6806 | RC20GF102J (813491) RESISTOR, FIXED, COMPOSITION Y1R15 | | EA | REF | | | | * | * | * | | | 2-2 | |
| XDHZZ | | RC20GF102J 1813491 TRANSISTOR Y1Q1 | | EA | 3 | | | | * | * | * | | | 2-2 | Y1Q1 |
| XDHZZ | | 2N1302 (03508) TRANSISTOR Y1Q2 | | EA | REF | | | | * | * | * | | | 2-2 | Y1Q2 |
| XDHZZ | | 2N1302 (03508) TRANSISTOR Y1Q3 | | EA | REF | | | | * | * | * | | | 2-2 | Y1Q3 |
| PAHZZ | 5950-034-6264 | 2N1302 (035081) TRANSFORMER Y1T1 | | EA | 1 | | | | * | * | * | | 3 | 2-2 | Y1T1 |
| PAHZZ | 6625-759-2850 | 21852 (82050) OSCILLATOR ASSEMBLY Y2 332 MC | | EA | 1 | | | | * | * | * | | 3 | 2-3 | Y2 |
| PAHZZ | 6625-759-2849 | 702-013 (82050) OSCILLATOR ASSEMBLY Y3 75 MC | | EA | 1 | | | | * | * | * | | 3 | 2-3 | Y3 |
| PDHFD | 6625-965-1340 | 702-010-1 (820501) TEST SET, RECEIVER, RADIO TS-2077/ARM-T1 | | EA | 1 | | | | * | * | * | | 3 | 2-1 | |
| XDHZZ | | NO-REF-DESIG 702-028 (820501) CIRCUIT BREAKER CB1 | | EA | 1 | | | | * | * | * | | | 2-1 | CB1 |
| PAHZZ | 5935-783-5402 | C50A102 (815411) CONNECTOR J1 | | EA | 1 | | | | * | * | * | | 3 | 2-1 | J1 |
| PAHZZ | 5935-817-3325 | PT02SE1626P (77820) CONNECTOR J2 | | EA | 1 | | | | * | * | * | | 3 | 2-1 | J2 |
| PAHZZ | 5935-965-9864 | MS3102EIOSL3P (969061) JACK, TELEPHONE J3 | | EA | 1 | | | | * | * | * | | 3 | 2-1 | J3 |
| PAOZZ | 5355-680-1357 | 11 (823891) KNOB NO-REF-DESIG | | EA | 2 | | | | * | * | * | | 3 | | |
| | | MS91528-IF28 (96906) | | | | | | | | | | | | | |

SECTION II

TM 11-6625-583-40P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE | | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAY DS MAINT ALLOWANCE | | | (7) 30DAY GS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGCV | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | |
|--------------------|-----------------------------------|--|--|---------------------------|---------------------------------|-------------------------------------|-------|--------|------------------------------------|-------|--------|--|--|----------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | | FIGURE NO. | ITEM NO/ |
| PAOZZ | 5355-543-0789 | KNOB NO-REF-DESIG | | EA | 2 | | | | * | * | * | | 3 | | |
| PAOZZ | 6240-155-7836 | MS91528-IN2B (96906) LAMP, INCANDESCENT DS1 T-1-3/4 BULB | | EA | 1 | | | | * | * | * | | 50 | 2-1 | DS1 |
| PAOZZ | 6240-155-8714 | MS25237-327 (96906) LAMP, INCANDESCENT DS2 | | EA | 1 | | | | * | * | * | | 50 | 2-1 | DS2 |
| PAHZZ | 6210-578-6587 | MS25231-313 (96906) LAMPHOLDER XDS1 | | EA | 1 | | | | * | * | * | | 5 | 2-1 | XDS1 |
| XDOZZ | | 101-5030-9 (72619) LENS, INDICATOR LIGHT DS1 | | EA | 1 | | | | * | * | * | | | 2-1 | DS1 |
| PAHZZ | 6625-759-2842 | 101-933 (72619) METER M1 | | EA | 1 | | | | * | * | * | | 3 | 2-1 | M1 |
| PAHZZ | 6625-585-5288 | 29002-1 (82050) METER M2 | | EA | 1 | | | | * | * | * | | 3 | 2-1 | M2 |
| PAHZZ | 6625-759-2843 | 29-002-2 (82050) METER M3 | | EA | 1 | | | | * | * | * | | 3 | 2-1 | M3 |
| PAHZZ | 6625-759-2844 | 29003-1 (820501) METER M4 | | EA | 1 | | | | * | * | * | | 3 | 2-1 | M4 |
| PAHZZ | 5905-850-4186 | 29-004-1 (82050) RESISTOR, FIXED, COMPOSITION R1 | | EA | 1 | | | | * | * | * | | 3 | 2-1 | R1 |
| XDHZZ | | RN65BI37OF (81349) RESISTOR, FIXED, COMPOSITION R2 | | EA | 1 | | | | * | * | * | | | 2-1 | R2 |
| PAHZZ | 5905-087-5885 | RN6582740F (81349) RESISTOR, FIXED, COMPOSITION R3 | | EA | 1 | | | | * | * | * | | 3 | 2-1 | R3 |
| XDHZZ | | RN65DT320F (81349) RESISTOR, FIXED, COMPOSITION R4 | | EA | 4 | | | | * | * | * | | | 2-1 | R4 |
| XDHZZ | | RN65B1001F (81349) RESISTOR, FIXED, COMPOSITION R5 | | EA | REF | | | | * | * | * | | | 2-1 | R5 |
| XDHZZ | | RN65B1001F (81349) RESISTOR, FIXED, COMPCSION R9 | | EA | REF | | | | * | * | * | | | 2-1 | R9 |
| XDHZZ | | RN6581001F (81349) RESISTOR, FIXED, COMPCSION R10 | | EA | REF | | | | * | * | * | | | 2-1 | R10 |
| PAHZZ | 5905-687-0364 | RN65B10F (81349) RESISTOR, FIXED, COMPOSITION R6 | | EA | 1 | | | | * | * | * | | 3 | 2-1 | R6 |
| PAHZZ | 5905-615-7731 | RN65B2150F (81349) RESISTOR, FIXED, COMPOSITION R7 | | EA | 1 | | | | * | * | * | | 3 | 2-1 | R1 |
| PAHZZ | 5905-989-5587 | RN65B4320F (81349) RESISTOR, FIXED, COMPOSITION R8 | | EA | 1 | | | | * | * | * | | 3 | 2-1 | R8 |
| XDHZZ | | MILR10509 (81349) RESISTOR, FIXED, COMPOSITION R11 | | EA | 1 | | | | * | * | * | | | 2-1 | R11 |
| PAHZZ | 5905-171-1975 | RC20GF151J (81349) RESISTOR, FIXED, COMPOSITION R12 | | EA | 1 | | | | * | * | * | | 3 | 2-1 | R12 |
| PAHZZ | 5905-279-3517 | RC42GF151J (81349) RESISTOR, FIXED, COMPOSITION R13 | | EA | 1 | | | | * | * | * | | 3 | 2-1 | R13 |
| PAHZZ | 5933-755-5395 | RC20GF510J (81349) SWITCH, ROTARY S1 | | EA | 1 | | | | * | * | * | | 5 | 2-1 | S1 |
| PAHZZ | 5930-655-1515 | PA2009 (71590) SWITCH, TOGGLE S2 | | EA | 2 | | | | * | * | * | | 5 | 2-1 | S2 |
| PAHZZ | 5930-655-1515 | S23TYPEST42D (81350) SWITCH, TOGGLE S3 | | EA | REF | | | | * | * | * | | | 2-1 | S3 |
| XDHZZ | | S23TYPEST42D (81350) SWITCH, TOGGLE S4 | | EA | 1 | | | | * | * | * | | | 2-1 | S4 |
| | | S23TYPEST42A (81350) | | | | | | | | | | | | | |

**INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER**

| STOCK NUMBER | FIG. | ITEM | STOCK NUMBER | FIG. | ITEM |
|---------------|------|------|---------------|------|------|
| 5325-954-9197 | | | 5961-842-9864 | 2-4 | CR4 |
| 5355-543-0789 | | | 5961-842-9864 | 2-4 | CR5 |
| 5355-680-1357 | | | 5961-842-9864 | 2-4 | CR6 |
| | | | 5961-842-9864 | 2-4 | CR7 |
| 5005-087-5885 | 2-1 | R3 | 5961-842-9864 | 2-4 | CR8 |
| 5905-171-1975 | 2-1 | R12 | 5961-842-9864 | 2-4 | CR9 |
| | | | 5961-842-9864 | 2-4 | CR10 |
| 5935-195-6806 | 2-2 | | 5961-842-9864 | 2-4 | CR11 |
| 5905-279-1878 | 2-3 | R3 | 5961-842-9864 | 2-4 | CR12 |
| 5905-279-3503 | 2-2 | | 5961-842-9864 | 2-4 | CR13 |
| 5905-279-3517 | 2-1 | R13 | 5961-842-9864 | 2-4 | CR14 |
| | | | 5961-842-9864 | 2-4 | CR15 |
| 5905-539-1559 | 2-4 | R8 | 5961-842-9864 | 2-4 | CR16 |
| 5905-539-1559 | 2-4 | R9 | 5961-842-9864 | 2-4 | CR17 |
| | | | 5961-842-9864 | 2-4 | CR18 |
| | | | 5961-842-9864 | 2-4 | CR19 |
| | | | 5961-842-9864 | 2-4 | CR20 |
| 5975-281-0024 | | | | | |
| 5905-615-7731 | 2-1 | R7 | 5975-814-6844 | | |
| 5999-204-8350 | | | | | |
| 5905-687-0164 | 2-1 | R6 | | | |
| 5905-764-4896 | 2-3 | R1 | 6145-542-6092 | | |
| 5905-764-4896 | 2-3 | R2 | | 2-4 | |
| 5905-766-0769 | 2-4 | R10 | 6210-578-6587 | 2-4 | XDS1 |
| 5905-766-0769 | 2-4 | R11 | 6210-578-6587 | 2-4 | XDS2 |
| 5905-766-0769 | 2-4 | R12 | 6210-578-6587 | 2-4 | XDS3 |
| 5905-766-0769 | 2-4 | R13 | 6210-578-6587 | 2-4 | XDS4 |
| | | | 6210-578-6587 | 2-4 | XDS5 |
| | | | 6210-578-6587 | 2-4 | XDS6 |
| 5905-850-4186 | 2-1 | R1 | 6213-578-6587 | 2-4 | XDS7 |
| 5905-889-0490 | 2-3 | R4 | 6210-578-6587 | 2-4 | XDS8 |
| 5905-989-5587 | 2-1 | R8 | 6210-578-6587 | 2-4 | XDS9 |
| 5910-764-8195 | 2-2 | Y1C1 | | | |
| 5910-764-8195 | 2-2 | Y1C2 | 6210-842-1679 | 2-4 | DS1 |
| | | | 6210-842-1679 | 2-4 | DS2 |
| | | | 6210-842-1679 | 2-4 | DS3 |
| 5930-055-3271 | 2-4 | | 6210-842-1679 | 2-4 | DS4 |
| 5930-615-9376 | 2-4 | S1 | 6210-842-1679 | 2-4 | DS5 |
| 5930-655-1513 | 2-4 | S2 | 6210-842-1679 | 2-4 | DS6 |
| 5930-655-1513 | 2-4 | S6 | 6210-842-1679 | 2-4 | DS7 |
| 5930-655-1515 | 2-1 | S2 | 6210-842-1679 | 2-4 | DS8 |
| 5930-655-1515 | 2-1 | S3 | 6210-842-1679 | 2-4 | DS9 |
| 5930-655-1515 | 5-7 | S5 | 6210-842-1679 | 2-4 | DS10 |
| | | | 6210-842-1679 | 2-4 | DS11 |
| 5930-655-1575 | 2-4 | S3 | 6210-842-1679 | 2-4 | DS12 |
| 5930-755-5395 | 2-1 | S1 | 6210-842-1679 | 2-4 | DS13 |
| 5935-149-4066 | 5-4 | J5 | 6210-842-1679 | 2-4 | DS14 |
| 5935-149-4066 | 5-4 | J6 | 6210-842-1679 | 2-4 | DS15 |
| 5935-225-9300 | | | 6210-842-1679 | 2-4 | DS16 |
| 5935-539-2650 | | | 6210-842-1679 | 2-4 | DS17 |
| 5935-590-6997 | | | 6210-842-1679 | 2-4 | DS18 |
| | | | 6211-842-1679 | 2-4 | DS19 |
| | | | 6210-842-1679 | 2-4 | DS20 |
| | | | 6210-842-1680 | 2-4 | DS23 |
| | | | 6210-978-1138 | 2-4 | DS21 |
| | | | 6210-978-1138 | 2-4 | DS22 |
| | | | 6240-155-7836 | 2-4 | DS1 |
| 5935-783-5402 | 2-1 | J1 | 6240-155-7836 | 2-4 | DS2 |
| 5935-783-5402 | 2-4 | J4 | 6240-155-7836 | 2-4 | DS3 |
| | | | 6240-155-7836 | 2-4 | DS4 |
| 5935-817-3325 | 2-1 | J2 | 6240-155-7836 | 2-4 | DS5 |
| 5935-823-0487 | | | 6240-155-7836 | 2-4 | DS6 |
| 5935-880-5441 | | | 6240-155-7836 | 2-4 | DS7 |
| | | | 6240-155-7836 | 2-4 | DS8 |
| 5935-961-3772 | | | 6240-155-7836 | 2-4 | DS9 |
| 5935-965-9864 | 2-1 | J3 | 6240-155-7836 | 2-4 | DS10 |
| 5940-552-4878 | | | 6240-155-7836 | 2-4 | DS11 |
| 5945-761-2038 | 2-3 | K1 | 6240-155-7836 | 2-4 | DS12 |
| 5945-761-2038 | 2-3 | K2 | 6240-155-7836 | 2-4 | DS13 |
| 5950-034-6264 | 2-2 | Y1T1 | 6240-155-7836 | 2-4 | DS14 |
| | | | 6240-155-7836 | 2-4 | DS15 |
| | | | 6240-155-7836 | 2-4 | DS16 |
| | | | 6240-155-7836 | 2-4 | DS17 |
| | | | 6240-155-7836 | 2-4 | DS18 |
| 5961-842-9864 | 2-4 | CR1 | 6240-155-7836 | 2-4 | DS19 |
| 5961-842-9864 | 2-4 | CR2 | 6240-155-7836 | 2-4 | DS20 |
| 5961-842-9864 | 2-4 | CR3 | 6240-155-7836 | 2-4 | DS20 |

INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

| STOCK NUMBER | FIG. | ITEM | STOCK NUMBER | FIG. | ITEM |
|---------------|------|------|---------------|------|------|
| 6240-155-7836 | 2-4 | DS22 | 6625-759-2846 | 2-2 | Y1 |
| 6240-155-7836 | 2-4 | DS23 | 6625-759-2847 | 2-4 | DC1 |
| 6240-155-8714 | 2-1 | DS | 6625-759-2848 | 2-4 | DC2 |
| 6675-073-9357 | 2-4 | | 6625-759-2849 | 2-3 | Y3 |
| 6625-585-5288 | 2-1 | M2 | 6625-759-2850 | 2-3 | Y2 |
| 6625-759-2842 | 2-1 | M1 | 6625-965-1340 | 2-1 | |
| 6625-759-2843 | 2-1 | M3 | 6625-965-1342 | | |
| 6625-759-2844 | 2-1 | M4 | 6625-985-7862 | | |
| 6625-759-2845 | 2-4 | M1 | | | |

By Order of the Secretary of the Army:

FRED C. WEYAND
General, United States Army
Chief of Staff

Official:

VERNE L. BOWERS
Major General, United States Army
The Adjutant General

Distribution:

To be distributed in accordance with DA Form 12-36A, (qty rqr block no. 789) Direct General Support literature requirements for AN/ARM-71.

U.S. GOVERNMENT PRINTING OFFICE: 1974-665136/354
826-975

PIN: 017340-000

This fine document...

Was brought to you by me:



[Liberated Manuals -- free army and government manuals](#)

Why do I do it? I am tired of sleazy CD-ROM sellers, who take publicly available information, slap “watermarks” and other junk on it, and sell it. Those masters of search engine manipulation make sure that their sites that sell free information, come up first in search engines. They did not create it... They did not even scan it... Why should they get your money? Why are not letting you give those free manuals to your friends?

I am setting this document FREE. This document was made by the US Government and is NOT protected by Copyright. Feel free to share, republish, sell and so on.

I am not asking you for donations, fees or handouts. If you can, please provide a link to liberatedmanuals.com, so that free manuals come up first in search engines:

<A HREF=<http://www.liberatedmanuals.com/>>Free Military and Government Manuals

- Sincerely
Igor Chudov
<http://igor.chudov.com/>
- [Chicago Machinery Movers](#)