HAND RECEIPT

COVERING CONTENTS OF COMPONENTS OF END ITEM (COEI), BASIC ISSUE ITEMS (BII), AND ADDITIONAL AUTHORIZATION LIST (AAL)

FOR

AIR CONDITIONER, VERTICAL COMPACT

18,000 BTU/HR, 208 VOLT, 3 PHASE, 50/60 HZ

MODEL 18KV-208-3-60

NSN 4120-01-089-4053

HEADQUARTERS, DEPARTMENT OF THE ARMY

12 AUGUST 1981

Hand Receipt

TM 5-4120-356-14-HR

HEADQUARTERS DEPARTMENT OF THE ARMY WASHINGTON, D. C., 12 August 1981

HAND RECEIPT
COVERING CONTENTS OF
COMPONENTS OF END ITEM (COEI), BASIC ISSUE ITEMS (BII),
AND ADDITIONAL AUTHORIZATION LIST ITEMS (AAL)
FOR
AIR CONDITIONER, VERTICAL COMPACT
18,000 BTU/HR, 208 VOLT 3-PHASE, 50/60 HZ
MODEL 18 KV-208-3-60
NSN 4120-08-089-4053

REPORTING ERRORS AND RECOMMENDING IMPROVEMENTS

You can help improve this manual. If you find any mistakes or if you know of a way to improve the procedures, please let us know. Mail your letter, DA Form 2028 (Recommended Changes to Publications and Blank Forms), or DA Form 2028-2, located in the back of this manual, direct to: Commander, US Army Troop Support and Aviation Materiel Readiness Command, ATTN: DRSTS-MPSD, 4300 Goodfellow Blvd., St. Louis, MO 63120. A reply will be furnished directly to you.

TABLE OF CONTENTS

	Pag	јe
Section I Introduction	1	
II Hand Receipt	3	,

Section I. INTRODUCTION.

1. Scope. This publication provides an overprinted DA Form 2062 (Hand Receipt) which lists the contents of Components of End Item (COEI), Basic Issue Items (BII) and Additional Authorization List (AAL) items related to the Air Conditioner, Vertical Compact, 18,000 BTU/HR, Model 18KV-208-3-60.

2. General.

- a. Section II is the overprinted DA Form 2062 which lists the line item entry for System/End Item and the content of COEI, BII and AAL extracted from TM 5-4120-356-14. The listings consist of exactly the same items and are in the same sequence as those listings in TM 5-4610-356-14.
- **b.** The overprinted DA Form 2062 will eliminate manual preparation of the form and will assist

- organizations in inventorying and accounting for property as required by AR 710-2.
- c. Local reproduction of the overprinted DA Form 2062 is authorized. However, organizations shall comply with local policies in the reproduction of DA Form 2062 by office copying equipment, field printing plant or duplicating plant facilities.
- **d.** Additional copies of this publication may be requisitioned from the US Army AG Publications Center, 2800 Eastern Blvd., Baltimore, MD 21220, in accordance with chapter 3, AR 310-2.
- **3. Explanation of Blocks and Columns (DA Form 2062).** Refer to chapter 2, AR 710-2. Additional information required to complete DA Form 2062 is listed below.

- **a.** Hand receipts shall identify the accounting requirement status of all line item entries via the description column for each item: (i.e., the first entry in the description column) shall be the line item's Expendability (EXP)/Accounting Requirements Code (ARC), in parentheses, in front of the line item name. One of the following codes will apply:
- (N) for Nonexpendable: Items not consumed in

use, retaining their identity during use, and requiring that accountability be maintained throughout the life of the

item.

(D) for Durable: Nonconsumable com-

ponents of sets, kits, outfits, and assemblages; all tools in FSC's 5110, 5120, 5130, 5133, 5136, 5140, 5180, 5210, 5220 and 5280: and any other

nonconsumable with a price in excess of \$50.00 not already "N".

(X) for Expendable:

Items regardless of type classification or price and which are consumed in use. Includes all class 9 repair parts. Items not consumed in use which cost \$50.00 or less and not already "N" or "D".

- **b.** Authorization documents areas follows:
- (1) Components for End Item (COEI) are authorized by the applicable Repair Parts and Special Tools List (RPSTL).
- (2) Basic Issue Items (BII) are authorized by the applicable operator's manual.
- (3) Additional Authorization List (AAL) items are authorized by the appropriate MTOE, TDA, CTA, or JTA authorization documents.

STOCK NO.	ITEM DESCRIPTION	T1	1 C ² BALANCE												
310CK HO.	TIEM DESCRIPTION	(a)	(1)	1	2	3	4	5	6	7	8	9	10	11	1
	ADDITIONAL AUTHORIZATION LIST (AAL)			l	1			ĺ							
	ADDITIONAL AUTHORIZATION LIST (AAL)				 				-						+
	NOT APPLICABLE														
			ļ								-				\vdash
		1													
			İ												
			<u> </u>		ļ	ļ <u>.</u>	<u> </u>						ļ		<u> </u>
			+		 	 		 	 		 				 -
					L						<u> </u>				
			-		 					_					+-
														ĺ	
			1												
			<u> </u>	_			ļ			<u> </u>				<u> </u>	<u> </u>
								İ							
			-	 	\vdash					-	 				十
				<u> </u>		<u> </u>									L
•						İ								1	
			-	 	 		 				-				┼
-															
			 	ļ	ļ	 -	ļ							 	\vdash
								1	İ						
			1	 	+	<u> </u>		<u> </u>							1
			<u> </u>	<u> </u>	_										
			+	 	-	 		-			 		ļ	 	+
						<u> </u>				<u> </u>					
	¹ T — Total allowance for Hand Receipts. (a) — Authorized per item										PAGI				

By Order of the Secretary of the Army:

E. C. MEYER

General, United States Army

Chief of Staff

Official:

ROBERT M. JOYCE Brigadier General, United States Army The Adjutant General

DISTRIBUTION:

To be distributed in accordance with DA Form 12-25C, organizational Maintenance Requirements for Requirements for Environmental Equipment Air Conditioners, 18,000 BTU, Compact.



SOMETHING WRONG WITH THIS PUBLICATION?

THEN. . JOT DOWN THE DOPE ABOUT IT ON THIS FORM, CAREFULLY TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL! FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

PFC JOHN DOE

COA, 34 ENGINEER BN

FT. LEONARDWOOD, MO. 63108

PUBLICATION NUMBER

TM 5-4120-356-14-HR

PUBLICATION DATE
12 Aug 81

PUBLICATION TITLE Air Conditioner, Compact, 18,000 BTU/HR, 208 Volt

DE 51/4				1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
PAGE	CTPIN-P	FIGURE	TABLE	IN THIS SPACE TELL WHAT IS WRONG
NO	GRAPH	NO	NO	AND WHAT SHOULD BE DONE ABOUT IT:
6	2-1			In line 6 g paragraph 2-10 The
				monual states the engine has
				6 Cylenders. The engine on my
	:			set only has 4 Cylinders.
				change the manual to show L
				Cylendero.
				O
BI		4-3		Callant 16 on figure 4-3 is pointing at a bolt. In key
		!		pointing at a bolt. In sey
				to figure 4-3, item 16 is celled
				a shim - Please Correct
				one or the other.
125	le		20	I ordered a gasket, item
/20				19 on figure B-16 by NSN
				200 200 200 200
				2910-05-762-3001. I get a
				gasket but it dress t fit.
				Supply says I got what
				I ordered so the NSN is
				Wrong. Please give me a
PRINTED N	IAME GRADA	ORTITLE	AND TELEPH	
		CHI CICEL.	THE RELEASE	ONE NUMBER SIGN TIERE

DA 1 FORM 2028-2

JOHN DOE, PFC (268) 317.7111

PREVIOUS EDITIONS ARE OBSOLETE.

DRSTS-M Overprint 1, 1 Nov 80

P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS



SOMETHING WRONG WITH THIS PUBLICATION?

THEN...JOT DOWN THE DOPE ABOUT IT ON THIS FORM, CAREFULLY TEAR IT OUT. FOLD IT AND DROP IT IN THE MAIL!

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

DATE SENT

PUBLICATION NUMBER

TM 5-4120-356-14-HR

PUBLICATION DATE
12 Aug 81

PUBLICATION TITLE Air Conditioner,

TM 5-4120-356-14-HR	12 Aug	Compact, 18,000 BTU/HR, 208 Volt
BE EXACT. PIN-POINT WHERE IT IS	IN THIS SPACE TELL	WHAT IS WRONG
PAGE PARA FIGURE TABLE NO GRAPH NO NO	AND WHAT SHOULD	BE DONE ABOUT IT:
NO GRAPH NO NO		
1 1 1		
1		
1		
PRINTED NAME GRADE OR TITLE, AND TELEF	HONE NUMBER	SIGN HERE

OA 1 JUL 79 2028-2

PREVIOUS EDITIONS ARE OBSOLETE. DRSTS-M Overprint 2, 1 Nov 80.

P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS

The Metric System and Equivalents

Linear Measure

1 centimeter = 10 millimeters = .39 inch 1 decimeter = 10 centimeters = 3.94 inches 1 meter = 10 decimeters = 39.37 inches 1 dekameter = 10 meters = 32.8 feet 1 hectometer = 10 dekameters = 328.08 feet 1 kilometer = 10 hectometers = 3.280.8 feet

Weights

1 centigram = 10 milligrams = .15 grain 1 decigram = 10 centigrams = 1.54 grains 1 gram = 10 decigram = .035 ounce 1 dekagram = 10 grams = .35 ounce 1 hectogram = 10 dekagrams = 3.52 ounces 1 kilogram = 10 hectograms = 2.2 pounds 1 quintal = 100 kilograms = 220.46 pounds 1 metric ton = 10 quintals = 1.1 short tons

Liquid Measure

1 centiliter = 10 milliters = .34 fl. ounce 1 deciliter = 10 centiliters = 3.38 fl. ounces 1 liter = 10 deciliters = 33.81 fl. ounces 1 dekaliter = 10 liters = 2.64 gallons 1 hectoliter = 10 dekaliters = 26.42 gallons 1 kiloliter = 10 hectoliters = 264.18 gallons

Square Measure

1 sq. centimeter = 100 sq. millimeters = .155 sq. inch 1 sq. decimeter = 100 sq. centimeters = 15.5 sq. inches 1 sq. meter (centare) = 100 sq. decimeters = 10.76 sq. feet 1 sq. dekameter (are) = 100 sq. meters = 1,076.4 sq. feet 1 sq. hectometer (hectare) = 100 sq. dekameters = 2.47 acres 1 sq. kilometer = 100 sq. hectometers = .386 sq. mile

Cubic Measure

1 cu. centimeter = 1000 cu. millimeters = .06 cu. inch 1 cu. decimeter = 1000 cu. centimeters = 61.02 cu. inches 1 cu. meter = 1000 cu. decimeters = 35.31 cu. feet

Approximate Conversion Factors

To change	To	Multiply by	To change	To	Multiply by
inches	centimeters	2.540	ounce-inches	newton-meters	.007062
feet	meters	.305	centimeters	inches	.394
yards	meters	.914	meters	feet	3.280
miles	kilometers	1.609	meters	yards	1.094
square inches	square centimeters	6.451	kilometers	miles	.621
square feet	square meters	.093	square centimeters	square inches	.155
square yards	square meters	.836	square meters	square feet	10.764
square miles	square kilometers	2.590	square meters	square yards	1.196
acres	square hectometers	.405	square kilometers	square miles	.386
cubic feet	cubic meters	.028	square hectometers	acres	2.471
cubic yards	cubic meters	.765	cubic meters	cubic feet	35.315
fluid ounces	milliliters	29,573	cubic meters	cubic yards	1.308
pints	liters	.473	milliliters	fluid ounces	.034
quarts	liters	.946	liters	pints	2.113
gallons	liters	3.785	liters	quarts	1.057
ounces	grams	28.349	liters	gallons	.264
pounds	kilograms	.454	grams	ounces	.035
short tons	metric tons	.907	kilograms	pounds	2.205
pound-feet	newton-meters	1.365	metric tons	short tons	1.102
pound-inches	mewton-meters	.11375			

Temperature (Exact)

٥F	Fahrenheit	5/9 (after	Celsius	$^{\circ}\mathrm{C}$
	temperature	subtracting 321	temperature	

PIN: 050176-000

This fine document...

Was brought to you by me:



<u>Liberated Manuals -- free army and government manuals</u>

Why do I do it? I am tired of sleazy CD-ROM sellers, who take publicly available information, slap "watermarks" and other junk on it, and sell it. Those masters of search engine manipulation make sure that their sites that sell free information, come up first in search engines. They did not create it... They did not even scan it... Why should they get your money? Why are not letting you give those free manuals to your friends?

I am setting this document FREE. This document was made by the US Government and is NOT protected by Copyright. Feel free to share, republish, sell and so on.

I am not asking you for donations, fees or handouts. If you can, please provide a link to liberatedmanuals.com, so that free manuals come up first in search engines:

Free Military and Government Manuals

- SincerelyIgor Chudovhttp://igor.chudov.com/
- Chicago Machinery Movers