HAND RECEIPT

COVERING CONTENTS OF COMPONENTS OF END ITEM (COEI),

BASIC ISSUE ITEMS (BII), AND ADDITIONAL

AUTHORIZATION LIST (AAL)

FOR

WATER PURIFICATION UNIT, VAN TYPE BODY MOUNTED ELECTRIC MOTOR DRIVEN, AC, DC, 115/208V, SINGLE AND 3 PHASE, 60 HERTZ, 1/20 TO 2HP; 1500 GPH MODEL EMC-1500S

NATI ONAL STOCK NO. 4610-01-037-8746

HEADQUARTERS, DEPARTMENT OF THE ARMY

DECEMBER 1979

HAND RECEIPT

TM 5-4610-218-12-HR

HEADQUARTERS DEPARTMENT OF THE ARMY WASHINGTON, DC, 4 January 1980

HAND RECEIPT COVERING CONTENTS OF COMPONENTS OF END ITEM (COEI), BASIC ISSUE ITEMS (BII), AND ADDITIONAL AUTHORIZATION LIST ITEMS (AAL)

FOR

WATER PURIFICATION UNIT, VAN TYPE BODY MOUNTED ELECTRIC MOTOR DRIVEN, AC, DC, 115/208V, SINGLE AND 3 PHASE, 60 HERTZ, 1/20 TO 2HP: 1500 GPH MODEL EMC-1500S (NSN 4610-01-037-8746)

REPORTING OF ERRORS

You can help improve this manual If you find any mistakes or know of a way to improve the procedures, please let us know. Mail your DA Form 2028 (Recommended Changes to Publications and Blank Forms) direct to US Army Troop Support and Aviation Materiel Readiness Command, ATTN: DRSTS-MTPS, 4300 Goodfellow Boulevard, St. Louis, MO 63120. A reply will be furnished direct to you.

SECTION I INTRODUCTION

1. Scope

This publication provides an overprinted DA Form 2062 (Hand Receipt) which lists the contents of Components of End Item (COEI), Basic Issue Items (B II) and Additional Authorization List (AAL) items related to the Water Purification Unit, 1500 GPH.

2. General

- a. Section 11 is the overprinted DA Form 2062 which lists the line item entry for System/End Item and the content of COEI, B II and AAL extracted from TM 5-4610-218-12. The listings consist of exactly the same items and are in the same sequence as those listings in TM 5-4610-218-12.
- b. The overprinted DA Form 2062 will eliminate manual preparation of the form and will assist

organizations in inventorying and accounting for property as required by AR 710-2.

- c. Local reproduction of the overprinted DA Form 2062 is authorized. However, organizations shall comply with local policies in the reproduction of DA Form 2062 by office coyping equipment, field printing plant or duplicating plant facilities.
- *d.* Additional copies of this publication may be requisitioned from the US Army AG Publications Center, 1655 Woodson Road, St. Louis, M0 63114, in accordance with chapter 3, AR 310-2.

3. Explanation of Blocks and Columns (DA Form 2062).

Refer to chapter 2, AR 710-2. Additional information required to complete DA Form 2062 is listed below.

a. Hand receipts shall identify the accounting

TM 5-4610-218-12-HR

requirement status of all line item entries via the description column for each item: (i.e., the first entry in the description column) shall be the line item's Expendability (EXP)/Accounting Requirements Code (ARC), in parentheses, in front of the line item name. One of the following codes will apply:

(N) for Nonexpendable: Items not consumed in

use, retaining their identity during use, and requiring that accountability be maintained throughout the life of the item.

(D) for Durable:

Nonconsumable components of sets, kits, outfits, and assemblages; all tools in FSC's 5110, 5120, 5130, 5133, 5136, 5140, 5180, 5210, 5220 and 5280: and any other nonconsumable

with a price in excess of \$50.00 not already "N".

(X) for Expendable:

Items regardless of type classification or price and which are consumed in use. Includes all class 9 repair parts. Items not consumed in use which cost \$50.00 or less and not already "N" or "D".

- b. Authorization documents are as follows:
- (1) Components for End Item (COEI) are authorized by the applicable Repair Parts and Special Tools List (RPSTL).
- (2) Basic Issue Items (BII) are authorized by the applicable operator's manual.
- (3) Additional Authorization List (AAL) items are authorized by the appropriate MTOE, TDA, CTA, or JTA authorization documents.

SECTION II HAND RECEIPT

	ודיים מישו		
	HAND RECEIPT/ANNEX NO.	FROM:	то:
For is t	35; the prop ef of Staff		Hand Receipt File No.
		Fill in the following when this form is used as Hand Receipt Annex.	is used as Hand Receipt Annex.
Following last item, st inventory, etc.) produc	Following last item, state in each balance column the type of action (e.g. issue, turn-in, inventory, etc.) producing this balance, date of action, and signature.	CATALOG NO CURR OF ALW TM 5-4610-218-12	cunn of ALW ITEM Water Purification Unit, 1500 GPH
ON XCCTA	ITEM DESCRIPTION	T' C' (a) (t)	BALANCE
		2 3 4 5	6 7 8 9 10 11 12
4610-01-037-8746	WATER PURIFICATION UNIT, 1500 GPH		
	Components of End Item (COEI)		
2320-00-835-8196	(N) CHASSIS, TRUCK: $2-1/2$ TON; 6×6 ,		
,	W/WINCH; TACOM MODEL M45 A2, NO. 87365705.		
	MIL-T-46780		
4610-00-202-8348	(N) WATER PURIFICATION UNIT, VAN TYPE BODY		
	MOUNTED: ELEC MTR DRIVEN, AC/DC, 115/208 V,		
	SINGLE AND 3 PHASE, 60 HZ, 1/20 TO 2 HP;		
	MANUAL CONTROL HYPOCHLORINATOR, 2-1/2 GPH;		
	1 SLURRY AND 1 SOLUTION FEEDER; SLURRY		
	BLANKET SOLIDS CONTACT CLARIFIER; 27.5 SQ FT		
	SEPARATION AREA, 646 GAL VOL; 1 PRESSURE		
	FILTER UNIT, DIATOMACIOUS EARTH, 10 SQ FT		
	AREA; 1,500 GPH		
	7 - Total allowance for Hand Receipts, (at Authorized per item for Hand Receipt Annexes. C - Current operating allowance for Hand Receipts, (1) Total authorized for Hand Receipt Annexes.	t Annezes. J Receipt Annezes.	NO OF PAGES 24

DA FORM 2062

Current as of 4 January 1980

cutteme as of a dameary the

	DECEMBER NAMES NO	FROM:				ļ	TO:	ي					
For is ti	TAND RECEIT AND TANDA TO THE STATE OF THE ST							Hand	Hand Receipt File No.	ot File	No.		
		Fill in	Fill in the following when this form is used as Hand Receipt Annex.	lowing	when 1	this fo	rm is	nsed 8	as Har	nd Re	ceipt ,	Anneo	j
Following last item, st inventory, etc.) produc	Following last item, state in each balance column the type of action (e.g. issue, turn-in, inventory, etc.) producing this balance, date of action, and signature.	CATALOG NO. TM 5-4610	ALOG NO. 5-4610-218-12	18-12	CURE	CURR OF ALW		итем Wa Unit,	ter 1500		Purification GPH	atio	ű
X	ITEM DESCRIPTION	T, (c)			;		BAL,	BALANCE					
			-	2 3	\dashv	En	0	7	6	a	0	=	2
	Basic Issue Items (BII)			-					+	1		_	
4390-00-288-1511	(D) ADAPTER, GREASE GUN COUPLING: HYDRAULIC;												
	FLEXIBLE; 12 IN. LG; 1/8 IN 27 INTERNAL												
	THREAD COUPLING; U/W; LUBRICATION GUN, HAND:												
	NSN 4930-00-253-2478. MIL-L-4387, TYPE IV,												
	CLASS 1, STYLE B												
4730-00-277-6844	(D) ADAPTER, STRAIGHT, PIPE TO HOSE: COPPER												
	ALLOY; PIPE END 1-1/2 IN 11-1/2 NPT,												
	EXTERNAL; HOSE END 1-1/2 IN11-1/2 NPSH,												
	EXTERNAL. MIL-C-52404, TYPE XVI, CLASS C				-							\exists	
4730-00-278-8271	(D) ADAPTER, STRAIGHT, PIPE TO HOSE: COPPER						_						
	ALLOY; PIPE END 1-1/2 IN 11-1/2 NPT					_	_						
	EXTERNAL; HOSE END, 1-1/2 IN 11-1/2 NPSH,												
	INTERNAL MIL-C-52404, TYPE XVI, CLASS B												
													_
	'T - Total allowance for Hand Receipts (a) Authorized per item for Hand Receipt Annexes.	* Anneres.	Innoros						PAG	PAGE NO	AGES	[3
	C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand Receipt Annexes.	d Receipt	Annezes.				I	١	Ž	: 5	Acro	,	3

ALLOY; PIPE EXTERNAL; H INTERNAL; H INTERNAL; H (D) ADAPTER, ALLOY; PIPE EXTERNAL; H (D) BUSHING, OUTSIDE HEX; 1-1/2 IN TYPE II, STY				
ALLOY; PIPE END 1-1/2 IN 11-1/2 NP EXTERNAL; HOSE END, 2 IN 11-1/2 NP INTERNAL; MIL-C-52404, TYPE XVI, CLAS (D) ADAPTER, STRAIGHT, PIPE TO HOSE: ALLOY; PIPE END 1-1/2 IN 11-1/2 NP EXTERNAL; HOSE END, 2 IN 11-1/2 NPS EXTERNAL; MIL-C-52404, TYPE XVI, CLAS (D) BUSHING, PIPE: MALLEABLE IRON; BL OUTSIDE HEX; 2 IN 11-1/2 NPT, EXTER 1-1/2 IN 11-1/2 NPT, INTERNAL. WW- TYPE II, STYLE A				1
EXTERNAL; HOSE END, 2 IN 11-1/2 NJ INTERNAL; HOSE END, 2 IN 11-1/2 NJ INTERNAL, MIL-C-52404, TYPE XVI, CL/ (D) ADAPTER, STRAIGHT, PIPE TO HOSE: ALLOY; PIPE END 1-1/2 IN 11-1/2 NJ EXTERNAL; HOSE END, 2 IN 11-1/2 NF EXTERNAL. MIL-C-52404, TYPE XVI, CLA (D) BUSHING, PIPE: MALLEABLE IRON; B OUTSIDE HEX; 2 IN 11-1/2 NPT, EXTE 1-1/2 IN 11-1/2 NPT, INTERNAL. NW TYPE II, STYLE A				
EXTERNAL; HOSE END, 2 IN 11-1/2 NI INTERNAL; MIL-C-52404, TYPE XVI, CL/ (D) ADAPTER, STRAIGHT, PIPE TO HOSE: ALLOY; PIPE END 1-1/2 IN 11-1/2 NF EXTERNAL; HOSE END, 2 IN 11-1/2 NF EXTERNAL; MIL-C-52404, TYPE XVI, CLA (D) BUSHING, PIPE: MALLEABLE IRON; B OUTSIDE HEX; 2 IN 11-1/2 NPT, EXTE 1-1/2 IN 11-1/2 NPT, INTERNAL. NW TYPE II, STYLE A				
INTERNAL, MIL-C-52404, TYPE XVI, CLI (D) ADAPTER, STRAIGHT, PIPE TO HOSE: ALLOY; PIPE END 1-1/2 IN 11-1/2 NI EXTERNAL; HOSE END, 2 IN 11-1/2 NF EXTERNAL. MIL-C-52404, TYPE XVI, CLA (D) BUSHING, PIPE: MALLEABLE IRON; B OUTSIDE HEX; 2 IN 11-1/2 NPT, EXTE 1-1/2 IN 11-1/2 NPT, INTERNAL. WW TYPE II, STYLE A.				
ALLOY; PIPE END 1-1/2 IN 11-1/2 NT EXTERNAL; HOSE END, 2 IN 11-1/2 NF EXTERNAL; HOSE END, 2 IN 11-1/2 NF EXTERNAL. MIL-C-52404, TYPE XVI, CLA (D) BUSHING, PIPE: MALLEABLE IRON; B OUTSIDE HEX; 2 IN 11-1/2 NPT, EXTERNAL. WW TYPE II, STYLE A.				
ALLOY; PIPE EXTERNAL; HG EXTERNAL, M (D) BUSHING, OUTSIDE HEX; 1-1/2 IN TYPE II, STY		-		
EXTERNAL; HE EXTERNAL; N (D) BUSHING, OUTSIDE HEX; 1-1/2 IN TYPE II, STY			· · ·	· · ·
EXTERNAL (D) BUSHING, QUTSIDE HEX; 1-1/2 IN TYPE II, STY			•	.
(D) BUSHING, OUTSIDE HEX; 1-1/2 IN TYPE II, STY		_		
OUTSIDE HEX; 1-1/2 IN TYPE II, STY				
1-1/2 IN TYPE II, STY				
TYPE II, STY	¥ ;; + ;; ; + ; ! + ; ! + ; .			
			·	
4910-20-168-2600 (D) LIFTING KIT, MAKE AND MODEL UNSPECIFIED.				
M1L-W-52482				
6145-00-553-6174 (D)_CABLE, POWER, ELECTRICAL: PTEL CORD;				
600 V; 3 COPPER CONDUCTORS; NO. 4 AWG;				
STANDARD; 135 STRANDS, NO. 25 AKG; WZGND				
WIRES; SYNTHETIC RUBBER INSULATED; COVERING				
Total addition of the Hand Records (a) Anthorized for item for Hand Record	No.			
T - Total advances for Band Recepts (d) Authorized yer then pre-Breeg Americs C - Current operating allowings for Junal Recents (e) Total acids, vol. 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	Anners		ž Ž	

1980
January
4
of
a S
Current

	HAND RECEIPT/ANNEX NO.	2		1			l	<u> </u>	, ž	Rec	20	Haad Racelpt File No.	اق		
	all money and a contract of the contract of th	F	Fill in the following when this form is used as Hand Receipt Amen.	fellor	1	1	9	1	Podi	=	7	lecel.	X Am	zi B	
Following last item, at inventory, etc.) produc-	Following last item, state in seah bitage counts inc 1790 or sellon (%): form, inc.,	CATALOS NO. TM 5-4610	5-4610-218-12	-218	3-12	-	0	N-14	cum of ALW (YEM Water Purif Unit, 1500 GPH	Wate	Er F	Purification 10 GPH	fica H	1110	uo
		1 14	۲۵					4	BALANCE	_					
STOCK NO.	TEM DESCRIPTION) - 0	~	•	-	-		-	-	-	=	=	\vdash	2
The state of the s	(BII) Continued												_	\rightarrow	
	IN SEQUENCE FROM CONDUCTORS IS SYNTHETIC					_	_			_		-+		-+	
	RUBBER. MIL-C-3432, TYPE CO-03HLF (34-310R)												_		
	1170-0030					_				+	_			-+	- 1
6810-00-242-4770	6810-00-242-4770 (X) CALCIUM HYPOCHLORITE, TECHNICAL: 3-3/4									_			\dashv		ļ
	LB PLASTIC BOTTLE. 0-C114, TYPE I													-+	1
6810-00-264-6575	6810-00-264-6575(X) CHARCOAL, ACTIVATED, POWDERED: 50 LB						-				-	+			1
	DRUM, MIL-C-506					_	\rightarrow					-+	\dashv	\dashv	
6630-00-087-1838	6630-00-087-1838 (D) COMPARATOR, COLOR: C/O 1 EA BOITLE,									-			\dashv	\dashv	
	DROPPER: FOR ORTHOTOLIDINE SOLUTION. 1										\dashv	-			
	EA BOTTLE, DROPPER: FOR SODIUM ARSENITE								\dashv					-	
	SOLUTION. 1 EA BOTTLE, DROPPER: FOR WIDE													_	- 1
	RANGE PH INDICATOR SOLUTION. 1 EA COLOR			-			\dashv							-+	
	COMPARATOR: W/PRISMATIC EYEPIECE ASSEMBLY.		+				_				+	\dashv		+	- 1
	4 EA CELL, COLORMETER.				\dashv		\dashv	\dashv	\dashv	\dashv		\dashv	\dashv	\dashv	j
	17 - Total allowance for Hand Receipts. (s) - Authorited per Hem for Hand Receipt Annexes. 2 - Currant enemits a allowance for Band Receipts. (t) - Total authorized for Hand Receipt Annexes.	f Recots	f Recolp	, ¥	į					2 2	PAGE NO.	PAGE NO.		24-	
					١	Ì			۱	\mathbf{I}	۱	١		١	ł

DA . 1084 2062

1-00007--01--000

1 EA DISK, COLOR STANDARDS: 0.1 TO 10 PPM CHLORINE RANGE. 1 EA DISK, COLOR STANDARDS 3.0 TO 11.0 PH RANGE. MIL-C-53E 4320-00-344-4602 (D) COVER, PUMP: COTTON; OLIVE DRAB; LNSULATED; 21-3/4 IN. LG, 13-1/2 IN. W, 22 H. MERADCOM 13217E9357 H. MERADCOM 13217E9357 TECHNICAL: 100 ONE POUND BAGS PER DRUM.	(BII) Continued	3 74	۲								I	I	ļ
1 EA DISK, COL. CHLORINE RANGE 3.0 TO 11.0 PH 4320-00-344-4602 (D) COVER, PUMI INSULATED; 21-2 H. MERADCOM 12 H. MERADCOM 12 TECHNICAL: 100 TECHNICAL: 100			ا د				8	BALANCE					l
1 EA DISK, COLO CHLORINE RANGE 3.0 TO 11.0 PH 4320-00-344-4602 (D) COVER, PUM INSULATED; 21-3 H. MERADCOM 13 6810-00-344-0283 (X) FERRIC CHLO TECHNICAL: 100				7	•	•		<u></u>	•	•	2	Ξ	=
CHLORINE RANGE 3.0 TO 11.0 PH 4320-00-344-4602 (D) COVER, PUMI INSULATED; 21-3 H. MERADCOM 13 6810-00-344-0283 (X) FERRIC CHLC TECHNICAL: 100 MII.F-14580	LOR STANDARDS: 0.1 TO 10 PPM		+	_						1			
3.0 TO 11.0 PH 4320-00-344-4602 (D) COVER, PUMI INSULATED; 21-2 H. MERADCOM 12 6810-00-344-0283 (X) FERRIC CHLC TECHNICAL: 100	E. 1 EA DISK, COLOR STANDARDS:	!											
4320-00-344-4602 (D) COVER, PUMI INSULATED; 21-3 H. MERADCOM 13 6810-00-344-0283 (X) FERRIC CHLC TECHNICAL: 100	11.0 PH RANGE. MIL-C-538												
INSULATED; 21-34-00-344-0283 (X) FERRIC CHLC TECHNICAL: 100	MP: COTTON; OLIVE DRAB;												
H. MERADCOM 13 6810-00-344-0283 (X) FERRIC CHLC TECHNICAL: 100	INSULATED: 21-3/4 IN. 1G. 13-1/2 IN. W, 22 IN												
6810-00-344-0283 (X) FERRIC CHLC TECHNICAL: 100	13217 E 9357											ļ	ļ
TECHNICAL: 100	CORIDE, ANHYDROUS, CRYSTALLINE										-		
	TECHNICAL: 100 ONE POUND BAGS PER DRUM.												
									<u> </u>		<u></u>		
9390-00-443-4703 (X) DIATOMACEOU	ATOMACEOUS EARTH CALCINED; POWDER; 3												
CU FT SACK. MI	MIL-C-52637		-							<u> </u>			
6640-00-431-4520 (X) GRADUATE, LIQUID, LABORATORY:	LIQUID, LABORATORY: CRES;	7								1			
GRADUATED IN ME	METRIC AND APOTHECARY SCALES;								<u> </u>	-			
1,000 ML; W/HANDLE.	NDLE. MIL-G-36614, TYPE II,												
SIZE 2													
5120-00-242-3917 (D) HAMMER, HAND:	ND: MACHINIST'S; BALL PEEN;												
1 LB HEAD; W/FI	1 LB HEAD; W/FIBERGLASS HANDLE.												
4720-00-202-6731 (D) HOSE ASSEMB	E ASSEMBLY, NONMETALLIC: BRASS FITT-	_	-										
INGS; SMOOTH BO	SMOOTH BORE INNER SURFACE; THD END								ļ				
TT — Total allowence for $7C$ — Current operating at	IT — Total allowance for Hand Receipts. (a) — Authorised per liem for Hand Receipt Ameres. IC — Current operating allowence for Hand Receipts. (t) — Total authorized for Hand Receipt Ameres.	Teceipi A	ecolpi	Ameres					7 A	PAGE NO.		24	

Current as of 4 January 1980

	HAND RECEIPT/ANNEX NO.	FROM			Ì		ĺ		Ö H	" Hend Receipt File No.	a dipt	P.H.	ا في		
Wolfording less than	sie is sach beleace column the type of action (ad. fesse, there-in.	I	Fill to the fellowing when this form is used as Hand Receipt Annex.	o jo	Alag	•	î e fq	8	9	# # #	Past	Recei	pt Am	1	
investory, etc.) producing this bala	ace, date of action, and signature.	CATALOG NO. TM 5-461	5-4610-218-12	0-2	18-1	2	40 MM	ALW	tio	cumm or ALW irem Water Purifica- tion Unit, 1500 GPH	ter nit,	Pur 15	Purifica 1500 GP	PH.	
1	NO A A SUBSECTION OF THE PERSON OF THE PERSO	7-	ر م					•	BALANCE	3.0					
] - <u> </u>		-		=	-	-			=		=	~
	(BII) Continued			1											
	CONNECTION; COMPOSITION, NATURAL OR SYNTHETIC									-	_				
	MOLDED OUTER COVERING, WRAPPED; WIRE REIN-														
	FORCED; 100 PSI TEST PRESSURE; WW-C-624,														
	TYPE B1, EXPANSION RING, ROCKER LUG, RIGID												$- \downarrow$		
	EXTERNAL THD ONE END AND SWIVEL INTERNAL THD														
	OTHER END: 1-1/2 IN, ID: 10 FT. LG, EXCL							-							
	COUPLINGS. ZZ-H-561, TYPE I, GRADE B	-													
47 20-00-202-7 220	4720-00-202-722d (D) HOSE ASSEMBLY, NONMETALLIC: BRASS FITT-							-							
	INGS; SMOOTH INNER SURFACE; THD END CONNECTION	- z				\rightarrow			-						
	SYNTHETIC; SYNTHETIC MOLDED OUTER COVERING;							\dashv				\dashv	\rightarrow		
	20 IN. MERCURY WP: FITTINGS ATTACHED W/EXPAN													-	1
	SION RINGS; SWIVEL INTERNAL FITTING HAS		i												
	GUARD, PIN OR ROCKER LUG WRENCHING FEATURE;														
	ENDS ARE CAPPED; HOSE BRANDED "WATER SUCTION			-						-					
	i_T . Total allowance for Mand Receipts. (e) — Authorized per Hem for Mand Receipt America. 2G — Current operating allowance for Mood Receipts. (t) — Total authorized for Mand Receipt America.	Recoipt or Head	Recolp	Į.	į					₹ Q	PAGE NO.	PAGE NO. NO. OF PAGES	24	7	

DA 2062

Current as of 4 January 1980

TM 5-4610-218-12	12 Water Purification Unit, 1500 GPH												
STOCK NO.	(BII) Continued	11 C2	 -				8	BALANCE	u l				
		-	<u> </u>	1 2	n	•	5	1	•	•	2	듸	12
	AND "S" FOR SYNTHETIC; 2 IN. 1D, 2 IN NPSH												
	INTERNAL. ZZ-H-561, TYPE I, GRADE B	- !			!			-	!				
4720-00-289-6123	4720-00-289-6123(D) HOSE, TEXTILE FIBER, RUBBER LINED:												
	SINCLE JACKET; SYNTHETIC; 300 PSI TEST								-				
	PRESSURE; ROCKER LUG, RIGID EXTERNAL THD AND						<u> </u>		!	<u></u>	<u> </u>		
	SWIVEL INTERNAL THD OTHER END; COPPER ALLOY;												
	1-1/2 IN 11-1/2 NPSH, WW-C-621, TYPE B1;												
	1-1/2 IN. ID; 25 FT LG, EXCL COUPLINGS.		· · · i										
	ZZ-H-45												
6810-00-087-2340	6810-00-087-2346(X) INDICATOR SOLUTION, PH WIDE RANGE: 16 OZ								-				
	PLASTIC BOTTLE MIL-1-52701												
5120-00-595-9245(D) KEY	(D) KEY SIT, SOCKET HEAD SCREW: HEX DRIVE;												
	L-TYPE HANDLE; W/CASE; C/O:												
5120-00-198-5401	5120-00-198-5401(D) 1 EA KEY, SOCKET HEAD SCREW: 0.050 IN												
	W ACROSS FLATS, 1-21/32 IN. LG.	- !	_					-					
5120-00-198-5398	5120-00-198-5398(D) 1 EA KEY, SOCKET HEAD SCREW: 1/16 IN. W												
	ACROSS FLATS, 1-3/4 IN. LG.		· · · · ·	İ									
5120-00-224-2504(D) 1 EA KEY,	(D) 1 EA KEY, SOCKET HEAD SCREW: 5/64 IN. W		:										
7	ACROSS FLATS, 1-7/8 IN. LG.	_											
	IT-Total allowance for Hand Receipts. (e) — Authorized par Hand for Hand Receipt Annexes. $2C-Current$ operating allowance for Hand Receipte. (i) — Total authorized for Hand Receipt Annexes.	scolpi A	ecetpt	Annexes					ď Ž	PAGE NO.	8 3 0 4	24	1

odd-16-72009-; g. a. aeranugut etintlug office

Current as of 4 January 1980

	HAND BECFIPT/ANNEX NO.	FROM:						TO:					
For us	for use of this form, see AR 735.35; the proponent agency is the office of the Deputy Chief of Staff for Logistics.						_	Han	d Rece	ipt F	Hand Receipt File No.		
		Fill i	n the f	Fill in the following when this form is used as Hand Receipt Annex.	; when	this	form	s used	l as H	and	Receipt	Ann	ex.
Following last item, state in each balan inventory, etc.) producing this balance,	Following last item, state in each balance column the type of action (e.g. issue, turn-in, inventory, etc.) producing this balance, date of action, and signature.	CATALOG NO TM 5-4610-218-12	G NO 1610-	218-1	\vdash	CURR OF ALW		TEM W.	Wate:	ter Puri 1500 GPH	ıтем Water Purification Unit, 1500 GPH	cati	иo
S X LOCKE	ITEM DESCRIPTION	T, C,					8	BALANCE	lul.				
		_	-	2	6	a d	9	-	6	0	10	=	12
	(BII) Continued'												
5120-00-242-7410 (5120-00-242-7410 (D) 1 EA KEY, SOCKET HEAD SCREW: 3/32 IN. W							_	_				
đ	ACROSS FLATS, 2 IN. LG.		_					-					
4120-00-889-2162 ((D) 1 EA KEY, SOCKET HEAD SCREW: 7/64 IN. W						\rightarrow	-					
1	ACROSS FLATS, 2 1/8 IN. LG.												
5120-00-240-5292 ((D) 1 EA SOCKET HEAD SCREW: 1/8 IN. W ACROSS												
	FLATS, 2-1/4 IN. LG.										_		
5120-00-659#2163	(D) 1 LA KEY, SOCKET LIEAD SCREW: 9/64 IN. W												
	ACROSS FLATS, 2 3/8 IN. LG.												
5120-00-198-5392	(D) 1 EA NEY, SOCKET HEAD SCREW: 5/32 IN. W							-		-			
	ACROSS FLATS, 2-1/2 IN. LG.							_					
5120-00-240-5300	(D) 1 EA NEY, SOCKET HEAD SCREW: 3/16 IN. W												
	ACROSS FLATS, 2-3/4 IN. LG.												
5120-00-242-7411	(D) 1 EA KLY, SOCKET HEAD SCREW: 7/32 IN. W												
	ACROSS FLATS, 3 IN. LG.												
	T. Total allowance for Hand Receipts, (a) Authorized per item for Hand Receipt Annexes. C. Coment presenting allowance for Hand Bassists (1) Total natherized for Hand Bassists	d Annexes	4 11 10 10 10						4 2	PAGE NO	0 40		6
	C - Current operating attourance for Hand Receipts. (1) Total authorized for Hand Receipt Annexes.	d Receipt	Anneres	ی				į	Ž.	ö	No. OF PAGES		t

STOCK NO	ITEM DESCRIPTION	ř.E	υΞ		2	6	4	2	BALANCE 6 7	9 E	6	ō	=	12
	(BII) Continued													
5120-00-224-4659 (D) 1 EA KEY)] 1 EA KEY, SOCKET HEAD SCREW: 1/4 IN. W								-					
Ä	ACROSS FLATS, 3-1/4 LG.									-				
5120-00-240-5274 (D) 1 EA KEY	O) I EA KEY, SOCKET HEAD SCREW: 5/15 IN. W	<u> </u>			İ	+			-				- -	
AC	ACROSS FLATS, 3-3/4 IN. LG.										-			
05120-00-198-5390	(D) 1 EA KEY, SOCKET HEAD SCREW: 3/8 IN, W			-1		_		-+	_			 		
AC	ACROSS FLATS, 4-1/4 IN. LG.								+					
5120-00-240-5277 (D) 1 LA, KEY) 1 LA KEY, SOCKET HEAD SCREW: 7/16 IN. W	-+					-	+		-			<u>!</u> +-	
AC	ACROSS FLATS, 4 3/4 IN. LG.		-				-	1	-		-			
5120-00-198-5391 (L	5120-00-198-5391 (D) 1 EA KEY, SOCKET HEAD SCREW: 1/2 IN, W					-		-		- 1		·		
AC	ACROSS, FLATS, 4-1/4 IN. 1/6.		:											
\$120-00-240-5268 (D	(D) 1 EA KLY, SOCKET HEAD SCREW: 9/16 IN. W			•	-			-+				-		
AC	ACROSS FLATS, 5-3/4 IN. LG.					- 					·			
5120-00-224-2510 (D	(D) 1 LA KEY, SOCKET HEAD SCREW: 5/8 IN, W	+	 -				· · · · · ·		+	:		·	 	
AC AC	ACROSS FLATS, 6-1/4 IN. LG			+					·					
5120-00-222-1489 (D) 1 LA KLY,	O I LA KLY, SOCKET HEAD SCREW: 5/4 IN. W								····					
AC	ACROSS FLATS, 7-1/4 IN. LG. GG-K-275, TYPE I,		··											
CL	CLASS 1 AND 2												. ,	
	F. P. de as some for Hand Resepts (a) Authorized perstes for Hard Roseyt America C. Carrett operation allocation for hand Resears (D. Toda subsessed for Hond Revents America	Anner		Í							_ .			0
														t

				l			Ç E				
	HAND RECEIPT/ANNEX NO.	F.KOM:					:01				
For is t							Han	Hand Receipt File No.	ot File	No.	
		Fill is	Fill in the following when this form is used as Hand Receipt Annex.	ing wi	ien this	s form	is used	as Ha	nd Rec	eipt An	nex.
Following last item, state in each baland inventory, etc.) producing this balance,	Following last item, state in each balance column the type of action (e.g. issue, turn-in, inventory, etc.) producing this balance, date of action, and signature.	CATALOG NO TM 5-4610	ALOG NO 5-4610-218-12	-	CURR OF ALW	F ALW	ITEM Wa Unit,	тем Water Purification Unit, 1500 GPH	Puri 0 GPH	ficat	ion
STOCK NO	ITEM DESCRIPTION	T' C' (a)	-	<u> </u>			BALANCE	i i	-	-	-
	(BII) Continued		-	e e	4	so .	2	0	o l	0	2
5110-00-240-5943											
	TYPE II, CLASS 1, STYLE A									_	
6230-00-164-7061	(D) LIGHT, EXTENSION: 2 CONDUCTORS, TYPE SJ										
	CABLE, 25 FT. 16; 2 PARALLEL BLADE PLUG										
	END;										
	REFLECTOR AND HOOK; RUBBER OR NOLDED PLASTIC										
	LANDLE W/SWITCH; 100 W MEDIUM SCREW BASE LAMP					-					
	ACCOMMODATED. W-L-661, TYPE III, CLASS 1										
6230-00-239-3523	(D) LIGHT, EXTENSION: 2 CONDUCTORS; AC										
	BAYONET PLUG CONNECTOR; 25 FT LG WATER										
	RESISTANT CABLE, MIL-C-13486/5-1; CAST METAL										
	GUARD OPEN END; INTEGRAL REFLECTOR AND 2 HOOKS					 					
	RUBBER HANDLE, ADJUSTABLE BLACKOUT SHIELD AND										
	FUSIBLE PLUG; ACCOM 1 DC BAYONET CANDELABRA										
	T-Total allowance for Hand Receipts (a] Authorized per item for Hand Receipt Annexes.	t Anneres.						PAG	PAGE NO	i i	
	C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand Receipt Annexes.	I Receipt A	nneres.					Ŏ.	NO. OF PAGES	- 1	7.7

TM 5-4610-218-12	12 Water Purification Unit, 1500 GPH								S
STOCK NO	ITEM DESCRIPTION	T, C;			BAL.	BALANCE		-	
			7	4	a n	`	<u>+</u> -	- - - - - - -	
	(BII) Continued							4	·
	BASE LAMP. ARMCOM NO. 6209297					·····			
0810-00-585-2017	(X) LIMESTONE, PULVERIZED: CALCIUM CARBONATE,							•	
	95 PCT MIN; POWDER; USS SIEVE NO. 100, 10 PCT								
	MAX RETAINED, NO. 325, 35 PCT MAX PASSING;				:				
	100 Lb PAPER BAG. MIL-L-14519								
4930-00-253-2478	(D) LUBRICATING GUN, HAWD: LEVER OPERATED;	-+					1	····	
	SPRING PRINED; 14 0E; 6000 PSI, 6-1/2 IN. LG								
:	RIGID BENT TUBE EXTENSION: INDRAULIC COUPLER;							•	· · · · ·
	W/LOADER FITTING. MIL-G-3859, TYPE I								!
4610-00-914-5688	(D) MLASORL, DRY CHEMICAL, WATER PURIFICATION:								- •
	ALUMINUM; LIMESTONE; 1/2 LB GRADUATIONS;		:		·			-	
	FILTER AID, 58 AND 115 CU IN. GRADUATIONS;				-				
	5-1/2 LB. MIL-M-52572, FIG 1				-				
7420-00-205-0810	7420-00-205-0810 (D) MEASURE, DRY CHEMICAL, WATER PURIFICATION:			!				•	
	PLASTIC; CALCIUM HYPOCHLORITE; 1/4 LB GRADUA-								
:	TIONS; 1-1/4 LB. MIL-N-52372, FIG 5								
4930-00-902-4642	(D) NOZZLE, FUEL AND OIL SERVICING: PISTOL								
	GRIP, SELF-CLOSING, W/INTEGRAL STRAINER; 1-1/2	_							
	T - Total alternation for Hand Receipts (a) Authorized per item for Hand Receipt Annexes. C - Current operating allowance for hand Receipts (t) Total nuthorized for Hand Receipt Annexes	mexes. ceapt An	eres.			4 Z	PAGENO NO OF PAGES	5.1	-12 -24

Current as of 4 January 1980

IN STATE OF THE STATE OF THE STATE OF ACTION (F.G. 18816, 1477-77, 1747). THE STATE OF ACTION, AND SIGNALUTE. IN. NPT, INTERNAL INLET; RIGID SPOUT; W/REDUC-ING BUSHING, DUST CAP, STRAINER AND NOZZLE. MIL-N-52110, TYPE I, SIZE 2 O-270-8289 (X) O-TOLIDINE DHYDROCHIORIDE SOLUTION: 16 D-246-1097 (D) PAIL, UTILITY: PLASTIC OR RUBBER; 5 GAL; POURING LIP, W/BAIL. MIL-P-52415, SIZE 2 D-223-7597 (D) PLIERS, SLIP JOINT: K/CUTTER. GGG-P-471, TYPE II, CLASS 2, STYLE A DRIVEN, AC, 208 V, 5 PHASE, 60 HZ, 2 HP; FRAME MID; 1-1/2 IN. INLET; 1-1/2 IN. OUTLET, THD; 65 GPM AT 50 FT HEAD; MAKE AND MODEL UNSPECI-INDER AND MODEL UNSPECI-INDER AND MODEL UNSPECI-INDER AND MODEL UNSPECI-INDER AND ADMINATED A	Still in the following when this form are in each balance column the type of action (e.g. issue, turn-in, Time 5-4610-218-12] CURR OF ALW TIME balance, date of action, and signature. Time 5-4610-218-12 CURR OF ALW TIME balance, date of action, and signature. Time 5-4610-218-12 Time 0.0. Time	For u	HAND RECEIPT/ANNEX NO. For use of this form, see AT 353-351, the proponent agency For use of this form, see AT 353-351, the proponent agency For use of this form.	FROM:						TO:	: and F	eceip	O: Hand Receipt File No.	ò		•
ate in each balance column the type of action (e.g. issue, turn-in, 178 - 4010-218-12] Consequence of action, and signature. Continued Continue	ate in each balance column the type of action (*p. issue, turn-in, 1m. 5-4610-218-12 1m. balance, date of action, and signature. Total column the type of action (*p. issue, turn-in, 1m. 5-4610-218-12 1m. balance, date of action, and signature. Total column the type of action to the type of action to the type of action the type of action to the type of action to the type of action to the type of action (*p. in. in. in. in. in. in. in. in. in. in			Fill	in the	follow	ing w	nen th	is for	m is u	sed a	Han Han	d Rec	eipt A	nnex	
(B11) Continued	TITEM DESCRIPTION TO TO TO	Following last item, sta inventory, etc.) produci	te in each balance column the type of action (e.g. issue, turn-in, ng this balance, date of action, and signature.		36 No.	218	_	CURR	OF ALV		Μ Wa it,	ter 1500	Puri GPF	fica	tio	ا يا
(BII) Continued IN. NPT, INTERAL INLET; RIGID SPOUT; W/REDUC- ING BUSHING, DUST CAP, STRAINER AND NOZZLE. MIL-N-52110, TYPE I, SIZE 2 MIL-N-52110, TYPE I, SIZE 2 (X) 0-TOLIDINE DIIMPROCHLORIDE SOLUTION: 16 OZ PLASTIC BOTTLE. UXA7787 (79172) (D) PAIL, UTILITY: PLASTIC OR RUBBER; 3 GAL; (E) PAIL, UTILITY: PLASTIC OR RUBBER; 3 GAL; (D) PAIL, UTILITY: PLASTIC OR RUBBER; 3 GAL; (E) PAIL, UTILITY: PLASTIC RUBBER; 3 GAL; (E) PAIL OF RUBBER; 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	(BII) Continued IN. NPT, INTERNAL INLET; RIGID SPOUT; W/REDUC- ING BUSHING, DUST CAP, STRAINER AND NOZZLE. MIL-N-52110, TYPE I, SIZE 2 (X) O-TOLIDINE DIIMDROCHLORIDE SOLUTION: 16 OZ PLASTIC BOTTLE. UXA7787 (79172) (D) PAIL, UTILITY: PLASTIC OR RUBBER; \$ GAL; POURING LIP; W/BAIL. MIL-P-52415, SIZE 2 (D) PAIL, UTILITY: PLASTIC OR RUBBER; \$ GAL; TYPE II, CLASS 2, STYLE A (N) PUMP, CENTRIFUGAL: FRESH WATER; ELEC MTR (N) PUMP, CENTRIFUGAL: FRESH WATER; LLEC MTR (N) PUMP, COLUMP WATER; LLEC MTR (N) PUMP, CENTRIFUGAL: FRESH WATER; LLEC MTR (N) PUMP, CENTRIFUGAL: FRESH WATER; LLEC MTR (N) PUMP, CENTRIFUGAL: FRESH WATER; LLEC MTR (N) PUMP, CENTRIFUGAL: FRESH WATER; LLEC MTR (N) PUMP, CENTRIFUGAL: FRESH WATER; LLEC MTR (N) PUMP, CENTRIFUGAL: FRESH WATER; LLEC MTR (N) PUMP, CENTRIFUGAL: FRESH WATER; LLEC MTR (N) PUMP, CENTRIFUGAL: FRESH WATER; LLEC MTR (N) PUMP, CENTRIFUGAL: FRESH WATER; LLEC MTR (N) PUMP, CENTRIFUGAL: FRESH WATER; LLEC MTR (N) PUMP, CENTRIFUGAL: FRESH WATER; LLEC MTR (N) PUMP, CENTRIFUGAL: FRESH WATER; LLEC MTR (N) PUMP, CENTRIFUGAL: FRESH WATER; LLEC MTR (N) PUMP, CENTRIFU		No. in the contract of the con		<u> </u>					BALA	U E					
IN. NPT, INTERNAL INLET; RIGID SPOUT; W/REDUC- ING BUSHING, DUST CAP, STRAINER AND NOZZLE. MIL-N-52110, TYPE I, SIZE 2 (X) 0-TOLIDINE DIMYDROCHIORIDE SOLUTION: 16 OZ PLASTIC BOTTLE. UXA7787 (79172) (D) PAIL, UTILITY: PLASTIC OR RUBBER; 3 GAL; POURING LIP; W/BAIL. MIL-P-52415, SIZE 2 (D) PLIERS, SLIP JOINT: W/CUTTLE. GGG-P-471, TYPE II, CLASS 2, STYLL A (N) PUNP, CENTRIFUGAL: FRESH WATER; LLEC MIR (N) PUNP, CENTRIFUGAL: FRESH WATER; LLEC MIR (N) PUNP, CANTRIFUGAL: PRESH WATER; LLEC MIR (N) PUNP, CHARLE AND NODEL UNSPECI- BELD, MIL-P-14514, TYPE I T-Tent allocator for Hand Receipt (10 Total authorized for Hand Receipt Annexe). C-Current operating allocator for Hand Receipt (10 Total authorized for Hand Receipt Annexe). NOAS	IN. NPT, INTERNAL INLET; RIGID SPOUT; W/REDUC- ING BUSHING, DUST CAP, STRAINER AND NOZZLE. MIL-N-52110, TYPE 1, SIZE 2 (X) 0-TOLIDINE DIHYDROCHLORIDE SOLUTION: 16 OZ PLASTIC BOTTLE. UXA7787 (79172) (D) PALL, UTILITY: PLASTIC OR RUBBER; \$ GAL; FOURING LIP; W/BAIL. MIL-P-52415, SIZE 2 (D) PLIERS, SLIP JOINT: K/CUTLER. GGG-P-471. (N) PUMP, CENTRIFUGAL: FRESH WATER; LLEC MTR (N) PUMP, T-1/2 IN. INLET, 1-1/2 IN. OUTLET, THD; (S) GRM AT 50 FT HEAD; MAKE AND MODEL UNSPECT- (T-Traid allocance for Head Receipt it) Total authorized princing allocance for Head Receipt Annuary 1980		TEM DESCRIPTION	_	1	7	6	4	87	•	_	В	0	-	-	2
IN. NPT, INTERNAL INLET; RIGID SPOUT; W/REDUC- ING BUSHING, DUST CAP, STRAINER AND NOZZLE. MIL-N-52110, TYPE 1, S1ZE 2 (X) 0-TOLIDINE DHIYDROCHLORIDE SOLUTION: 16 OZ PLASTIC BOTTLE. UXA7787 (79172) (D) PAIL, UTILITY: PLASTIC OR RUBBER; 3 GAL; POURING LIP, W/BAIL. MIL-P-52415, S1ZE 2 (D) PLIERS, SLIP JOINT: W/CUTTLR. GGG-P-471, TYPE 11, CLASS 2, STYLE A (N) PUMP, CENTRIFUGAL: FRESH KATER: ELEC MTR (N) PUMP, CENTRIFUGAL: FRESH KATER: ELEC MTR (N) PUMP, CASS 2, STYLE A (N) PUMP, CASS 2, STYLE A (N) PUMP, CASS 2, STYLE A (N) PUMP, CENTRIFUGAL: FRESH KATER: ELEC MTR (N) PUMP, AC, 208 V, 3 PliASE, 60 HZ, 2 HP); FRAME MID; 1-1/2 IN. INIET, 1-1/2 IN. OUTLET, THD; 65 GPM AT 50 FT HEAD; MAKE AND MODEL UNSPECI- FIED. MIL-P-14514 TYPE I T-form allowance for Hand Receipt at 11 Total authorized for Hand Receipt Annexes. PAGE T-form allowance for Hand Receipt it IT Total authorized for Hand Receipt Annexes. PAGE T-form allowance for Hand Receipt it IT Total authorized for Hand Receipt Annexes. PAGE T-form allowance for Hand Receipt it IT Total authorized for Hand Receipt Annexes. PAGE T-form allowance for Hand Receipt it IT Total authorized for Hand Receipt Annexes. PAGE T-form allowance for Hand Receipt it IT Total authorized for Hand Receipt Annexes. PAGE T-form allowance for Hand Receipt it IT Total authorized for Hand Receipt Annexes. PAGE T-form allowance for Hand Receipt it IT Total authorized for Annexes. PAGE T-form allowance for Hand Receipt it IT Total authorized for Annexes. PAGE T-form allowance for Hand Receipt it IT Total authorized for Annexes. PAGE T-form allowance for Hand Receipt it IT Total authorized for Annexes. PAGE T-form allowance for Hand Receipt it IT Total authorized for Hand Receipt Annexes. PAGE T-form allowance for Hand Receipt it IT Total authorized for Hand Receipt Annexes. PAGE T-form allowance for Hand Receipt Annexes.	IN. NPT, INTERNAL INLET; RIGID SPOUT; W/REDUC- ING BUSHING, DUST CAP, STRAINER AND NOZZLE. MIL-N-52110, TYPE 1, SIZE 2 (X) 0-TOLIDINE DIHYDROCHLORIDE SOLUTION: 16 OZ PLASTIC BOTTLE. UXA7787 (79172) (D) PALL, UTILITY: PLASTIC OR RUBBER; 5 GAL; POURING LIP; W/BAIL. MIL-P-52415, SIZE 2 (D) PALE, UTILITY: PLASTIC OR RUBBER; 6 GG-P-471, TYPE 11, CLASS 2, STYLE A (N) PUNP, CENTRIFUGAL: FRESH WATER; LLEC MIR (N) PUNP, CENTRIFUGAL: FRESH WATER; LLEC MIR (N) PUNP, CENTRIFUGAL: FRESH WATER; LLEC MIR (N) PUNP, CENTRIFUGAL: A DIASE, GO HZ, 2 HP, FRAME (N) PUNP, CENTRIFUGAL: A DIASE,		:													
ING BUSHING, DUST CAP, STRAINER AND NOZZLE.	ING BUSHING, DUST CAP, STRAINER AND NOZZLE.		NPT, INT		_									-	+	
MIL-N-52110, TYPE 1, S1ZE 2	MIL-N-52110, TYPE I, SIZE 2		BUSHING, DUST CAP,											\dashv	-	
(X) O-TOLIDINE DIHYDROCHLORIDE SOLUTION: 16 (D) PAIL, UTILITY: PLASTIC OR RUBBER; 5 GAL; POURING LIP; W/EAIL. MIL-P-52415, S1ZE 2 (D) PLIERS, SLIP JOINT: U/CUTTER. GGG-P-471, TYPE II, CLASS 2, STYLE A (X) PUMP, CENTRIFUGAL: FRESH WATER; ELEC NTR MID: 1-1/2 IN. INLET, 1-1/2 IN. OUTLET, THD; 65 GPM AT 50 FT HEAD; MAKE AND MODEL UNSPECI- FIED. MIL-P-14514, TYPE I 7 Total allowance for Hand Receipt in Total authorized for Hand Receipt Ameres. 7 Total allowance for Hand Receipt in Total authorized for Hand Receipt Ameres.	(X) O-TOLIDINE DHIYDROCHLORIDE SOLUTION: 16 OZ PLASTIC BOTTLE. UXA7787 (79172) (D) PAIL, UTILITY: PLASTIC OR RUBBER; 5 GAL; POURING LIP; W/BAIL. MIL-P-52415, SIZE 2 (D) PLIERS, SLIP JOINT: W/CUTTLE. GGG-P-471, TYPE II, CLASS 2, STYLE A (X) PUMP, CENTRIFUGAL: FRESH WATER; ELEC MTR (X) PUMP,		TYPE I, SIZE											-		
D2 PLASTIC BOTTLE. UXA7787 (79172) D3 PLASTIC BOTTLE. UXA7787 (79172) D4 PLIL, UTILITY: PLASTIC OR RUBBER; 5 GAL; D4 PLIERS, SLIP JOINT: E./CUTTLER. GGG-P-471, D7 PLIERS, SLIP JOINT: E./CUTTLER. GGG-P-471, D7 PUMP, CENTRIFUGAL: FRESH WATER; ELEC MTR DRIVEN, AC, 208 V, 5 PLASE, 60 li2, 2 lip; FRAME D7 IN. INLET, 1-1/2 IN. OUTLET, THD; D5 GPM AT 50 FT HEAD; MAKE AND MODEL UNSPECI- D7 INLET, D7 INLET, D7 INLOTED IN HAND Receipt Annexes. C. Current operating allowance for Hand Receipts. (1) Total authorized for Hand Receipt. (2) Total authorized for Hand Receipt. (3) Total authorized for Hand Receipt. (4) Total authorized for Hand Receipt. (5) Total authorized for Hand Receipt. (6) Total authorized for Hand Receipt. (6) Total authorized for Hand Receipt. (7) Total authorized for Hand Receipt. (8) Total authori	O2 PLASTIC BOTTLE, UXA7787 (79172) O2 PLASTIC BOTTLE, UXA7787 (79172) O3 PLASTIC OR RUBBER; \$ GAL; O4 PLIERS, SLIP JOINT: W/CUTTLR. GGG-P-471, O4 PLIERS, SLIP JOINT: WATER; ELEC MTR O4 PLIERS, STYLE AND MODEL UNSPECI- O4 PLIERS, WALE-P-14514, TYPE I O4 PLIERS, WALE-P-14514, WALE-P-14514, TYPE I O4 PLIERS, WALE-P-14514, WALE-		O-TOLIDINE DIHYDROCHLORIDE SOLUTION:													
(D) PAIL, UTILITY: PLASTIC OR RUBBER; 5 GAL; POURING LIP; W/EAIL. MIL-P-52415, SIZE 2 (D) PLIERS, SLIP JOINT: E/CUTTER. GGG-P-471, TYPE II, CLASS 2, STYLE A (N) PUMP, CENTRIFUGAL: FRESH WATER; ELEC MTR DRIVEN, AC, 208 V, 3 PHASE, 60 HZ, 2 HP; FRAME MID; 1-1/2 IN. INLET, 1-1/2 IN. OUTLET, THD; 65 GPM AT 50 FT HEAD; MAKE AND MODEL UNSPECI- FIED. MIL-P-14514, TYPE I T-Total allowance for Hand Receipts (a) Authorized for Hand Receipt Annexes. C-Current operating allowance for Hand Receipts (1) Total authorized for Hand Receipt Annexes.	POURING LIP; W/BAIL. MIL-P-52415, SIZE 2 (D) PLIERS, SLIP JOINT: K/CUTTER. GGG-P-471, TYPE II, CLASS 2, STYLE A (N) PUMP, CENTRIFUGAL: FRESH WATER; ELEC MTR (N) PUMP, CENTRIFUGAL: FRESH WATER; LLEC MTR		PLASTIC BOTTLE. UXA7787													
POURING LIP; W/BAIL. MIL-P-52415, SIZE 2 (D) PLIERS, SLIP JOINT: I,/CUTTER. GGG-P-471, TYPE II, CLASS 2, STYLE A (N) PUMP, CENTRIFUGAL: FRESH WATER; ELEC MTR (N) PUMP, CENTRIFUGAL: FRESH WATER; THUS; (N) PUMP, CENTRIFUGAL: FRESH WATER; (N) PUMP, CEN	POURING LIP; W/EAIL. MIL-P-52415, SIZE 2 (D) PLIERS, SLIP JOINT: W/CUTTER. GGG-P-471, TYPE II, CLASS 2, STYLE A (N) PUMP, CENTRIFUGAL: FRESH WATER; ELEC MTR (N) PUMP, CENTRIFUGAL: FRESH WATER; ELEC MTR MID; 1-1/2 IN. INLET, 1-1/2 IN. OUTLET, THD; 65 GPM AT 50 FT HEAD; MAKE AND MODEL UNSPECI- FIED, MIL-P-14514, TYPE I T-Total allowance for Hand Receipts (t) Total authorized for Hand Receipt Annexes. C. Current operating allowance for Hand Receipts (t) Total authorized for Hand Receipt Annexes. 362		PAIL, UTILITY: PLASTIC OR RUBBER; 3				_							+	_	
TYPE II, CLASS 2, STYLE A (N) PUMP, CENTRIFUGAL: FRESH WATER; LLEC MTR (N) PUMP (N) P	(b) PLIERS, SLIP JOINT: W/CUTTER. GGG-P-471, (c) PUMP, CENTRIFUGAL: FRESH WATER; ELEC MTR (d) PUMP, CENTRIFUGAL: FRESH WATER; ELEC MTR (e) PUMP, CENTRIFUGAL: FRESH WATER; ELEC MTR (f) PUMP, CENTRIFUGAL: FRESH WATER; ELEC MTR (g) PUMP, CENTRIFUGAL: FRESH WATER; ELEC MTR (h) PUMP, CENTRIFUGAL: FRESH WATER: FRAME (h) PUMP, TABLE MTR (h) PUMP, TABLE MTR (h) PUMP, TABLE MTR (h) PUMP, TABLE MTR (h) PUMP ECT MTR (h) PU		W/BAIL. MIL-P-52415, SIZE													
TYPE II, CLASS 2, STYLE A (N) PUMP, CENTRIFUGAL: FRESH WATER; ELEC MTR DRIVEN, AC, 208 V, 3 PhASE, 60 hZ, 2 hP; FRAME MID; 1-1/2 IN. INLET, 1-1/2 IN. OUTLET, THD; 65 GPM AT 50 FT HEAD; MAKE AND MODEL UNSPECI- FIED. MIL-P-14514, TYPE I T-Total allowance for Hand Receipts (1) Total authorized for Hand Receipt Annexes. C-Current operating allowance for Hand Receipts (1) Total authorized for Hand Receipt Annexes.	TYPE II, CLASS 2, STYLE A (N) PUMP, CENTRIFUGAL: FRESH WATER; ELEC MTR DRIVEN, AC, 208 V, 3 PHASE, 60 HZ, 2 HP; FRAME MID; 1-1/2 IN. INLET, 1-1/2 IN. OUTLET, THD; 65 GPM AT 50 FT HEAD; MAKE AND MODEL UNSPECI- FIED. MIL-P-14514, TYPE I T-Total allowance for Hand Receipts (a) Authorized per item for Hand Receipt Annexes. C-Current operating allowance for Hand Receipts (1) Total authorized for Hand Receipt Annexes.	5120-00-223-7397	, SLIP JOINT: K/CUTTER.													
(N) PUMP, CENTRIFUGAL: FRESH WATER; ELEC MTR DRIVEN, AC, 208 V, 3 PHASE, 60 HZ, 2 HP; FRAME MID; 1-1/2 IN. INLET, 1-1/2 IN. OUTLET, THD; 65 GPM AT 50 FT HEAD; MAKE AND MODEL UNSPECI- FIED. MIL-P-14514, TYPE I T-Total allowance for Hand Receipts (1) Total authorized for Hand Receipt Annexes.	(N) PUMP, CENTRIFUGAL: FRESH WATER; ELEC MTR DRIVEN, AC, 208 V, 3 PHASE, 60 HZ, 2 HP; FRAME MID; 1-1/2 IN. INLET, 1-1/2 IN. OUTLET, THD; 65 GPM AT 50 FT HEAD; MAKE AND MODEL UNSPECI- FIED. MIL-P-14514, TYPE I "T-Total allowance for Hand Receipts (a) Authorized per item for Hand Receipt Annexes. C-Current operating allowance for Hand Receipts (1) Total authorized for Hand Receipt Annexes.		CLASS 2, STYLE			_	_									
MID; 1-1/2 IN. INLET, 1-1/2 IN. OUTLET, THD; 65 GPM AT 50 FT HEAD; MAKE AND MODEL UNSPECI- FIED, MIL-P-14514, TYPE I T-Total altowance for Hand Receipts (1) Total authorized for Hand Receipt Annexes.	MID; 1-1/2 IN. INLET, 1-1/2 IN. OUTLET, THD; 65 GPM AT 50 FT HEAD; MAKE AND MODEL UNSPECI- FIED. MIL-P-14514, TYPE I T-Total altourance for Hand Receipts (a) Authorized per item for Hand Receipt Annexes. C-Current operating allowance for Hand Receipts (i) Total authorized for Hand Receipt Annexes. C-Current operating allowance for Hand Receipts (i) Total authorized for Hand Receipt Annexes.	4520-00-289-7977	, CENTRIFUGAL: FRESH WATER; ELEC													
MID; 1-1/2 IN. INLET, 1-1/2 IN. OUTLET, THD; 65 GPM AT 50 FT HEAD; MAKE AND MODEL UNSPECI- FIED. MIL-P-14514, TYPE I T-Total allowance for Hand Receipts (a) Authorized per item for Hand Receipt Annexes. C- Current operating allowance for Hand Receipts (1) Total authorized for Hand Receipt Annexes.	MID; 1-1/2 IN. INLET, 1-1/2 IN. OUTLET, THD; 65 GPM AT 50 FT HEAD; MAKE AND MODEL UNSPECI- FIED. MIL-P-14514, TYPE I T-Total altourance for Hand Receipts (a) Authorized per item for Hand Receipt Annexes. C-Current operating allowance for Hand Receipts (i) Total authorized for Hand Receipt Annexes.		AC, 208 V, 3 PhASE, 60 li2, 2 liP;	ادا	_										1	
65 GPM AT 50 FT HEAD; MAKE AND MODEL UNSPECI- FIED. MIL-P-14514, TYPE I 7 - Total allowance for Hand Receipts (a) Authorized per item for Hand Receipt Annexes. C. Current operating allowance for Hand Receipts (1) Total authorized for Hand Receipt Annexes.	FIED. MIL-P-14514, TYPE I FIED. MIL-P-14514, TYPE I C. Current operating allowance for Hand Receipts (1) Total authorized for Hand Receipt Annexes. C. Current operating allowance for Hand Receipts (1) Total authorized for Hand Receipt Annexes. FORM. C. Current operating allowance for Hand Receipts (1) Total authorized for Hand Receipt Annexes.		IN. INLET, 1-1/2 IN. OUTLET,				_									
FIED. MIL-P-14514, TWPE I "T - Total allowance for Hand Receipts (a) Authorized per item for Hand Receipt Annexes. C. Current operating allowance for Hand Receipts (t) Total authorized for Hand Receipt Annexes.	FIED. MIL-P-14514, TYPE I "T-Total altourance for Hand Receipts (a) Authorized per item for Hand Receipt Annexes. C-Current operating allowance for Hand Receipts (t) Total authorized for Hand Receipt Annexes. FORM. COUTTENT as of 4 January 1980		GPM AT 50 FT HEAD; MAKE													İ
T - Total allowance for Hand Receipts (a) Authorized per item for Hand Receipt Annexes. C - Current operating allowance for Hand Receipts (t) Total authorized for Hand Receipt Annexes. NO.	7.7 - Total allowance for Hand Receipts (a) Authorized per item for Hand Receipt Annexes. C. Current operating allowance for Hand Receipts (t) Total authorized for Hand Receipt Annexes. FORM 2062 Current as of 4 January 1980		MIL-P-14514,													
FORM JO	FORM 20		T Total allowance for Hand Receipts (a) Authorized per item for Hand Receipts. (t) Total authorized for Hand Receipts. (t) Total authorized for Ha	ipt Annex nd Receip	es. t Annex	65.			i				E NO	AGES		13
Current as of 4 January		FORM LAN 50)62 Current as of 4 Jan	lary]	980											

TM 5-4610-218-12	12 Water Purification Unit, 1500 GPH						Ì			1		ı
STOCK NO	ITEM DESCRIPTION	i)		-	-	-	BALANCE	NCE	-	-	-	
			-	2	4	ın	9	_	6	5	=	2
	(BII) Continued				-							
5120-00-234-8913	5120-00-234-8913 (D) SCREWDRIVER, CROSS TIP: NO. 2 TIP; 4 IN.											
	LG BLADE; PLASTIC HANDLE. GGG-S-121, TYPE VI,											
	CLASS 1, STYLE 1											
5120-00-234-8910	5120-00-234-8910 (D) SCREWDRIVER, FLAT TIP: FLARED; 5/16 IN. W											
	TIP; 6 IN. LG BLADE; PLASTIC HANDLE.											
	GGG-S-121, TYPE I, DESIGN A, SHAPE A	-										
7330-00-153-9760 (D) SCOOP,	(D) SCOOP, KITCHEN: CRES; 7-7/8 IN. LG, 5-1/4											
	IN. W; 4 IN. LG HANDLE. RR-S-131											
4730-00-202-8409 (D) SIAMESE	(D) SIAMESE CONNECTION, PIPE TO HOSE: BRASS;	_						,		-		
:	PLAIN; 1-1/2 IN 11-1/2 NPT, EXTERNAL;									:	; - -	
	SIAMESE END, 1-1/2 IN 11-1/2 NPSH, SWIYEL							i				
	INTERNAL; ROCKER LUG, MIL-C-52404, TYPE XIII											
6810-00-986-3471	(X) SODIUM ARSENITE SOLUTION: 16 OZ PLASTIC											
	BOTTLE. UXA9951 (79172)	+-										
4730-00-684-4296	4730-00-684-4296 (D) STRAINER, SUCTION HOSE: BRASS; CYLINDRI-	·										
	CAL 1-1/2 IN 11-1/2 NPSH, INTLRNAL; 4-1/2											
	IN. LG; HEN OR OCTAGON WRENCHING FEATURES											
	NO. 55 INSIDE CUT V-SLOTS. MIL-S-12165, TYPE											
	For Collegation for Hand Receipts (a) Additionable for stem for their Receipt Annexes Co-Content operating attackness for Hand Receipts (C) local real-second for Houl Receipt, America	nacres eer p. An	TICKTO.					<u> </u>	Face to the feet	<i>ا</i> به دا		34

Current as of 4 January 1980

Figure 1 Figure 1	tate in each balance cing this balance, defined this balance, defi	proponent agency taff for Logistics.							_					
Pill in the following when this form is used as Hand Receipt Anno Ging this balance, date of action. And eignature. The S-d610-218-12	tate in each balance, ding this balance, ding this balance, ding the balance, ding the balance of the balance o	two of action for issue turn-in	1.6						_	Sand R	eceip	r File	S	
Court of parties and signature. Court of a state. Court of a	tate in each balance cing this balance, d II (N) TRAILER, MIL DESIGN MI MIL-T-10579 (D) VALVE, GA STEM, INSIDE 11-1/2 NPT.	tyme of action for a sesse turnin	Ē	l in the	follow	w But	nen th	is for	n is u	se pas	Han.	d Rec	eipt A	nnex.
(BII) Continued	(N) TRAILER, MIL DESIGN MI MIL-T-10579 (D) VALVE, GA STEM, INSIDE 11-1/2 NPT.	n, and signature.	CATAL TM 5	-4610	1-218		CURR	OF AL		™ Wa it,	ter 1500	Puri GPI	fica	tio
(BII) Continued	II (N) TRAILER, MIL DESIGN M1 MIL-T-10579 (D) VALVE, GA STEM, INSIDE 11-1/2 NPT.	DESCRIPTION	j. ĝ	್ತ					BALA	N C E				
(BII) Continued	II (N) TRAILER, MIL DESIGN MI MIL-T-10579 (D) VALVE, GA STEM, INSIDE 11-1/2 NPT.)			•	•	50	•	-	8		-	⊣
II. (N) TRAILER, CARGO: 1-1/2 TON; 2 WHEELS; MIL DESIGN MIOSA2; TACOM NO. 8358993. MIL-T-10579 (D) VALVE, CATE: BRONZE; WEDGE DISC, RISING STEM, INSIDE SCREW, 125 PSI WP; 1-1/2 IN 11-1/2 NPT: WW-V-54, TYPE II, CLASS A, STYLE 10) VALVE, CATE: BRONZE; WEDGE DISC, RISING STEM, INSIDE SCREW, 125 PSI WP; 2 IN 11-1/ 2 NPT: WW-V-54, TYPE II, CLASS A, STYLE 1 (D) WARNCH, ADJUSTABLE: STEEL, CHROMIUM PLATED; OPEN END; SINGLE HEAD; O TO 15/16 IN. 3AW OPENING; 8 IN. LG. GGG-W-631, TYPE I, T. Total sillupance for Hand Receipt (1) Total authorized for Mand Receipt Annexes C. Carrent operating allowance for Mand Receipt (1) Total authorized for Mand Receipt Annexes C. Carrent operating allowance for Mand Receipt (1) Total authorized for Mand Receipt Annexes 362 362	II (N) TRAILER, MIL DESIGN MI MIL-T-10579 (D) VALVE, GA STEM, INSIDE 11-1/2 NPT.	Continued												
MIL. DESIGN MIOSA2; TACOM NO. 8358993. MIL. DESIGN MIOSA2; TACOM NO. 8358993. MIL.T-10579 (D) VALVE, GATE: BRONZE; WEDGE DISC, RISING STEM, INSIDE SCREW, 125 PSI WP; 1-1/2 IN 11-1/2 NPT. WW-V-54, TYPE II, CLASS A, STYLE (D) VALVE, GATE: BRONZE; WEDGE DISC, RISING STEM, INSIDE SCREW, 125 PSI WP; 2 IN 11-1/ (D) WALVE, GATE: BRONZE; WEDGE DISC, RISING STEM, INSIDE SCREW, 125 PSI WP; 2 IN 11-1/ (D) WALVE, GATE: BRONZE; WEDGE DISC, RISING 2 NPT. WW-V-54, TYPE II, CLASS A, STYLE I (D) WALNCH, ADJUSTABLE: STEEL, CHROMIUM PLATED; OPEN END; SINGLE HEAD; OT 0 15/16 IN. T. Total chlosener for Hand Receipt at It Authorized per frem for Hand Receipt Anster. T. Total chlosener for Hand Receipt at It Authorized per frem for Hand Receipt Anster. C. Carrent operating allowance for Hand Receipt Anster. C. Carrent operating allowance for Hand Receipt Anster. DASS A. STREM. INSIDE SCREW, 13 TAPE I, PROBLEM ANSTER. C. Carrent operating allowance for Hand Receipt Anster. DASS A. STREM. INSIDE SCREW, 13 TAPE I, PROBLEM ANSTER. T. Total chlosener for Hand Receipt II total authorized for Hand Receipt Anster. C. Carrent operating allowance for Hand Receipt II Total authorized for Hand Receipt II Total autho	(N) TRAILER, MIL DESIGN MI MIL-T-10579 (D) VALVE, GA STEM, INSIDE 11-1/2 NPT.													
MIL DESIGN MIOSA2; TACOM NO. 8358993. MIL-T-10579 (D) VALVE, GATE: BRONZE; WEDGE DISC, RISING STEM, INSIDE SCREW, 125 PSI WP; 1-1/2 IN 11-1/2 NPT. WW-V-54, TYPE II, CLASS A, STYLE (D) VALVE, GATE: BRONZE; WEDGE DISC, RISING STEM, INSIDE SCREW, 125 PSI WP; 2 IN 11-1/ 2 NPT. WW-V-54, TYPE II, CLASS A, STYLE 1 (D) WRENCH, ADJUSTABLE: STEEL, CHROMIUM PLATED; OPEN END; SINGLE HEAD; 0 TO 15/16 IN. 3 AW OPENING; 8 IN. LG. GGG-W-6531, TYPE I, T. Total allocance for Hand Receipt for Hand Receipt Annext. C. Current operating allocance for Hand Receipt 1(1) Total authorized for Hand Receipt Annext. 5 C. Current operating allocance for Hand Receipt 1(1) Total authorized for Hand Receipt 1(1) Total authorized for Hand Receipt 1(1) Total authorized for Hand Receipt 1(1) Total authorized for Hand Receipt 1(1) Total authorized for Hand Receipt 1(1) Total authorized for Hand Receipt 1(1) Total authorized for Hand Receipt 1(1) Total authorized for Hand Receipt 1(1) Total authorized for Hand Receipt 1(1) Total authorized for Hand Receipt 1(1) Total authorized for Hand Receipt 1(1) Total authorized for Hand Receipt 1(1) Total authorized for Hand Receipt 1(1) Total authorized for Hand Receipt 1(1) Total authorized for Hand Receipt 1(1) Total authorized for Hand Receipt 1(1) Total authorized for Hand Receipt 1(1) Total authorized for Hand Receipt 1(1) Total authorized for Mand Receipt 1(1) Total autho	MIL DESIGN MI MIL-T-10579 (D) VALVE, GA STEM, INSIDE 11-1/2 NPT.	TON;												
MIL-T-10579	MIL-T-10579 (D) VALVE, GA STEM, INSIDE 11-1/2 NPT. 1	- 1												
STEM, INSIDE SCREW, 125 PSI WP; 1-1/2 IN 11-1/2 NPT. WW-V-54, TYPE II, CLASS A, STYLE	(D) VALVE, GA STEM, INSIDE 11-1/2 NPT. 1							-						
11-1/2 NPT. WW-V-54, TYPE II, CLASS A, STYLE	STEM, INSIDE 11-1/2 NPT.	DISC,												
11-1/2 NPT. WW-V-54, TYPE II, CLASS A, STYLE (D) VALVE, GATE: BRONZE; WEDGE DISC, RISING STEM, INSIDE SCREW, 125 PSI WP; 2 IN 11-1/ 2 NPT. WW-V-54, TYPE II, CLASS A, STYLE 1 (D) WRENCH, ADJUSTABLE: STEEL, CHROMIUM PLATED; OPEN END; SINGLE HEAD; 0 TO 15/16 IN. 3AN OPENING; 8 IN. LG. GGG-W-631, TYPE I, T- Total allowance for Hand Receipt (a) Authorized for Hand Receipt Annexe. T- Coursent operating allowance for Hand Receipt (A) Hand Receipt Annexe. C- Current operating allowance for Hand Receipt Annexe. 362	11-1/2 NPT.	1												
10) VALVE, GATE: BRONZE; WEDGE DISC, RISING STEM, INSIDE SCREW, 125 PSI WP; 2 IN 11-1/ 2 NPT. WW-V-54, TYPE II, CLASS A, STYLE 1 (D) WRENCH, ADJUSTABLE: STEEL, CHROMIUM PLATED; OPEN END; SINGLE HEAD; 0 TO 15/16 IN. JAW OPENING; 8 IN. LG. GGG-W-631, TYPE I, T. Total allowance for Hand Receipts (1) Total authorized for Hand Receipt Annexes. C. Current operating allowance for Hand Receipt (1) Total authorized for Hand Receipt Annexes. No. OF PAGES	1	TYPE II, CLASS A, STYLE												
STEM, INSIDE SCREW, 125 PSI WP; 2 IN 11-1/ 2 NPT. WW-V-54, TYPE II, CLASS A, STYLE 1 (D) WRENCH, ADJUSTABLE: STEEL, CIROMIUM PLATED; OPEN END; SINGLE HEAD; 0 TO 15/16 IN. JAW OPENING; 8 IN. LG. GGG-W-631, TYPE I, T. Total allowance for Hand Receipt (a) Total authorized for Hand Receipt Annexes. C. Cwrent operating allowance for Hand Receipt Annexes. No. OF PAGES No. OF PAGES														
2 NPT. WW-V-54, TYPE II, CLASS A, STYLE 1 (D) WRENCH, ADJUSTABLE: STEEL, CHROMIUM PLATED; OPEN END; SINGLE HEAD; 0 TO 15/16 IN. JAW OPENING; 8 IN. LG. GGG-W-631, TYPE I, T. Total allowance for Hand Receipt (al Authorized for Hand Receipt Annexes. C. Cwrent operating allowance for Hand Receipt Annexes. No. OF PAGES No. OF PAGES	(D) VALVE, GATE:	1 !												
2 NPT. WW-V-54, TYPE II, CLASS A, STYLE 1 (D) WRENCH, ADJUSTABLE: STEEL, CIROMIUM PLATED; OPEN END; SINGLE HEAD; 0 TO 15/16 IN. JAW OPENING; 8 IN. LG. GGG-W-631, TYPE I, T. Total allowance for Hand Receipt (al Authorized for Hand Receipt Annexes. C. Cwrent operating allowance for Hand Receipt Annexes. No. OF PAGES No. OF PAGES		- 1				_				1				
PLATED; OPEN END; SINGLE HEAD; O TO 15/16 IN. JAW OPENING; 8 IN. LG. GGG-W-631, TYPE I, T. Total allowance for Hand Receipts (a) Authorized for Hand Receipt Annexes. C. Current operating allowance for Hand Receipts (1) Total authorized for Hand Receipt Annexes.		A, STYLE												
JAW OPENING; 8 IN. LG. GGG-W-631, TYPE I, T. Total allowance for Hand Receipts (a) Authorized per item for Hand Receipt Annexes. C. Current operating allowance for Hand Receipts (1) Total authorized for Hand Receipt Annexes.	(D) WRENCH,	STEEL,			-									
JAW OPENING; 8 IN. LG. GGG-W-631, TYPE I, 'T. Total allowance for Hand Receipts (at Authorized for Hand Receipt Annexes. C. Current operating allowance for Hand Receipts (t) Total authorized for Hand Receipt Annexes. FORM. 2062	1													
17 - Total allowance for Hand Receipts (al Authorized per tiem for Hand Receipt Annexes. C - Current operating allowance for Hand Receipts. (1) Total authorized for Hand Receipt Annexes. FORM 2062		GGG-W-631, TYPE												
1.08W 2062	T - Total allowance for Hand Recei C - Current operating allowance for	pts (aj Authorized per item for Hand Receip · Hand Receipts. (t) Total authorized for Hanc	d Receip	es. t Annex	S.					-1-	PAGE	NO PAG	i ES	7
	FORM 20	Current as of 4 lan	97.0	1980				Ì		1				

TM 5-4610-218-12	12 Water Purification Unit, 1500 GPII	
STOCK NO	ITEM DESCRIPTION	BALANCE
	(a)	4 5 6 7 8 9 10 11 12
	(BII) Continued	
	CLASS 1	
5120-00-187-7123	(D) WRENCH, OPEN END: FIXED; DOUBLE HEAD, 15	
	DEG ANGLE; 7/16 AND 1/2 IN. OPENINGS; 1/4 IN.	
	THK HEAD; S IN. LG. GGG-W-636, TYPE IV	
5120-00-187-7126		
	DEG ANGLE; 9/16 AND 5/8 IN. OPENINGS; 19/64 IN.	
	Thk HEAD; 6 IN. LG. GGG-W-636, TYPE IV	
5120-00-277-8300 (D) WRENCH,	(D) WRENCH, OPEN END: FIXED; DOUBLE HEAD, 15	
	DEG ANGLE; 11/16 AND 13/16 IN. OPENINGS;	
	3/8 IN. THK HEAD: 7-1/2 IN. LG. GGG-W-636,	
	TYPE_IV	
5120-00-187-7131	(D) WRENCH, OPEN END: FIXED; DOUBLE HEAD,	
	15 DEG ANGLE; 7/8 AND 15/16 IN. OPENINGS	
	13/32 IN. THK HEAD; 9 IN. LG. GGG-W-636,	
	TYPE IV	
5120-00-277-1479	(D) WRENCH, PIPE: ADJUSTABLE JAW, STILLSON	
	PATTERN; ALUMINUM ALLOY; 1 TO 2 IN. IPS;	
	18 IN. LG; 3 LB 3 02. GGG-W-651, TYPE II,	
	T - Potal allowance for Hand Receipts (a) Authorized per item for Hand Receipt Annazes C - Current operating allowance for Hand Receipts (t) Potal authorized for Hand Receipt Annazes	FAGE NO 16

Current as of 4 January 1980

Fill in the following when this form is caracos No	J.	For use of this form, see AR 735-35; the proponent agency								nd Re	sceipt	Hand Receipt File No.	O	
CLASS C	ž.	the office of the Deputy Chief of Soul to Logarith	Fill in	the fo	llowir	ng wh	en thi	s form	I is us	ed as	Hand	1 Rece	ipt A	nnex.
CLASS C	Following last item, inventory, etc.) prod	state in each balance column the type of action (e.g. issue, turn-in, ucing this balance, date of action, and signature.	CATALOG TM 5-4	No.	218-		ORR O	F ALW	_	· ·	er 1 500	orrig GPH	fica	tior
CLASS C (D) WRENCH, SPANNER: UNIVERSAL HOSE COUPLING; (D) WRENCH, SPANNER: UNIVERSAL HOSE COUPLING; (D) PIN-LUG, GUARD-LUG, AND ROCKER-LUB; 1 TO 3 IN. HOSE COUPLING; FORCIBLE-ENTRY TOOL AND CORED TO FIT GAS-COCK SHUT-OFF; 11 IN. LG; (D) CABLE ASSEMBLY (D) CABL		ITEM DESCRIPTION	_					_	BALAN	M M				
CLASS C (D) WRENCH, SPANNER: UNIVERSAL HOSE COUPLING; (D) WRENCH, SPANNER: UNIVERSAL HOSE COUPLING; (D) CARLE COUPLING; FORCIBLE-ENTRY TOOL AND CORED TO FIT GAS-COCK SHUT-OFF; 11 IN. LG; 1 LB GGC-W-051, TYPE II, CLASS C (D) CABLE ASSEMBLY (D) CABLE ASSEMBLY (D) CABLE ASSEMBLY CONFORMING TO SPECIFICA- TION MIL-C-52286/27 (X) PIDE CAP CONFORMING TO ANS B16.3, 1/2 IN. (X) PLE CAP CONFORMING TO ANS B16.3, 1/2 IN. (X) HEXAGON HEAD CAPSCREW CONFORMING TO HOM RECEIVE AND AND AND AND AND AND AND AND AND AND				-	2	9	4	ın	H	H	\vdash	-	\vdash	12
CLASS C (D) WRENCH, SPANNER: UNIVERSAL HOSE COUPLING; U/O PIN-LUG, GUARD-LUG, AND ROCKER-LUB; 1 TO 3 IN. HOSE COUPLING; FORCIBLE-ENTRY TOOL AND CORED TO FIT GAS-COCK SHUI-OFF; 11 IN. LG; 1 LB. GGG-W-051, TYPE II, CLASS C (D) CABLE ASSEMBLY (D) CABLE ASSEMBLY (D) CABLE ASSEMBLY (X) PADDLE (X) BLIND FLANGE (X) BLIND FLANGE (X) BLIND FLANGE (X) HEXAGON HEAD CAPSCREW CONFORMING TO NOMINAL PIPE SIZE (X) HEXAGON HEAD CAPSCREW CONFORMING TO TO CHARL SIGNATURE AND BEAUTHER OF MAIN AREA MATERIAL TO CHARL SILVE AND STAFF HEAD FOR HEAD AND STAFF HEAD PARTIES.		;							_					
(D) CABLE ASSEMBLY (D) CABLE ASSEMBLY (X) PADDLE (X) PADDLE (X) PLIND FIZE (X) HEXAGON HEAD CAPSCREW CONFORMING TO AND BROADLE (X) HEXAGON HEAD CAPSCREW CONFORMING TO FIGURE AND CAPSCREW CONFORMING TO SPECIFICA- (X) HEXAGON HEAD CAPSCREW CONFORMING TO FIGURAL AND FIGURATE AND FIGURAT		1							\rightarrow					
U/O PIN-LUG, GUARD-LUG, AND ROCKER-LUB; 1 TO 3 IN. HOSE COUPLING; FORCIBLE-ENTRY TOOL AND CORED TO FIT GAS-COCK SHUT-OFF; 11 IN. LG; 1 LB. GGG-W-051, TYPE II, CLASS C (D) CABLE ASSEMBLY (D) CABLE ASSEMBLY (D) CABLE ASSEMBLY (X) PADDEE (X) PADDEE (X) PLIND FLANGE (X) PIPE CAP CONFORMING TO ANS B16.3, 1/2 IN. (X) PIPE CAP CONFORMING TO ANS B16.3, 1/2 IN. (X) HEXAGON HEAD CAPSCREW CONFORMING TO (X) HEXAGON HEAD CAPSCREW CONFORMING TO (X) Total clumator for Man Receipt Annexes. (X) Total clumator for Man Receipt Annexes. (X) Total clumator for Man Receipt Annexes. (X) Total clumator for Man Receipt Annexes. (X) Total clumator for Man Receipt Annexes. (X) Total clumator for Man Receipt Annexes.	5120-00-293-1602	(D) WRENCH, SPANNER: UNIVERSAL HOSE								-	-		_	
IN. HOSE COUPLING; FORCIBLE-ENTRY TOOL AND CORED TO FIT GAS-COCK SHUT-OFF; 11 IN. LG; 1 LB. GGG-W-651, TYPE II, CLASS C (D) CABLE ASSEMBLY (D) CABLE ASSEMBLY (D) CABLE ASSEMBLY (E) CABLE ASSEMBLY (IV) CABLE ASSEM		PIN-LUG, GUARD-LUG, AND ROCKER-LUB; 1 TO						\dashv				+		
CORED TO FIT GAS-COCK SHUT-OFF; 11 IN. LG; 1 LB. GGG-W-651, TYPE II, CLASS C (D) CABLE ASSEMBLY (D) CABLE ASSEMBLY (D) CABLE ASSEMBLY (A) PADDLE (X) PADDLE (X) PADDLE (X) PLIND FLANGE (X) PIPE CAP CONFORMING TO ANS B16.3, 1/2 IN. NOMINAL PIPE SIZE (X) HEXAGON HEAD CAPSCREW CONFORMING TO Total diagnance for Hand Receipt, 101 Authorized per tiem for Hand Receipt Annatzer.		IN. HOSE COUPLING; FORCIBLE-ENTRY TOOL AND					1	+	\dashv					
(D) CABLE ASSEMBLY (D) CABLE ASSEMBLY (D) CABLE ASSEMBLY CONFORMING TO SPECIFICA- TION MIL-C-52286/27 (X) PADDEE (X) PLIND FLANGE (X) PIPE CAP CONFORMING TO ANS B16.3, 1/2 IN. NOMINAL PIPE SIZE (X) HEXAGON HEAD CAPSCREW CONFORMING TO (X) TO THE CAPSCREW TO THE T		TO FIT GAS-COCK SHUT-OFF; 11 IN.												-+
(D) CABLE ASSEMBLY (D) CABLE ASSEMBLY CONFORMING TO SPECIFICA- TION MIL-C-52286/27 (X) PADDLE (X) BLIND FLANGE (X) BLIND FLANGE (X) PIPE CAP CONFORMING TO ANS B16.3, 1/2 IN. (X) HEXAGON HEAD CAPSCREW CONFORMING TO T. Tract all communes for Hand Receipt. (13 Anthorized per item for Hand Receipt Annexes.		LB. GGG-W-651, TYPE II, CLASS										-		
(D) CABLE ASSEMBLY CONFORMING TO SPECIFICA- TION MIL-C-52286/27 (X) PADDLE (X) BLIND FLANGE (X) PIPE CAP CONFORMING TO ANS B16.3, 1/2 IN. (X) HEXAGON HEAD CAPSCREW CONFORMING TO T. Tract allowance for Hand Receipt. (13 Authorized per item for Hand Receipt Annexes.	4610-00-887-123	(D) CABLE ASS							_					-
(X) PADDEE (X) BLIND FLANGE (X) BLIND FLANGE (X) PIPE CAP CONFORMING TO ANS B16.3, 1/2 IN. NOMINAL PIPE SIZE (X) HEXAGON HEAD CAPSCREW CONFORMING TO T. Total allowance for Hand Receipt, 104 Anthorized per item for Hand Receipt Annexes.	4610-00-887-123	(D) CABLE ASSEMBLY CONFORMING TO								+				+
(X) BLIND FLANGE (X) BLIND FLANGE (X) PIPE CAP CONFORMING TO ANS B16.3, 1/2 IN. NOMINAL PIPE SIZE (X) HEXAGON HEAD CAPSCREW CONFORMING TO T. Total allowance for Hand Beceipt, 104 Anthorized by Hand Receipt Annexes.		TION MIL-C-52286/27							\dashv			+		
(X) BLIND FLANGE (X) PIPE CAP CONFORMING TO ANS B16.3, 1/2 IN. NOMINAL PIPE SIZE (X) HEXAGON HEAD CAPSCREW CONFORMING TO T. Total allowance for Hand Receipt, 104 Authorized per item for Hand Receipt Annexes.	7330-00-972-521	- 1								$\neg \uparrow$			-	_
(X) PIPE CAP CONFORMING TO ANS B16.3, 1/2 IN. NOMINAL PIPE SIZE (X) HEXAGON HEAD CAPSCREW CONFORMING TO T- Total allouance for Hand Receipt, led Athensized per item for Hand Receipt Annexes.	4730-00-104-620	8								1	_			_
(X) HEXAGON HEAD CAPSCREW CONFORMING TO T. Total allocances of Hand Receipt. (at Authorized per item for Hand Receipt Annexes.	4730-00-104-620	(X) PIPE CAP CONFORMING TO ANS B16.3, 1/2								+	+			+
T. Total allowance for Hand Receipts, (a) Authorized per item for Hand Receipt Annexes.									1	_			+	
2010	5305-00-717-546	_		_					\dashv	7	\dashv	\dashv	\dashv	\dashv
		'T - Total allowance for Hand Receipts. (aj Authorized per item for Hand Receipt Annexes. C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand Receipt Annexes.	t Annexes. I Receipt /	lnnexes							PAGE	NO F	S E S	

IM 5-4610-218-12 Water Purification Unit, 1500 GPH

STOCK NO	TIEM DESCRIPTION	_									_	_			
		(g)	3	-	2	6	4	'n	9	,	6	Ž On	= 02	-	12
	(BII) Continued							$-\frac{1}{1}$							
	MS35307-362														
4730-00-227-6191	(X) HOSE CLAMP CONFORMING TO MS35842-15														
4610-00-066-2478	(D) FLOAT														
5975-00-972-8028	(D) GROUND ROD WITH 10 FOOT CABLE									· 	i			<u> </u>	
			-			-	-	-	-						
			 		-		-	-		†	<u> </u>				
						<u> </u>	1		 		-		ļ		
			 								-	1			
									 					-	
							-	-	_	-					
			!									<u> </u>	 	! 	
		<u> </u>	-				-		-		-	-		-	·
			-			-	-	 	ļ —	-	ļ		-	ļ	
				-			-	-	-	-	-	-	-		Ţ
				+		-		+	!	 	<u> </u>	 	-	 	
	:		1			i	 	·	:	-	+	+	<u> </u>	+	7
				-	•					<u>:</u>	·			•	1
			· · · · · · · · · · · · · · · · · · ·		1	•	•	-	-	<u> </u>	-			<u></u>	
	T. Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes. C. Current operating allowance for Hand Receipts. (t) Total authorized for Hand Receipt Annexes.	d Receipt	Anne	res.		1	1	1		¢ Z	PAGE NO	0 40	ا. ا	18	
											,				

For	HAND RECEIPT/ANNEX NO. For use of this form, see AR 735.35; the proponent agency is the office of the Deputy Chief of Staff for Logistics.	FROM:						TO: Hand	O: Hand Receipt File No.	ipt Fil	e X		
		Fill	in the	Fill in the following when this form is used as Hand Receipt Annex.	g wher	n this	form i	pasn s	as He	and R	eceipt	Anne	×
Following last item, state in each balanc inventory, etc.) producing this balance,	Following last item, state in each balance column the type of action (e.g. issue, turn-in, inventory, etc.) producing this balance, date of action, and signature.	CATALOG NO TM 5-4610	36 NO.	ALOG NO 5-4610-218-12	-	CURR OF ALW	ALW	TEM Water Purification Unit, 1500 GPH	Wate	ater Puri 1500 GPH	rifi PH	cati	ion
STOCK NO.	ITEM DESCRIPTION	(2) (2)					8	BALANCE					
	Additional Authomization liet (AAI)]-	2	п	A	•	7	6	a	2	=	2
5120-00-242-3917	HAND: MACHININIST'S;		-			-		-					
	1 LB. HEAD; W/FIBERGLASS HANDLE. GGG-H-86												
	TYPE II, CLASS 1, STYLE A												
5120-00-595-9245	(D) KEY SET, SOCKET HEAD SCREW: HEX DRIVE;												
	L-TYPE HANDLE; W/CASE; C/O:												
5120-00-198-5400	(D) 1 EA KEY, SOCKET HEAD SCREW: 0.035 IN. W												
	ACROSS FLATS, 1-3/8 IN. LG						_						
5120-00-198-5401	(D) 1 EA KEY, SOCKET HEAD SCREW: 0.050 IN. W												
	ACROSS FLATS, 1-21/32 IN. LG					-							
5120-00-198-5398	(D) 1 EA KEY, SOCKET HEAD SCRIW: 1/16 IN. W												
	ACROSS FLATS, 1-3/4 IN. LG												
5120-00-242-7410	(D) 1 EA KEY, SOCKET HEAD SCREW: 3/32 IN. W												
	ACROSS FLATS, 2 IN. LG												
5120-00-224-2504 (D) 1 EA KEY	(D) I EA KEY, SOCKET HEAD SCREW: 5/64 IN. W					-							
	T - Total allowance for Hand Receipts (a) Authorized per item for Hand Receipt Annexes. C - Current operating allowance for Hand Beceipts (1) Total mathemated for Hand Beceipts	Anneres							PAG	PAGE NO.			19
	of the state of th	Receipt	ARRETE						o N	OF PAGES	GES		77

TM 5-4610-218-1	2 Water Purification Unit. 1500 GPH	l	ł				ļ		ł	l		١
STOCK NO	ITEM DESCRIPTION	F(E)	<u>ნ</u>	2	· e	4	m	BALANCE	8	6	2	5
:	(AAL) Continued						+					
	ACROSS_FLATS, 1-7/8 IN. LG											
5120-00-240-5292	5120-00-240-5292 (D) 1 EA KEY, SOCKET HEAD SCREW: 1/8 IN. W				+			_				
	ACROSS FLATS, 2-1/4 IN. LG							+			- +	
5120-00-198-5392 (D) 1 EA KEY,	(D) 1 EA KEY, SOCKET HEAD SCREW: 5/32 IN. W											
	ACROSS FLATS, 2-1/2 IN. LG	:						+	:			
5120-00-240-5300 (D) 1 EA KEY,	(D) 1 EA KEY, SOCKET HEAD SCREW: 3/16 1N. W				!							- +-
	ACROSS FLATS, 2-3/4 IN. LG		+									+
5120-00-242-7411	5120-00-242-7411 (D) 1 LA KEY, SOCKET HEAD SCREW: 7/32 IN. W				!					+	+	
	ACROSS FLATS, 3 IN. LG	+					:					
5120-00-224-4659 (D) 1 EA KEY,	(b) 1 EA KEY, SOCKET HEAD SCREW: 1/4 IN. W			- +								
	ACROSS FLATS, 3-1/4 IN. LG		+	-				-				- · · · - • · ·
5120-00-240-5274	(D) 1 EA KEY, SOCKET HEAD SCREW: 5/16_1N. W				+		+					
	ACROSS FLATS, 3-3/4 IN. LG				· · · · · ·		1		!			
5120-00-198-5390	(D) I LA KEYA SOCKET HEAD SCREW: 3/8 IN. W		 -									
	ACROSS FLATS, 4-1/4 IN. LG				+-						- •	•-
5120-00-198-5391	(D) 1 EA KEY, SOCKET HEAD SCREW: 1/2 1N. W.											
	ACROSS FLATS, 5-1/4_IN;_LG											
5120-00-240-5268 (D) 1 LA KEY,	(D) I LA KEY, SQCKET HEAD SCREW: 9/16 IN. W		\dashv	-					_			🖠
	f - Fotal as sociative for Hand Receipts (a) Authorized per item for Hand Receipt Annexes C - Current specialism allowance for Hand Receipts (t) Total outhorized for Hand Receipt Annexes	Annere	rs (Anne.	rea				ļ	FAGE No c	E NO OF PANES	٠١ ج	20 24

Current as of 4 January 1980

	HAND RECEIPT/ANNEX NO.	FROM:						TO:					
For	For use of this form, see AN 135-35; the proponent agency is the office of the Deputy Chief of Staff for Logistics.							Hand	Hand Receipt File No.	pt Fil	e No.		
		Fill in	ι the fα	Fill in the following when this form is used as Hand Receipt Annex.	when	this	form i	s used	as Ha	nd R	eceipt	Anne	χ.
Following last item, s inventory, etc.) produ	Following last item, state in each balance column the type of action (e.g. issue, turn-in, inventory, etc.) producing this balance, date of action, and signature.	CATALOG NO. TM 5-4610	610-2	ALOG NO. 5-4610-218-12	$\overline{}$	CURR OF ALW		Unit	TEM Water Purification Unit, 1500 GPH	r Pu 00	rifj PH	icat	ion
STOCK NO	ITEM DESCRIPTION	T, G		-			₩8	BALANCE					
		-	-	7	6	ID CI	•	_	60	On .	0	=	12
	(AAL) Continued			\dagger	+	_	-	-					
	ACROSS FLATS, 5-3/4 IN. LG												
5120-00-224-2510	(D) 1 EA KEY, SOCKET HEAD SCREW: 5/8 IN. W												
	ACROSS FLATS, 6-1/4 IN. LG. GGG-K-275, TYPE I	-											
	CLASS 1 AND 2			<u> </u>									
5110-00-240-5943	(D) KNIFE, POCKET: GENERAL PURPOSE.												
	GG-K-484, TYPE II, CLASS I, STYLE A												
4930-00-253-2478	(D) LUBRICATING GUN, HAND: LEVER OPERATED;												
	SPRING PRIMED; 14 0Z; 6000 PSI, 6-1/2 IN. LG												
	RIGID BENT TUBE EXTENSION; HYDRAULIC COUPLER;												
	W/LOADER FITTING. MIL-G-3859, TYPE I						_						}
5120-00-223-7397	(D) PLIERS, SLIP JOINT: STRAIGHT NOSE; 8 IN.												
	LG; W/CUTTER. GGG-P-471, TYPE II, CLASS 2,	-											
	STYLE A												
5120-00-234-8910	(D) SCREWDRIVER, FLAT TIP: FLARED, 5/16 IN. W							-		_			
	T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes.	Annexes.							PAGE NO	o Z		7	21
	de la company de	Receipt Av	thezes.			ı			Ö	NO OF PAGES	GES	7	4

STOCK NO	ITEM DESCRIPTION	3) (v)	- E	N	4	ĸ	4	8	O1	0	12
9		_	+	+	+		+	+		<u> </u>	
9	(AAL) Continued							-			
	IN. LG BLADE; PLASTIC HANDLE.						-				
666-8-121,	21, TYPE I, DESIGN A, SHAPE A							_			
5120-00-234-8913 (D) SCREWDRI	SWDRIVER, CROSS TIP: NO. 2 TIP; 4 IN.				-			-			+
LG BLADE	LG BLADE; PLASTIC HANDLE. GGG-S-121, TYPE VI,							-			+
CLASS 1,	STYLE 1										
5120-00-240-5328 (D) WRENCH,	NCH, ADJUSTABLE: STEEL, CHROMIUM						-				
PLATED; OPEN	OPEN END; SINGLE HEAD; 0 TO 15/16 IN.				_						-
JAW OPENING;	NING; 8 IN. LG. GGG-W-631, TYPE I,								1		
CLASS 1			_								+
5120-00-264-3796 (D) WRENCH,	NCH, ADJUSTABLE: STEEL, CHROMIUM										
PLATED; OPEN	OPEN END; SINGLE HEAD; 0 TO 1-24/64									+	
WAL JAW	IN. JAW OPENING; 12 IN. LG. GGG-W-631, TYPE I			-	-						
CLASS 1							+				
5120-00-187-7123 (D) WRENCH,	NCH, OPEN END: FIXED; DOUBLE HEAD,							· 		-+	
15 DEG A	15 DEG ANGLE; 7/16 AND 1/2 IN. OPENINGS;		-			<u> </u>					
1/4 IN.	THK HEAD; 5 IN. LG. GGG-W-636, TYPE		- - -		:		:				
VI					- :						
5120-00-187-7126 (D) WRENCH,	NCH, OPEN END: FIXED; DOUBLE HEAD,		_					_	\exists	-	- ;
T - Total allowance C - Current operato	T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes. C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand Receipt Annexes.	Annere.	rs. (Anneres	.				ž Z	SE Z	PAGES	27

	HAND RECEIPT/ANNEX NO.	FROM:					T0:				I
fo is	For use of this form, see AR 735.35; the proponent agency is the office of the Deputy Chief of Staff for Logistics.						Han	Hand Receipt File No.	pt File	No.	
: -		Fill ;	Fill in the following when this form is used as Hand Receipt Annex.	ng whe	n this	form	s used	as Ha	nd Rec	eipt Ar	nex.
Following last item, inventory, etc.) prodi	Following last item, state in each balance column the type of action (e.g. issue, turn-in, inventory, etc.) producing this balance, date of action, and signature.	CATALOG NO TM 5-4610	ALOG NO 5-4610-218-12		CURR OF ALW		Unit,	ITEM Water Unit, 1500	Water Purification 1500 GPH	ifica	tion
STOCK NO	ITEM DESCRIPTION	T' C' (a)				á	BALANCE				
			и -	m	4 E	•	^	Φ	a	01	12
	(AAL) Continued	_		-	\dashv	-			_		
	15 DEG ANGLE; 9/16 AND 5/8 IN. OPENINGS; 19/64										
	IN. THK HEAD; 6 IN. LG. GGG-W-636, TYPE IV									-	ļ
5120-00-277-8300	(D) WRENCH, OPEN END: FIXED, DOUBLE HEAD, 15						-				-
	DEG ANGLE; 11/16 AND 13/16 IN. OPENINGS; 3/8			-		-					-
	IN. THK HEAD; 7-1/2 IN. LG. GGG-W-636, TYPE				-	-			 	-	_
	IV			-	-				+		
5120-00-187-7131	(D) WRENCH, OPEN END: FIXED, DOUBLE HEAD, 15			 	+					+	
	DEG ANGLE; 7/8 AND 15/16 IN. OPENINGS; 13/32				-		<u> </u>			-	
	IN. THK HEAD; 9 IN. LG. GGG-W-636, TYPE IV								-	-	ļ
5120-00-277-1479	(D) WRENCH, PIPE: ADJUSTABLE JAW, STILLSON			-		<u> </u>				-	<u> </u>
	PATTERN; ALUMINUM ALLOY; 1 TO 2 IN. IPS; 18					ļ			-	-	ļ
	IN. LG; 3 LB 3 OZ. GGG-W-651, TYPE II,					ļ			 		
	CLASS C			ļ					-	-	
5120-00-293-1602	(D) WRENCH, SPANNER: UNIVERSAL HOSE COUPLING;			-	-					-	
	 1 - Iotal allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes. C - Current operating allowance for Hand Receipts. (1) Total authorized for Hand Receipt Annexes. 	Annexes. Receipt An	Rezei		ł			PAGE NO	ę Ž		23
DA FORM 20	2062			ı	ı	ı	7	ō O	NO. OF PAGES	ı	54
1 JAN 58	Current as of 4 January 1000	100	Ç								

Current as of 4 January 1980

TM 5-4610-218-12	12 Water Purification Unit, 1500 GPH	İ	Ī			I	İ	1	١			ł	Ì	I
	NO TOLOGODA MONT	Ĕ.	ບູ	-	ŀ	-	-	-	۲ <u>۸</u> -	-	:			
STOCK NO	LEM DESCRIPTION		= 		2	6	4 R	+	1	œ i	o	0	=	12
	(AAL) Continued					+	+		+					
	U/O PIN-LUG;				j					-				
			 							-				
	SHUT-OFF; 11 IN. LG; 1 LB. GGG-W-665, TYPE W			· · · · · ·		1							_	
										<u>-</u>				
									·					
						-	-	ļ		 	! 			
		-				-	-			-				
						-	-	-				-		
						-			-					
								.,						
								i						
ļ	1							- :	-				+	
	-													
	T. Potal allowance for Hand Receipts (a) Authorized per item for Hand Receipt Annexes. CCurrent operating allowance for Hand Receipts (t) Total authorized for Hand Receipt Annexes	of Anne.	res. pt Ann	ıcres	i					¥ 3	PAGE NO	PAGE NO NO OF PAGES	24 24	.t.+
								l	ĺ	l	l		l	l

Current as of 4 January 1980

By Order of the Secretary of the Army:

Official:

E. C. MEYER

General, United States Army

Chief of Staff

J. C. PENNINGTON

Major General, United States Army

The Adjutant General

Distribution:

To be distributed in accordance with DA Form 12-25A, operator's maintenance for Water Purification.

*U.S. GOVERNMENT PRINTING OFFICE: 1980-665134/2040

This fine document...

Was brought to you by me:



<u>Liberated Manuals -- free army and government manuals</u>

Why do I do it? I am tired of sleazy CD-ROM sellers, who take publicly available information, slap "watermarks" and other junk on it, and sell it. Those masters of search engine manipulation make sure that their sites that sell free information, come up first in search engines. They did not create it... They did not even scan it... Why should they get your money? Why are not letting you give those free manuals to your friends?

I am setting this document FREE. This document was made by the US Government and is NOT protected by Copyright. Feel free to share, republish, sell and so on.

I am not asking you for donations, fees or handouts. If you can, please provide a link to liberatedmanuals.com, so that free manuals come up first in search engines:

Free Military and Government Manuals

- SincerelyIgor Chudovhttp://igor.chudov.com/
- Chicago Machinery Movers