

TECHNICAL MANUAL

**CHECKLIST
for
INDIVIDUAL COLD
CLIMATE SURVIVAL KIT
P/N 11-1-170
NSN 1680-00-973-1862**

**HEADQUARTERS,
DEPARTMENT OF THE ARMY
24 AUGUST 1981**

TM 55-1680-317-CL-2

HEADQUARTERS

DEPARTMENT OF THE ARMY

Washington. DC, 24 August 1981

1. Inspection Requirements. This manual contains complete requirements for Preflight and Calendar Inspection of Individual Cold Climate Survival Kit. It does not contain instruction for repair, adjustment, or other means of rectifying conditions, nor does it contain instructions for troubleshooting to find causes for malfunctioning. Specific tolerances, limits, etc., can be found in the applicable maintenance manuals. Use of the alphabetical index in the applicable manuals will facilitate locating the required information.

2. Scope. The inspections prescribed by this manual will be accomplished at specified periods by organizational maintenance activities with assistance of direct and general support activities when required.

3. General Information. a. The inspection requirements contained herein are stated in such a manner so to establish when certain equipment is to be inspected and what conditions are desired/undesired. Compliance with the provisions outlined herein is required in order to assure that latent defects are discovered and corrected before malfunctioning or serious trouble results. Inspection requirements

are arranged, as nearly as possible, according to the manner in which they will be performed.

b. The inspection intervals designated herein will not be exceeded except in actual operational emergencies as explained herein. It is the commander's responsibility to determine (on an individual basis) when inspection intervals may be exceeded. For this purpose, operational emergencies are conditions of combat, or conditions of disaster which necessitate flight to evacuate aircraft or personnel. Since safety may be jeopardized when inspections are delayed to meet emergency requirements, commanders will assure that delayed inspections are accomplished immediately upon termination of the actual emergency. When unusual local conditions of environment, utilization, mission, experience of maintenance personnel, periods of inactivity, etc., are encountered, the ALSE NCO/officer will, at his discretion, increase the scope and/or frequency of maintenance or inspections as necessary to insure safety.

4. Special Information. The columns headed P and C are used to indicate the requirements for Preflight and Calendar inspections respectively. The calendar inspection

interval is 120 days. Refer to TM 55-1680-317-23&P for maintenance instructions.

5. Reporting Errors and Recommending Improvements.

You can help improve this manual. If you find any mistake or if you know of a way to improve the procedures, please let us know. Mail your letter or DA Form 2028 (Recommended Changes to Publications and Blank Forms) directly to: Commander, US Army Troop Support and Aviation Materiel Readiness Command, ATTN: DRSTS-MTT, 4300 Goodfellow Blvd., St. Louis, MO 63120. A reply will be furnished to you. For the purpose of clarification of terms used in this manual, the following definitions are given:

Specified	Refers to a definite amount, operation, or limitation which has been established and is contained in applicable directives.
Evidence	Is an indication of an existing or impending unsatisfactory condition.
Security	Means the component is properly mounted or attached to related equipment including applicable safetying.

Accessible	Is the term applied to equipment that may be inspected without further disassembly or removal of components, etc., other than those required to accomplish the more specific requirements applicable to particular inspections.
Excessive	Is a term used to describe conditions where specific limitations have not been established. A condition is excessive if it has progressed to the degree that, if not corrected, could result in failure or malfunction of component prior to the next scheduled accomplishment of the requirement which directed attention to the condition.

WARNING

When an abnormal condition is noted and pertinent procedures in this checklist do not specifically relate to the noted irregularity, work will be stopped and technically qualified guidance will be obtained from the life support supervisor before continuing the operation.

PREFLIGHT INSPECTION

The preflight inspection on life support equipment is basically a flight preparedness check. As such, a visual inspection will be performed by the crew, prior to each flight, to assure that the life support equipment is in serviceable condition. On this basis, a preflight inspection will be required on life support equipment immediately before issue for flight.

CALENDAR INSPECTION

The inspection consists of checking the life support equipment for flight preparedness by performing visual inspection and operational checks of certain components to assure that no defects or maladjustments exist which could cause accidents or aborted missions.

Seq. No.	Item to be inspected	Procedures (inspect for)	P	C
	Individual Cold Climate Survival Kit			
1.	Kit outer case	Holes, cuts, frays, tears, burns; loose or broken stitching; defective or broken slide fastener; missing or broken pocket tie tape; broken carrying handle; grommet seating; operator's manual in pocket.	X	X
2.	Inspection record	Date calendar inspection due.	X	X
3.	Kit inner case	Holes, cuts, frays, tears, burns; loose or broken stitching; defective slide fastener; defective	X	

Seq. No.	Item to be inspected	Procedures (inspect for)	P	C
3.	Kit inner case (cont)	ejector snaps and adapters; cut or broken stitching on adjuster straps and connecting strap.		
4.	Lightweight poncho w/hood	Rips, holes, scuffs, or burns; loose or broken stitching; defective frommets or snap fasteners; missing or broken hood and waist drawcords; legibility of instruction label.		X
5.	Saw-Knife-Shovel assembly	Nicks, dents; broken saw teeth; blade sharpness.		X
6.	Illuminating candle (loose)	Wick missing or not extending beyond candle tip; dirt, dust, or other foreign material imbedded in candle body; broken, warped,		X

Seq. No.	Item to be inspected	Procedures (inspect for)	P	C
6.	Illuminating Candle (loose) (cont) or Illuminating candle (canned)	or fused together with another candle; burned; not white in col- or. Corrosion; dents; broken seal.		
7.	Sleeping bag (type SRU-15/P)	Evidence of container having been opened; center sealing tape loose by more than 1/4 inch; threaded pin loose; missing wingnut; missing washers; in- struction label illegible; cracks in container; pull wire.		X
8.	First aid kit	Cuts, tears, loose or broken stitching on case; exposure of kit to water; serviceability of snap fasteners; expiration dates of		X

Seq. No.	Item to be inspected	Procedures (inspect for)	P	C
8.	First aid kit (cont)	medical items; evidence of anti-chap lipstick and benzalkonium chloride tincture leaking; eye pad envelope opened, punctured, or torn; plastic bag containing camouflage compress gauze air tight; crushed meclizine hydrochloride tablets or cracked tablet container; opened containers of muslin bandage or adhesive strips; neosporine tubes present and unopened; Service life of medical components.		

Seq. No.	Item to be inspected	Procedures (inspect for)	P	C
9.	Magnetic compass	Cracked or broken dial face cover; operation; original stowed position; missing operations instructions.		X
10.	Matches (non-safety)	Serviceability and container condition.		X
11.	Plastic water bag	Tears, cuts, holes, cracks, breaks, or abrasions; sharp creases or wrinkles; attaching components loose or missing; foreign material on bag inside which may damage container or injure user; stickiness, oily film.		X

Seq. No.	Item to be inspected	Procedures (inspect for)	P	C
12.	Plastic spoon	Wrapping missing or torn; previous use; evidence of finger marks, dirt, or grease; cracked or broken.		X
13.	Survival manual (AFM 64-5) or FM 21-76	Torn; pages missing; dampness; legibility.		X
14.	Food packet	Severe dent or a dent causing a sharp ridge; rust which cannot be removed by wiping with a soft cloth; packet punctured or leaking; can opener missing; illegible printed instructions, date of manufacture.		X

Seq. No.	Item to be inspected	Procedures (inspect for)	P	C
15.	Smoke and illumination signal	Damage, severe dents, or deformity; broken seals; labeling on day and night ends; embossed projections on night end available. Lot numbers and date of manufacture.		X
16.	Insect headnet	Holes or tears in netting; broken or loose stitching; missing or broken elastic headband; loose or missing grommets; missing or broken drawstring and elastic pocket attaching loops; insect repellent on elastic; missing or illegible instruction ticket.		X

Seq. No.	Item to be inspected	Procedures (inspect for)	P	C
17.	Pocket knife	Rust or corrosion; missing rivets; loose clevis; burrs or rough projections on handle; blades hard to open; nicks or burrs on blades; cutting edge dull; punch blade dull and point is blunt.		X
18.	Packing list	Torn or missing; legibility.		X
19.	Operator's manual (TM 55-8465-212-10)	Torn; pages missing; legibility; dampness.		X
20.	Compressed trioxane fuel	Container not sealed on four sides; instructions on container missing or illegible; crushed fuel bar.		X

Seq. No.	Item to be inspected	Procedures (inspect for)	P	C
21.	Signaling mirror	Scratches, chipped, cracks, distortion; illegible operating instructions; broken or missing lanyard.		X
22.	Frying pan	Dents, cracks, corrosion, sharp edges, burrs, silvers; cleanliness.		X
23.	Waterproof matchbox	Penetration of water; cracks, cuts, or tears in sealing gasket; loose or missing sealing gasket; cap striking disc torn or grit missing; striking bar chipped, cracked, or dented; cap threads broken or stripped; free movement of cap on threads; broken or damaged cap or body; corrosion on striking bar.		X

Seq. No.	Item to be inspected	Procedures (inspect for)	P	C
24.	Snare wire (20-ft-long)	Kinks, twists, cracks, slivers.		X
25.	Fishing tackle kit	Broken seal around perimeter of container; corrosion of kit contents; broken or cracked container; missing instruction booklet; evidence of tampering.		X
26.	Additional components	As necessary.		X

Seq. No.	Item to be inspected	Procedures (inspect for)	P	C
-------------	----------------------	-----------------------------	---	---

By Order of the Secretary of the Army:

Official:


ROBERT M. JOYCE
Brigadier General, United States Army
The Adjutant General

E. C. MEYER
General, United States Army
Chief of Staff

DISTRIBUTION:

To be distributed in accordance with DA Form 12-31,
Maintenance requirements for Aerial Delivery Equipment,
General Literature.

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS

 <div style="border: 1px solid black; border-radius: 15px; padding: 10px; display: inline-block; margin-top: 10px;"> <p style="margin: 0;">THEN...JOT DOWN THE DOPE ABOUT IT ON THIS FORM. CAREFULLY TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL.</p> </div>		SOMETHING WRONG WITH PUBLICATION									
		FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)									
PUBLICATION NUMBER		DATE SENT									
PUBLICATION DATE		PUBLICATION TITLE									
<div style="display: flex; justify-content: space-between;"> <div style="width: 30%;"> <p style="margin: 0;">BE EXACT PIN-POINT WHERE IT IS</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%; padding: 5px; font-size: 0.8em;">PAGE NO.</td> <td style="width: 25%; padding: 5px; font-size: 0.8em;">PARA- GRAPH</td> <td style="width: 25%; padding: 5px; font-size: 0.8em;">FIGURE NO.</td> <td style="width: 25%; padding: 5px; font-size: 0.8em;">TABLE NO.</td> </tr> <tr> <td style="height: 400px;"></td> <td></td> <td></td> <td></td> </tr> </table> </div> <div style="width: 65%;"> <p style="margin: 0; font-weight: bold;">IN THIS SPACE, TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT.</p> </div> </div>				PAGE NO.	PARA- GRAPH	FIGURE NO.	TABLE NO.				
PAGE NO.	PARA- GRAPH	FIGURE NO.	TABLE NO.								
PRINTED NAME, GRADE OR TITLE AND TELEPHONE NUMBER		SIGN HERE									

The Metric System and Equivalents

Linear Measure

- 1 centimeter = 10 millimeter = .39 inch
- 1 decimeter = 10 centimeters = 3.94 inches
- 1 meter = 10 decimeters = 39.37 inches
- 1 dekameter = 10 meters = 32.8 feet
- 1 hectometer = 10 dekameters = 328.08 feet
- 1 kilometer = 10 hectometers = 3,280.8 feet

Weights

- 1 centigram = 10 milligrams = .15 grain
- 1 decigram = 10 centigrams = 1.54 grains
- 1 gram = 10 decigrams = .035 ounce
- 1 dekagram = 10 grams = .35 ounce
- 1 hectogram = 10 dekagrams = 3.52 ounces
- 1 kilogram = 10 hectograms = 2.2 pounds
- 1 quintal = 100 kilograms = 220.46 pounds
- 1 metric ton = 10 quintals = 1.1 short tons

Liquid Measure

- 1 centiliter = 10 milliliters = .34 fl. ounce
- 1 deciliter = 10 centiliters = 3.38 fl. ounces
- 1 liter = 10 deciliters = 33.81 fl. ounces
- 1 dekaliter = 10 liters = 2.64 gallons
- 1 hectoliter = 10 dekaliters = 26.42 gallons
- 1 kiloliter = 10 hectoliters = 264.18 gallons

PIN: 049679-000

This fine document...

Was brought to you by me:



[Liberated Manuals -- free army and government manuals](#)

Why do I do it? I am tired of sleazy CD-ROM sellers, who take publicly available information, slap “watermarks” and other junk on it, and sell it. Those masters of search engine manipulation make sure that their sites that sell free information, come up first in search engines. They did not create it... They did not even scan it... Why should they get your money? Why are not letting you give those free manuals to your friends?

I am setting this document FREE. This document was made by the US Government and is NOT protected by Copyright. Feel free to share, republish, sell and so on.

I am not asking you for donations, fees or handouts. If you can, please provide a link to liberatedmanuals.com, so that free manuals come up first in search engines:

<A HREF=<http://www.liberatedmanuals.com/>>Free Military and Government Manuals

- Sincerely
Igor Chudov
<http://igor.chudov.com/>
- [Chicago Machinery Movers](#)