## HAND RECEIPT

COVERING CONTENT OF
COMPONENTS OF END ITEM (COEI),
BASIC ISSUE ITEMS (BII),
AND ADDITIONAL AUTHORIZATION LIST (AAL)

FOR

TRUCK TRACTOR, COMMERCIAL HEAVY EQUIPMENT TRANSPORTER C-HET, 85,000 GVWR, 8x6, M911

(NSN 2320-01-025-3733)

**CHANGE** 

No. 1

HEADQUARTERS
DEPARTMENT OF THE ARMY
Washington D. C., 14 October 1990

## HAND RECEIPT

COVERING CONTENT OF COMPONENTS OF END ITEM (COEI), BASIC ISSUE ITEMS (BII), AND ADDITIONAL AUTHORIZATION LIST (AAL)

**FOR** 

TRUCK TRACTOR, COMMERCIAL HEAVY EQUIPMENT TRANSPORTER C-HET, 85,000 GVWR, 8X6, M911

(NSN 2320-01-025-3733)

TM 9-2320-270-10-HR, December 1983, is changed as follows:

- 1. Remove old pages and insert new pages as indicated below.
- 2. New or changed information is indicated by a vertical bar in the margin of the page.

Remove Pages Insert Pages

i/(ii blank) i/(ii blank) 2-1 thru 2-6 2-1 thru 2-6

3. File this change sheet in front of the publication for reference purposes.

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

By Order of the Secretary of the Army:

CARL E. VUONO General, United States Army Chief of Staff

Official:

# THOMAS F. SIKORA

Brigadier General, United States Army The Adjutant General

# Distribution:

To be distributed in accordance with DA Form 12-38-E, Block 0569, Operator maintenance requirements for TM 9-2320-270-10-HR.

Hand Receipt

\*TM 9-2320-270-10-HR

HEADQUARTERS
DEPARTMENT OF THE ARMY
Washington D.C., 23 December 83

# HAND RECEIPT COVERING CONTENT OF COMPONENT OF END ITEM (COEI), BASIC ISSUE ITEMS (BII), AND ADDITIONAL AUTHORIZATION LIST (AAL) FOR

TRUCK TRACTOR, COMMERCIAL HEAVY EQUIPMENT TRANSPORTER C-HET, 85,000 GVWR, 8x6, M911 (NSN 2320-01-025-3733)

#### REPORTING ERRORS AND RECOMMENDING IMPROVEMENTS

You can help improve this manual. If you find any mistakes or if you know of away to improve the procedures, please let us know. Mail your letter, DA Form 2028 (Recommended Changes to Publications and Blank Forms), or DAForm 2028-2, located in the back of this manual, directly to: Commander, U. S. Army Tank-Automotive Command, ATTN: AMSTA-MB, Warren, MI 48397-5000. A reply will be furnished to you.

#### TABLE OF CONTENTS

		Page
Section I.	Introduction	. 1-1
	Hand Receipt	. 2-1

<sup>\*</sup>This manual supersedes TM 9-2320-270-10-HR, dated November 1978

#### Section I. INTRODUCTION

1. SCOPE. This publication provides an overprinted DA Form 2062 (Hand Receipt) which lists the contents of Components of End Item (COEI), Basic Issue Items (BII), and Additional Authorization List (AAL) items related to the M911 series truck.

#### GENERAL.

- a. Section II is the overprinted DA Form 2062 which lists the contents of COEI, BII, and AAL extracted from TM 9-2320-270-10. The listings consist of exactly the same items and are in the same sequence as those listings in TM 9-2320-270-10.
- b. The overprinted DA Form 2062 will eliminate manual preparation of the form and will assist organizations in inventorying and accounting for property as required by AR 710-2.
- c. Local reproduction of the overprinted DA Form 2062 is authorized. However, organizations shall comply with local policies in the reproduction of DA Form 2062 by office copying equipment, field printing plant, or duplicating plant facilities,
- d. Additional copies of this publication may be requisitioned from the Commander, U.S. Army Adjutant General Publications Center, 2800 Eastern Blvd, Baltimore, MD 21220 in accordance with chapter 3, AR 310-2.
- 3. EXPALANTION OF BLOCKS AND COLUMNS (DA FORM 2062).
  - a. From. Enter the organization for which the property book is maintained.
  - b. <u>To.</u> Enter the UIC and the hand receipt file number of the unit/personnel receiving the property.
  - c. <u>Hand Receipt Number.</u> Enter a locally designated number. Use it to post the location of property in the property book.
  - d. <u>End Item Stock Numbe</u>r. Contains the National Stock (NSN) of the end item covered by the hand receipt.
  - e. End Item Description. Contains the end item short title.
  - f. <u>Publication Number.</u> Contains the TM number of the technical manual containing the Operator/Crew instructions for the equipment.
  - g. <u>Publication Date.</u> Date of the Operator/Crew TM.
  - h. Quantity. Quantity of the end item covered by this hand receipt.
  - i. <u>Stock Number (Column a).</u> National stock number of the item described. Items without stock numbers should be requisitioned by Federal Supply Code for Manufacturers (FSCM) and manufacturers part number with exception data in accordance with AR 710-2.

- j. Item Description (Column b). Identifies the item contained in the COEI, BII, and the AAL. It will also contain nomenclature, serial/USA number (if applicable) that will be useful in identifying and controlling the item. Serial number is to be inserted and initialed on all copies by hand receipt holder. In addition, it will contain the 5-digit Federal Supply Code for Manufacturers (FSCM), Part Number (P/N) and "Usable on" code if applicable.
- k. (Column c). The Accounting Requirements Code (ARC) is entered here.

#### NOTE

The Accounting Requirements Code (ARC) refers to property accountability, not to disposal authority. Disposition action and authority for an unserviceable item is governed by the recoverability code (5th position of the SMR code) assigned to the item in the RPSTL.

One of the following codes will apply:

N for Nonexpendable: Items not consumed in use, retaining their identity during use, and requiring that accountability be maintained throughout the life

of the item.

D for Durable: Nonconsumable components of sets, kits, outfits

and assemblages; all tools in FSC's 5110, 5120, 5130, 5133, 5136, 5140, 5180, 5210, 5220 and 5280; and any other nonconsumable with a price

in excess of \$50.00 not already "N".

X for Expendable: Items, regardless of type classification or

price and which are consumed in use. Includes all class 9 repair parts. Items not consumed in use which cost \$50.00 or loss and not

in use which cost \$50.00 or less and not

already "N" or "D".

(•) Stands for: Information not available.

1. SEC (Column d). The Physical Security/Pilferage code is entered here. This is a one position code which indicates the security classification or pilferage control for storage or transportation of assets. Order of precedence for assignment of codes is classified, sensitive, pilferable, unclassified, as applicable.

CODE	Physical Security Code
А	CONFIDENTIAL - Former Restricted Data
В	CONFIDENTIAL - Restricted Data

. - .

SEC CODE	Physical Security Code
С	CONFI DENTI AL
D	CONFIDENTIAL - Cryptologic
E	SECRET - Cryptologic
F	TOP SECRET - Cryptologic
G	SECRET - Former Restricted Data
Н	SECRET - Restricted Data
K	TOP SECRET - Former Restricted Data
L	TOP SECRET - Restricted Data
0	Naval Nuclear Propulsion Information
S	SECRET
Т	TOP SECRET
U	UNCLASSI FI ED
	<u>Sensitive Items</u>
Р	Ammunition and Explosives
Q	An item which is a drug or other substance determined by the Director, Drug Enforcement Administration (DEA), Department of Justice, to be designated schedule symbol III, IV or V as defined in the Controlled Substance Act of 1970, and other items requiring secure storage.
R	Alcohol, alcoholic beverages, precious metals, drug or other substance determined by the Director, Drug Enforcement Administration (DEA), Department of Justice, to be designated schedule symbol II as defined in the Controlled Substance Act of 1970, and other items requiring vault storage.
7	Sensitive information, prior to disposal, all nameplates, label plates, tags, stickers, documents or markings, which relate items to weapons system end item application, must be removed and destroyed.

SEC CODE	Ammunition and Explosives Security Risk Code
1	Highest Sensiti vity (Category I) - Nonnuclear missiles and rockets in a "ready to fire" configuration (e.g., Hamlet, Redeye, Stinger, Dragon, LAW, VIPER) and explosive rounds for nonnuclear missiles and rockets. This category also applies in situations where the launcher (tube) and explosive rounds, though not in a "ready to fire" configuration, are jointly stored or transported.
2	<u>High Sensitivity (Category II)</u> - Arms, Ammunition, and Explosives.
3	Moderate Sensitivity (Category III) - Arms, Ammunition, and Explosives.
4	Low Sensitivity (Category IV) - Arms, Ammunition, and Explosives.
5	Highest Sensitivity (Category I) - Arms, Ammunition, and Explosives with a physical security classification of SECRET.*
6	<u>Highest Sensitivity (Category I)</u> - Arms, Ammunition, and Explosives with a physical security classification of CONFIDENTIAL.*
8	<u>Highest Sensitivity (Category II)</u> - Arms, Ammunition, and Explosives with a physical security classification of CONFIDENTIAL.*
	Pilferable Items
I	Aircraft engine equipment and parts
М	Handtools and shop equipment
N	Firearms
V	Individual clothing and equipment
W	Office Machines
Χ	Photographic equipment and supplies

<sup>\*</sup>Items coded 5, 6, or 8 will be stored and transported in accordance with the provisions of DOD 5100.76.-M or DOD 5200.1-R, whichever is more stringent.

SEC CODE	Pilferable Items
Υ	Communications/electronic equipment and parts
Z	Vehicular equipment and parts
J	Pilferable item, due to its size, shape and utility, which does not fall under one of the above categories. Pilferage controls may be designated by the coding activity to items coded U (unclassified) by recoding the items to J.

- m. UI (Column e). Unit of Issue.
- n. QTY AUTH (Column f). The quantity authorized to be on hand, or part of the end item.
- o. Quantity (Column g). Actual quantity on hand. To be filled in by the receiving unit/personnel.
- p. <u>Page No./No. of Pages.</u> Contains page number and total number of pages for the COEI, BII, and AAL portions of the hand receipt. Hand receipt holder will initial each page No. (only when two or more forms are involved). When hand receipt holders change, the old initials will be lined out and the new hand receipt holder will initial each page.

## 4. AUTHORIZATION DOCUMENTS

- a. Components of End Items (COEI) are authorized by the applicable Repair Parts and Special Tools Lists (RPSTL).
- b. Basic Issue Items (BII) are authorized by TM 9-2320-270-10.
- c. Additional Authorization List (AAL) items are authorized by the appropriate MTOE, TDA, CTA, or JTA authorization documents.

HAND RECEIPT, enter Hand Receipt Annex Number

HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes

HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).

**CURRENT AS OF** 

1 OF 6 PAGES.

STOCK NUMBER	ITEM DESCRIPTION		SEC	UI	QTY HTUA	g.		AUD	QUANTITY		
<i>a</i> .	b.	* c.	d.	e.	f.	A	В	С	D	E	F
	(BII) - Continued										_
4910-01-003-9599	GAGE: tire pressure	х	U	EA	1						L
	self contained (10 psi to 120 psi/68-820 kpa)										L
	(19207) 7974576-1										
5120-00-243-2419	HANDLE: bar, socket E (19207) 6196547	х	М	EA	1						L
4720-00-328-5422	HOSE: assembly, pneumatic, tire inflator, 40 feet	Х	U	EA	1						
	(12.2 m) long, w/quick-disconnect coupling and										
	necessary fittings (19207) 1624422-7										
5120-01-107-5724	JACK: hydraulic, 30 ton (27.2 t), w/handle	D	U	EA	1			<u> </u>			L
	(81348) CF3011										
	PUBLICATIONS: vehicle			SET	1						
9905-00-534-8376	WARNING KIT: highway, w/reflective triangles	х	U	SE	1						
	and plastic case (81348) SPEC-RR-W-1817										L
5120-01-070-8386	WRENCH: wheel nut, 29 inches (74 cm) long	D	М	EA	1			ļ			L
	(45152) 1048TR		ļ	ļ						ļ	L
4230-00-720-1618	DECONTAMINATION APPARATUS: (81361)	X	U	EA	1					ļ	L
	D5-51-269					ļ		<u> </u>			L
2590-01-053-6449	CABLE ASSY: intervehicular, 24 volt	D	U	EA	1		ļ	<u> </u>			-
	(45152) 64297CX		-	1			-	-	-		L
			<u> </u>	ļ	ļ	-			-	_	L

Change 1

2-3

TRUCK TRACTOR (C-HET) M911 TM 9-2320-270-10 QUANTITY 2-4 OTY AUTH STOCK NUMBER ITEM DESCRIPTION SEC Uł **\*** c. В С D F b. Change 1 BII - Continued

TM 9-2320-270-10-HR

PAM 710-2- SLOG.	FROM: 1.	TO:							HAI	ND RECE	IPT NU	MBER
1	END ITEM DESCRIPTION TRUCK, TRACTOR (C-HET) M911	PUBLICATION NUMBER TM 9-2320-270-	10			PUBLI	CATION	DATE	QU	ANTITY		
	ITEM DESCRIPTION		*	SEC	UI	QTY	8.	<del>,</del>	QUAA	ITITY		
	<b>b</b> .		с.	d.	e.	ſ.	A	В	С	D	E	F
	ADDITIONAL AUTHORIZATION I	LIST (AAL)			-	<u> </u>						_
AX: sg	l-bit, 4 lb (1.8 kg) hd wt, 35.5 in. to 36.5		D	М	EA	1						
in. (90 to	o 92.5 cm) 1g (19207) 6150925											<u> </u>
BAR, P	BAR, PRY: 0.531 in. (13.44 mm) dia. 15 in.			М	EA	1						
(40. 6 c	m) 1g (72915) 8041183											
BLOCK	: hydraulic jack support, wood, 4 x 8 x	9 in.	×	U	EA	1	ļ					
(102 x 2	203 x 229 mm) (19207) CPR103023-2											
BLOCK	: hydraulic jack support, wood, 7 x 8 x	9 in.	X	U	EA	1						
(178 x	203 x 229 mm) (19207) CPR 103023-1				<u> </u>							
BOARD	D: hydraulic jack support, 2 5/8 x 24 x 2	4 in.	х	υ	EA	1						
(66 x 60	09.6 x 609.6 mm) (19207) 7417585					<u> </u>						
CABLE	SET: jumper (19204) 7550899		x	J	EA	1						
CAN:	water, 5 gal (18.7 liters), steel		x	U	EA	1						
(19207)	11699580											
	AX: sg in. (90 to BAR, P) (40. 6 co BLOCK (102 x co BLOCK (178 x co BOARD (66 x 60 CABLE CAN:	AX: sgl-bit, 4 lb (1.8 kg) hd wt, 35.5 in. to 36.5 in. (90 to 92.5 cm) 1g (19207) 6150925  BAR, PRY: 0.531 in. (13.44 mm) dia. 15 in. (40. 6 cm) 1g (72915) 8041183  BLOCK: hydraulic jack support, wood, 4 x 8 x 9 (102 x 203 x 229 mm) (19207) CPR103023-2  BLOCK: hydraulic jack support, wood, 7 x 8 x 9 (178 x 203 x 229 mm) (19207) CPR 103023-1	END ITEM DESCRIPTION TRUCK, TRACTOR (C-HET) M911  TM 9-2320-270-  TEM DESCRIPTION b.  ADDITIONAL AUTHORIZATION LIST (AAL)  AX: sgl-bit, 4 lb (1.8 kg) hd wt, 35.5 in. to 36.5  in. (90 to 92.5 cm) 1g (19207) 6150925  BAR, PRY: 0.531 in. (13.44 mm) dia. 15 in.  (40. 6 cm) 1g (72915) 8041183  BLOCK: hydraulic jack support, wood, 4 x 8 x 9 in.  (102 x 203 x 229 mm) (19207) CPR103023-2  BLOCK: hydraulic jack support, wood, 7 x 8 x 9 in.  (178 x 203 x 229 mm) (19207) CPR 103023-1  BOARD: hydraulic jack support, 2 5/8 x 24 x 24 in.  (66 x 609.6 x 609.6 mm) (19207) 7417585  CABLE SET: jumper (19204) 7550899  CAN: water, 5 gal (18.7 liters), steel	END TEM DESCRIPTION TRUCK, TRACTOR (C-HET) M911  TEM DESCRIPTION b.  ADDITIONAL AUTHORIZATION LIST (AAL)  AX: sgl-bit, 4 lb (1.8 kg) hd wt, 35.5 in. to 36.5  in. (90 to 92.5 cm) 1g (19207) 6150925  BAR, PRY: 0.531 in. (13.44 mm) dia. 15 in.  (40. 6 cm) 1g (72915) 8041183  BLOCK: hydraulic jack support, wood, 4 x 8 x 9 in.  (102 x 203 x 229 mm) (19207) CPR103023-2  BLOCK: hydraulic jack support, wood, 7 x 8 x 9 in.  (178 x 203 x 229 mm) (19207) CPR 103023-1  BOARD: hydraulic jack support, 2 5/8 x 24 x 24 in.  (66 x 609.6 x 609.6 mm) (19207) 7417585  CABLE SET: jumper (19204) 7550899  X  CAN: water, 5 gal (18.7 liters), steel	END ITEM DESCRIPTION TRUCK, TRACTOR (C-HET) M911  TREM DESCRIPTION b. TM 9-2320-270-10  TREM DESCRIPTION c. d.  ADDITIONAL AUTHORIZATION LIST (AAL)  AX: sgl-bit, 4 lb (1.8 kg) hd wt, 35.5 in. to 36.5  D M  in. (90 to 92.5 cm) 1g (19207) 6150925  BAR, PRY: 0.531 in. (13.44 mm) dia. 15 in.  (40. 6 cm) 1g (72915) 8041183  BLOCK: hydraulic jack support, wood, 4 x 8 x 9 in.  (102 x 203 x 229 mm) (19207) CPR103023-2  BLOCK: hydraulic jack support, wood, 7 x 8 x 9 in.  (178 x 203 x 229 mm) (19207) CPR 103023-1  BOARD: hydraulic jack support, 2 5/8 x 24 x 24 in.  (66 x 609.6 x 609.6 mm) (19207) 7417585  CABLE SET: jumper (19204) 7550899  X U  CAN: water, 5 gal (18.7 liters), steel	END ITEM DESCRIPTION TRUCK, TRACTOR (C-HET) M911	END ITEM DESCRIPTION TRUCK, TRACTOR (C-HET) M911   TM 9-2320-270-10   TM 9-2320-270-10	END ITEM DESCRIPTION   TRUCK, TRACTOR (C-HET) M911   PUBLICATION NUMBER   TM 9-2320-270-10   # .	Publication Number   TRUCK, TRACTOR (C-HET) M911   Publication Number   TM 9-2320-270-10     Publication Date   TM 9-2320-270-10     Publication Date   TM 9-2320-270-10     Publication Date   TM 9-2320-270-10     Publication Date   TM 9-2320-270-10	PUBLICATION NUMBER TM 9-2320-270-10	END ITEM DESCRIPTION   TRUCK, TRACTOR (C-HET) M911   PUBLICATION NUMBER   TM 9-2320-270-10	END ITEM DESCRIPTION   TRUCK, TRACTOR (C-HET) M911   TM 9-2320-270-10   TM 9-2320-270-1

Change 1

2-5

HAND RECEIPT, enter Hand Receipt Annex Number
HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).

**CURRENT AS OF** 

PAGE 5 OF 6 PAGES.

STOCK NUMBER	ITEM DESCRIPTION		SEC	UI	OTY	g.		QUAI	YTITY	•	
a.	b.	* c.	d.	e.	AUTH ∫.	A	В	С	D	E	
	AAL - Continued										
2540-00-933-9023	CHAINS: single tire type TS 14-00-24/25, type	Х	U	PR	4						
	OTR (96906) MS5000055-28										
5120-00-061-8546	HAMMER: hand, 2 lb (0.9 kg)	X	М	EA	1						_
	(81348) GGG-H-86										-
5120-00-288-6574	HANDLE: mattock-pick, 35.5 in. to 36.5 in.	X	М	EA	1						
	(90 to 92.5 cm) 1g (80244) NN-H-93										
5120-00-222-4385	MATTOCK: pick type, 5 lb (2.28 kg) w/o handle		М	EA	1						
	(19207) 6101970										L
5120-00-293-3309	SCREWDRIVER: flat tip, 0.375 in. (9.525 mm)	×	М	EA	1						-
	wide blade, 10 in. (25.4 cm) 1g (93389) 9643		ļ							ļ	-
5120-00-293-3336	SHOVEL: hand, re-pt d-hdl, short, size 2	D	М	EA	1						_
	(81348) GGG-S-326									<u> </u>	-
5120-00-240-1414	WRENCH: adjustable, open end, single head, 18 in.	D	М	EA	1		ļ				L
	(45.7 cm) 1g (55719) D718			ļ			ļ			<u> </u>	$\downarrow$
2540-00-378-2012	TOWBAR: heavy duty (19207) 8383802	x	U	EA	1				<u> </u>	ļ	-
			<u> </u>	ļ						ļ	-
			<b> </b>	ļ		_					-
			ļ			_			-	<u> </u>	-
			<u> </u>	ļ			-			<u> </u>	$\downarrow$

By Order of the Secretary of the Army:

JOHN A. WICKHAM, JR. General, United States Army Chief of Staff

Official:

ROBERT M. JOYCE Major General, United States Army The Adjutant General

Distribution:

To be distributed in accordance with DA Form 12-38, Operator requirements for Truck, Tractor Heavy Equipment Transporter, 8 x 6, (C-HET), M911.

# This fine document...

Was brought to you by me:



# <u>Liberated Manuals -- free army and government manuals</u>

Why do I do it? I am tired of sleazy CD-ROM sellers, who take publicly available information, slap "watermarks" and other junk on it, and sell it. Those masters of search engine manipulation make sure that their sites that sell free information, come up first in search engines. They did not create it... They did not even scan it... Why should they get your money? Why are not letting you give those free manuals to your friends?

I am setting this document FREE. This document was made by the US Government and is NOT protected by Copyright. Feel free to share, republish, sell and so on.

I am not asking you for donations, fees or handouts. If you can, please provide a link to liberatedmanuals.com, so that free manuals come up first in search engines:

<A HREF=http://www.liberatedmanuals.com/>Free Military and Government Manuals</A>

- SincerelyIgor Chudov<a href="http://igor.chudov.com/">http://igor.chudov.com/</a>
- Chicago Machinery Movers