HAND RECEIPT MANUAL COVERING COMPONENT AND SUPPORT ITEMS AND TROOP INSTALLED OR AUTHORIZED ITEMS FOR

RECOVERY VEHICLE, FULL TRACKED: MEDIUM, M88A1

NATIONAL STOCK NO. 2350-00-122-6826

H AND RECEIPT

TM 9-2350-256-10-HR

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, DC, 9 January 1979

HAND RECEIPT MANUAL

COVERING COMPONENT AND SUPPORT ITEMS AND TROOP INSTALLED OR AUTHORIZED ITEMS FOR RECOVERY VEHICLE, FULL TRACKED:

MEDIUM, M88A1

(NSN 2350-00-122-6826)

REPORTING OF ERRORS

You can help improve this manual. If you find any mistakes or know of a better way to improve the procedures, please let us know. Mail your letter, DA Form 2028 (Recommended Changes to Publications and Blank Forms), or DA Form 2028-2 located in the back of this manual direct to Commander, US Army Tank-Automotive Materiel Readiness Command, ATTN: DRSTA-MBA, Warren, Michigan 48090. A reply will be furnished direct to you.

		Page
S ECTION	I. INTRODUCTION	i
	II. HAND RECEIPT	1

SECTION I

1. Scope

This hand receipt manual provides a listing on a preprinted DA Form 2062 (Hand Receipt) of accountable component and support items and troop installed or authorized items related to the M88A1 recovery vehicle.

2. General

Section I of this manual is an overprinted DA Form 2062 consisting of a listing of component and support items and troop installed or authorized items extracted from TM 9-2350-256-10. The listings consist of exactly the same items and are in the same sequence as the listings in the operator's manual. The overprinted DA Form 2062 will aid the property accountability officers

in preparation of hand receipts referred by AR 710-2. Local reproduction of the overprinted DA Form 2062 is authorized. Units should insure that local policies are adhered to in respect to the reproduction of the DA Form 2062 by local office copying equipment; field printing plant; and duplicating plant facilities. Extra copies of the HR manual are available through:

Commander

US Army AG Publications Center ATTN: AGDL-OD 1655 Woodson Road St. Louis, MO 63114

3. Explanation of Blocks and Columns

(Refer to ch. 2, AR 710-2.)

>a	HAND RECEIPT/ANNEX NO. Tuse of this form, see AR 710-21 the proponent agency the office of the Deputy Chief of Staff for Logistics.	FR	OM:						7	·0:			•		
is	the office of the Deputy Chief of Staff for Logistics.		`						L	Hand	Rece	ipt F	ile No		
		,	Fill in	the i	ollow	ing w	hen t	his fo	rm is	used	as H	and F	Receip	t Ann	ex.
Following last item, sinventory, etc.) produ	tate in each balance column the type of action (e.g. issue, turn-in, cing this balance, date of action, and signature.			256-		-	CURR	OF A	LW I		88A1				
STOCK No.	COMPONENT AND SUPPORT ITEMS	Ţ,	2 2 3 4 5							ANCE	,		,	,	,
	DI ON ACCENDING TO A STATE OF THE STATE OF T	_	╂─	<u>'</u>	2	3	4	-5	•		•	•	10	''-	12
	BLOCK ASSEMBLY, lockout: under drawers in left section of main oddment compt. 1J672126 (19207)	2	-				-					-			
	CVI TUDED	 	! —	 	\vdash		├ ─-			↓	↓	├	<u> </u>	<u> </u>	
6830-00-292-0129	CYLINDER, comp. gas, "oxygen" 250 cu. ft., 2265 psi. ICC Spec. 3AA w/valve and cap	1	_												
	(filled): on exterior, rear of cab, on engine deck]]	}	1		1	
-	DIAGRAM, strap locator: in pamphlet bag, 11672125 (19207)	1													
	CYLINDER, acetylene, 125 cu. ft. 250 psi, ICC Spec. 8 or 8AL, w/valve and cap (filled)	1													
	approx. 10.5 in. dia. x 29 in. high: in acetylene compt., left rear cab wall, BBA106														
	(81348)														
	WRENCH, impact, hydraulic, 3/4" sq. dr.: exterior compt. right side, 8395499 (19207)	7								-	-	-	-		-
L005-00-836-7286-	MOUNT, machine gun, cal, .50: on commander's cupola, 8367286 (19207)														
	OR:														
1005-00-704 - 6650	MOUNT, machine gun, cal50: 7046650	1													
3105-00-921-5821	BAG, ordnance weapon: in main oddment compt., right side, 11686430 (19204)	1													
1005-00-550-4037	BRUSH, cleaning, s.a.: in bag 11686430, 5504037 (19204)	4													
.005-00-766-0915	BRUSH, cleaning, s.a.: in bag 11686430, 7790737 (19204)	1													
	'T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt											E No.			
	'C - Current operating allowance for Hand Reccipts. (t) Total authorized for Hand	Rece	ipt An	REZES.						سيين	No.	OF P	AGES	17	

STOCK No.	COMPONENT AND SUPPORT ITEMS (Continued)	71	(t)						EAL	ANCE					
STOCK NO.		(-)	(£)	1	2	3	14	5	•	7	•	•	10	11	
1005-00-716-2702	7162702 (19205)	T													•
1005-00-735-7116	COVER, machine gun, cal50: on machine gun cal50, 7357116 (19207)	1													•
1005-00-796-4436	7964436 (19207)														•
4933-00-716-0041	EXTRACTOR, ruptured cartridge, cal50 in main oddment compt., right side, 7160041 (19204)	T													
1005-00-716-2072	FLASH HIDER, cal50: on machine gun cal50, 7062072 (19204)	1			-		_					-			
4933-00-535-1217	1 333121/ (1920/)	7	[-	-	_	_	-	-	-		 			
	MANUAL, technical, TM 9-1005-213-10, in drawer in front oddment compt., right side	1	-		 	-	ļ	-	-		 				
1005-00-556-4102	· ·	1			 	-	-	-	-		-	_			•
1005-00-653-5441	ROD, cleaning, jointed, cal50: in bag 11686430, 6535441 (19204)	1		-	<u> </u>	_		_	├-	-		_			
1005-00-716-2704	[/162/04 (19205)				-	-	-		\vdash	├	-	-			
1005-00-726-6131	BARREL, machine gun, cal50: on cab wall above right access door, 7266131 (19204)	1		-	-	\vdash	 	_	-	-		-	-		
1005-00-614-7463	BOLT ASSEMBLY, alternate feed: in box 7148550 in drawer in front oddment compt., right side, 6147463 (19204)	ו													
	COMPOSED OF:														
1005-00-600-8976															
1005-00-600-8959	•	1													
1005-00-600-9718	LEVER, cocking 6009718 (19204)	1													
1005-00-716-1300		1													
5315-00-731-2078	PIN, cocking lever, 7312078 (19205)	1						<u> </u>	1			I			

For is	HAND RECEIPT/ANNEX NO. use of this form, see AR 710-22 the proponent agency the office of the Deputy Chief of Staff for Logistics.	FRO											ile No		
	tate in each balance column the type of action (e.g. issue, turn-in, cing this balance, date of action, and signature.	CAT	ALOG		TM			his for		TEM	as H 188A		Receip	t Ann	ex.
STOCK No.	COMPONENT AND SUPPORT ITEMS (Continued)	T' (c) (t) 1 2 3 4 5										·····		·····	·····
1005-00-731-0080	PIN, firing, 7310080 (19204)	1		1	2	3	1	5	6	7	•	•	10	11	12
.005-00-550-4067	SEAR, 5504067 (19204)									<u> </u>		<u> </u>			
.005-00-535-1220	SLIDE, sear, 5351220 (19204)	T					†								
360-00-209-8720	SPRING, sear, 5009524 (19204)	1													
005-00-716-1301	STOP, accelerator, 7161301 (19205)	ı													Γ
005 - 00-550-4062	SWITCH, boit, 5504062 (19204)	1													
.005-00-714-8550	BOX, spare parts, empty: in drawer in front section of oddment compt., right side, 7148550 (19204)														
935-00-322-8959	ADAPTER, connector, slave cable to receptacle: in small parts box, 11677570 (19207)	1					-				_	_	-	-	╁
 2590-00-148-7961-	CABLE ASSEMBLY, power electrical, 24V, 20-ft. lg (slave cable): on floor under right air cleaner, 11682336-1 (19207)	1													
240-00-222-3088	CAN, oil, military, 5-gallon: on interior of right and left access door, MIL-C-1283 (81349)	2									_				
240-00-242-6153	CAN, water, military, 5-gallon: on floor, right and left side of cable chute near comdr., 64-C-281 (80244)	2													-
010-00-473-6166	CHAIN, utility, single-leg, 5/8 x 16 ft. w/hook and end link (2): in right basket under floor, behind driver, B7077063 (19207)	2													
	'T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt 'C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand						<u></u>			L		E No.	3.	17	<u></u>

	COM ONEM MAD SOLVON TIENS TOOLCHINES	T'	C	L						ANCE				
STOCK No.	COMPONENT AND SUPPORT ITEMS (Continued)	(d)	(6)		2	3	4	5	•	7	•	•	10	11
5110-00-188-2524	CUTTER, bolt, rigid - HD., clipper cut 5/8" bolt and 9/16" rod cap. 36": on actelylene	1												
	compartment door, MS T6888-4 (96906)	1												_
5110-00-293-1066	CUTTER, wire rope, hand oper. hammer impact,	11	<u> </u>			ļ	├	 	L		 	!		
	1-1/2" cap. pedestal type: in compt., right side exterior, GGG-C-800(81348)		İ			l	l	İ	İ	1				
	ADAPTER, grease gun coupling lubr. hyd,	17	 	t		 	†	-	t -	t^-		-		_
4930-00-200-1311	gun tube, flex. 12" lg. (style C fix. X):													
	in rear oddment compt., right side, MIL-L-]												
	4387(81349) FIRST AID KIT, motor vehicle, 12 unit,	+ +	}	1—1		├	}—	├	├	}			-	┞
6545-00-922-1200	isize i: in rear oddment compt., right side.	'	l					ł	l				İ	
	(1677011 (19207)	1_									1			_
7240-00-404-9795	FUNNEL, plastic, 1/2 gallon: in compt.,	1	L			<u> </u>	 		<u> </u>	<u> </u>	ļ	<u> </u>	ļ	L
	right side exterior, L-F-1593 (18348) GLOVES, leather, work, w/o gaunlet: in	╅╤	1	1		1	1	}	1		١	1		
8415-00-268-7870	drawer, left section main oddment compt.,	† '	\vdash			├─	-		\vdash	 	\vdash	\vdash	 	┞
	MIL-G-2366(81349)		<u> </u>				<u> </u>			<u> </u>				L
4930-00-277-3843	LUBRICATING GUN, hand pressure, 15 oz.,]						1				ł	
30 13	cap., 7,000 psi: in main oddment compt.,	-	 -	╂			╂	├—	╂	╂─			{	┞
	11900 stde, ME-4-3035(01545)													
	SUBSTITUTE:													
4930-00-222-2684	GREASE GUN, band, high pressure, 16 oz.	1								1				Γ
	cap., 10,000 psi GREASE GUN, 10 oz. cap., 7,000 psi,			ł		ļ	╂	 	 	╂	ļ	-		┞
4930-00-253-2478	GREASE GUN, 10 oz. cap., 7,000 psi, MIL-G-3859 (81349)	1'	ı						1		1			1
5120-00-188-1790	JUACK, nydraulic, nand, 30 ton cap. w/oper.	Īī	1			 	1	T	T	T	1	T		
4	<pre>hdle.: I in tray under floor behind driver,</pre>	1	L	 	ļ	<u> </u>	 	 	ļ	<u> </u>	ļ	ļ	 	ļ.,
	l in rack under cal50 ammo rack, left side, MS16282-1 (96906)		1				1							
5120 00 227 7000	JACK, hydraulic, hand, 12 ton cap.: in rack	17	†	†		 	 	\vdash	†	 	 	†	 	┢
5120-00-224 - /330	funder car50 ammo rack, reft sine.		L_	<u> </u>					L	<u> </u>		<u>L</u> .		L
	GGG-J-63 (81348)	1_	1				1]	Ì	!			1	
8415-00-266-8843	MITTENS, asbestos, M1942: in small parts box, MIL-M-11199 (81349)	2	—	 		┼-	+	├	┼	╂—	├	╁	┼	┞
, ,	(01049)	1	1	1			1	1			<u> </u>	1	1_	1

For is	HAND RECEIPT/ANNEX NO. Tuse of this form, see AR 710-2; the proponent agency the office of the Deputy Chief of Staff for Logistics.	FR	OM:							O: Hand	Rece	ipt F	ile No.		
			Pill ir	the !	follow	ing w	hen t	his fo	rm is	used	as H	and I	Receipt	Ann	ex.
	tate in each balance column the type of action (e.g. issue, turn-in, cing this balance, date of action, and signature.	CAT	ALOG	No.	ΓM 9		CURR	OF AL	w] i	TEM					
inventory, etc./ produ	cing this belance, date of action, and signature.										488N	1			
STOCK No.	COMPONENT AND SUPPORT ITEMS (Continued) ITEM DESCRIPTION	2350-256-10 T' (i) 1 2 3 4 5								ANCE	,				
2540-00-65 3 -7589	PAULIN, cotton duck, 12 ft, x 12 ft.: in basket on front engine deck, 6537589 (19207)	1		-	2	3	4	5	•	7	•	9	10	11	12
	SUBSTITUTE:														
8340-00-256-9122	PAULIN, cotton duck, 12 ft. x 17 ft., 24-P-41-400	1													
4020-00-231-9013	ROPE, fibrous, 100 ft., 3/4 in. diameter: on paulin on engine T-R-605 (81348)														
7240-00-177-6154	SPOIL can flex nozzle cam type: in														
5140-00-498-8772	TOOL BOY mach gon w/toto 21"	1													
6650-00-704-3549		7													-
1240-00-344-4647	PERISCOPE, M24 (T41) (driver's-IR): 1 in box 7972888 on cab roof, right of rigger; 1 in box 7972888 on cable shute near cmdr., 8293676 (19200)	2													
5120-00-965-0603	BOX, flint tip, friction igniter w/holder, sleeve type, threaded, 5-40 NC 6-per box: in small parts box, GG-I-271 (81348)	1													
	T - Total allowance for Hand Receipts. [a] Authorized per item for Hand Receipt											E No.			
	*C - Current operating allowance for Hand Receipts. (1) Total authorized for Ham	z Kece	pi An	neres.							No.	OF P	AGE\$	17	

STOCK No.	COMPONENT AND SUPPORT ITEMS (Continued)	T' (c)	(t)						EAL	ANCE					
		(4)	(8)	<u>'</u>	2	3	4	5	6	7	•	•	10	11	1
439-00-383-3634	CLEANER SET, welding and cutting tips,			1											Г
	12-pc. in metal case: in small parts box.	1							1						
	MIL-C-17223 (81349)				1										Г
415-00-268-7859	GLOVES, welders, leather gauntlet, size-	$\overline{1}$		Ī	1	l		1	1	ŀ					١
113 00 200 7039	Lidrye: in small parts box. KK-G-486C (81348)	[r
	GOGGLES, ind. welder's w/eve cuns plastic	1				l	1		1						
240-00-203-3804	ventilated, w/hardened glass filter lens	1							1			\vdash			H
	[(Type II) CO-BS shade No. 6, w/hardened	1		1		l	l			l	l				ı
	glass covered lens (Type III), 50MM dia.	1			<u> </u>	†		†		-	t	\vdash			H
	l lens, w/2-hardened spare cover lens.	ŀ			1	1	1		I						l
	headband supported, overspectacle type,	1		\vdash	 	 	1	 			 	\vdash	-		H
	W/O case: in small parts box. GGG-G-513	i I	ŀ	1				1		ł	Į į				
	(81348)	1			 	-		 	-	 	 				Ͱ
720 00 070 000	HOSE, gas, "acetylene", red, w/coupling,	1		1	ļ .	t				1					
720-00-273-9886	5/16" x 50 ft. (Type II) (Substitute	1		-	 	 	 	-	 						Ͱ
	hose, acet., 5/16 x 50 ft. CF No. 33_5080_							ŀ	l	l					
	050): on left side of acetylene compt.,	1	\vdash		 	 	 			-		-	-+		H
	I ZZ-H-461 (24161)					l				l					ı
720-00-293-7997	HOSE, gas, "oxygen", green, w/couplings,	1			 				 	 					┢
/20-00-293-7997	5/16" x 50 ft. (Type II): on left side of	'			ļ	1	İ		l	ł					ĺ
	acetylene compt., ZZ-H-461 (24161)	1 1			t —	 			\vdash	\vdash	\vdash				H
130-00-190-5540	IGNITERS, friction, wire frame style	ī			l								l		İ
	rd-file, single flint, hooded type: in	[1			 	 				<u> </u>	\vdash				┢
	small parts box, GG-I-271 (81348)				i .								1		i
433-00-294-6743	TORCH SET, "acetylene and oxygen", med.	Ti					\vdash		-	-			\rightarrow		⊢
	duty, w/wrench, 5-weld and 3-cut tips: in	i ' I			l				i		ll		ı		
	small parts box. MII-T-13880 (81349)	1 1			 		<u> </u>					-			\vdash
120-00-264-3796	WRENCH, open end, adjustable single head.	ī													
1	str-handle, 0" to 1.322" jaw opng. cap.,	1 1					\vdash								H
	12" long: in small parts box, MS15461-5	1 1		l									ı		
	(96906)	1 1				-	$\overline{}$				\vdash				H
120-00-494-1911	WRENCH, plier, curved jaw style,	1											- 1		ĺ
	w/wire cutter, 8-1/2" lg.: in small parts	- 1			_	-			-		\vdash				-
	box, 11655775-3 (19207)										1		1		ĺ
120-00-277-4244	WRENCH, plier, vise grip - 8-1/2" lg:	1				-							\longrightarrow		-
	in spare parts box, GGG-W-00649 (81348)											I	ı		
	1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				 										\vdash
								1				ı			j
	T - Total ellowance for Hand Receipts. (a) Authorized per item for Hand Receipt	Anne				لــــا					PAGE	—— •			_
	C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand	Danel										NO. OF PA	6	17	

	HAND RECEIPT/ANNEX NO.	FR()M:						T	O :					
Fo.	ruse of this form, see AR 710-2; the proponent agency the office of the Deputy Chief of Staff for Legistics.					_				Hand	Recei	pt Fi	le No.		
		F	'ill in	the f	ollowi	ing w	hen ti	his fo	rm is	used	as Ha	and R	eceip	Ann	ex.
Following last item, s	state in each balance column the type of action (e.g. issue, turn-in,	CAT	ALOG	No.	TM	٥_ ا	CURR	OF AL	.w in	TEM					
inventory, etc.) produ	scing this balance, date of action, and signature.	2:	<u> 350-</u>	256	<u>-10</u>						<u> </u>	1			
STOCK No.	COMPONENT AND SUPPORT ITEMS (Continued) ITEM DESCRIPTION	(£)	C;						BAL	ANCE					
				-	2	•	1	5	•	7	•	٠	10	11	12
5120 00 277 1020	WRENCH, torch and regulator, "acetylene	1				l	(l	1					ł
5120-00-2//-1929	and oxygen": in small parts box. 8090028					<u> </u>	 		<u> </u>				<u> </u>		<u> </u>
	(80382)	ļ.,-				1	1		1						
5120-00-526-6044	BAR, pinch, 9/16" dia. stock x 11-7/8" lg.: in small parts box, 41-B-253 (80244)	1			┝┈		╁┈	-		 	-				
F120 00 220 0251	PLIERS, lineman's, w/side cutter style 10,	1]					
3120-00-239-8251	sect. A, ref, dwg. group 61 Fed C66-P-471.					H			<u> </u>						
	Type IX, Class 1, style A nom. size 8":								1						
	in small narts box MS15391_2 (96906)														
5120-00-227-7338-	SCREWDRIVER, flat tip, extra HD S-hdle.											Ĺ			
	MS15220-5 (96906)														
5120-00-264-3793	WRENCH, adjustable, auto. type, 15" lg.,	1													
	U" to 3-5/8"]aw opnq.: in small parts box								L	<u> </u>	L				
	MS15743-3 (96906)					i			1						
5120-00-240-1414:	WRENCH, open-end, adjustable Sgl-HD.,	$ \bot $	\vdash						<u> </u>	<u> </u>					
	2-1-16" jaw opng. 18" lg: in small parts box, MS15461-7 (96906)								L						
	WRENCH, open-end, fixed, dbl-HD 15 ⁰ HD-angle,	1				l									
	engrs 5/16" and 3/8" opngs., 3-3/4" lg.:					L	<u> </u>		<u> </u>			ļ			
	GGG-W-636 (91348) in small parts box						1								
5120-00-277-9076	WRENCH, spanner, adjustable book in small parts box, MS16147-3 (96906)		\vdash			 	1			-	-		-		-
5120 00 605 3036	FIXTURE, track connecting, w/bar lever:	1													[
3120-00-603-3920	in basket on winch mount under sub-floor,				\vdash	\vdash	t^{-}		-	 	-				
	left side; bars in left basket under floor								ľ	l					
	behind driver, 8741739 (19207)														
	<u> </u>					-									
	'T - Total allowance for Hand Receipts (a) Authorized per item for Hand Receip	1 4 2 2 2		لـــــا	نـــا	L	Ц.		Ц	Ļ	846	E NO.	7		L
	C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand			REITS.									AGES	1	7

STOCK No.	COMPONENT AND SUPPORT [ITEMS, (Continued)	T'	C.						EAL	ANCE					_
	1	(e)	(t)	,	2	3	4	5		7	•	•	10	11	12
120-00-301-0037	PULLER, track end connector (link pin):										†			-	
120 00 301 003/	under drawers in front oddment compt.,			i .	l	i		l	l	1	1			į	
	right side, 8708874 (19207)					i				†	<u> </u>				\vdash
120-00-277-6470	WRENCH, track adjusting, 3-13/64":			l		l	l		ĺ	İ	İ				ı
27, 04,0	on cal50 ammo rack near left access door,				†			┢──	-	t	 	\vdash			\vdash
	GGG-W-631 (80244)			i	l				1	l					
110-00-203-2336	AXE, chopping, single bit, 4 lbs.:	Н			 	\vdash		\vdash		╁	╁──		\vdash		-
1110-00-293-2330	in pioneer rack on ext., right side,				1	i	1	l	l		ļ				ĺ
	GGG-A-926 (81348)	Н			 	 		├	 	 	 				
120-00-224-1390	BAR, crow, pinch point, 5' long 1-1/4" wide:	2			l			Ī	1	İ	i				i
	on top of engine deck cover, 41-B-175 (80244)	\vdash			 			-	 	 	┼──		\vdash		⊢
120-00-288-6574	LUANDUE L. OCH 3	1								l	1				ĺ
220 00 200 03/4	pioneer rack on ext. right side, NN-H-0093	\vdash			 	 					├ ─				
	(81348)						1		1		l				ĺ
120-00-243-2305	MATTOCK, pick, w/o handle, (Type II, class F):				 	├	├		 	├	├	-			\vdash
120-00-243-2393	in pioneer rack on ext. right side, 41-M-722					l .			l		ļ				i
	(80244)			 	 		\vdash		├		├				-
120-00-293-3336	SHOVEL, general purpose, D-handled size 2,	7			'				j					İ	
.120 00 273 3330	round point: in pioneer rack on ext. right							-	 	├	-				-
	side, MS17088-1 (96906)								l	1	l				
120 00 000 600	TOLEDOR 13 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-							├		├				-
120-00-900-6097	(Type X, Ctass I): above pioneer rack on ext.	' '			1										
	right side, 41-S-3726 (80244)			├	-			<u> </u>		 	 	\vdash			-
000 00 001 0	ADAPTER, thin stem gun, lubr, sleeve type:									1					
930-00-204-2550	stowed on lubr. gun in rear oddment compt.,						\vdash		<u> </u>	.	├	-			<u> </u>
	right side, 5349744 (19207)			ŀ				ĺ						1	į
	DI AAR	2						\vdash		<u> </u>					<u> </u>
3940 - 00-105 - 9933	fender, right; 1 above fender, left,	4		1						l					i
	11631726 (19207)			ļ	 										<u> </u>
0/0 00 700 0001	BLOCK, TACKLE, wire rope, 25-ton: above									l					i
940-00-792-9881	spade, right front, 8379922 (19207)								L	ļ					.
940-00 702 0000	BLOCK, TACKLE, wire rope, 90-ton: above	-	-												i
740-00-792-9882	spade, right front, 8379922 (19207)			<u> </u>	ļ						L				<u> </u>
· · · · · · · · · · · · · · · · · · ·												. 1	1	Ì	i
010-00-449-6573	CHAIN, assembly, single leg, utility,	2			ļ				L	L					
	3/4" x 12 ft.: in exterior compt., left	- 1	l										ļ		i
	side, 8744250 (19207)									L	L				١.
		I											1	I	Į –
·		لمب		L	إيسا	LJ	لبا			L		لييا		l	_
	T - Total allowence for Hand Receipts. (a) Authorized per item for Hand Receipt	Anne	COR.									No.	-8		_

For is	HAND RECEIPT/ANNEX NO. Truse of this form, see AR 710-2; the proponent agency the office of the Deputy Chief of Staff for Logistics.		OM:										le No		
	tate in each balance column the type of action (e.g. issue, turn-in, icing this balance, date of action, and signature.	CAT	ALOG		TM			his fo		TEM	as H		Receip	Ann	ex.
STOCK No.	COMPONENT AND SUPPORT LISTS (Continued) ITEM DESCRIPTION	T	(£;		10	A	γ	· · · ·	BAL	ANCE	IOOA	'			
4210-00-202-7858	EXTINGUISHER, fire, portable 5-lb. CO ₂ : in brackets in cab interior, 1833267 (80064)	2		-	2	3	-	5	·	7	•	•	10	11	12
9905-00-534-8376	FLARE KIT, reflector type 2/flags: in main oddment compt., right side, 8744251 (19207)	1								 		-			
	Composed of:														
	CARRIER (Brkt)	1													
	FLAG, red, 12" x 12"	2												······································	
	FLAGSTAFF, folding type	2												_	
	REFLECTOR, red	3													
130-00-792-9883	HOSE, hydraulic, impact wrench, 3/8" x 25 ft. long: in compt., right side exterior, 10867295 (19207)	2													
720-00-792-9884.	HOSE, hydraulic, impact wrench, 3/8" x 25 ft. long: in compt., right side exterior, 10867295 (19207)	2													
230-00-498-9408		1													
150-00-378-2053	LIGHT, extension, inspection, 15 ft. 1g. w/single contact plug and socket: in small parts box, 17-C-35079-33 (19204)														
	T. Total Illustration for Hard Decision Ash														
	T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipts: C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand	t Anne. d Recei	res. pl An	vezes.								E NO.	9 NGES	17	

STOCK No.	COMPONENT AND SUPPORT ITEMS (Continued)	7'	Ċ	Г°					EAL	ANCE					
STOCK NO.		(a)	Č(;)	١	2	3	4	5	6	7	•	•	10	11	12
6220-00-796-2657	LIGHT, flasher, portable: in case on rear of	1			T										
	Comdr. Set, 8387795 (19207)										1				l
2590-00-861-9982	NOZZLE, and fuel hose assembly: in compt.,	11.													
	right side exterior, 10884808 (19207)	1			ļ	l		ļ		l					l
5340-00-682 - 1505	PADLOCK SET, 1-3/4" w/clevis, includes (5)	1													
102 1909	locks and (7) keys, keyed alike: 1 cable,			l			1								ı
	l cab side door, l right and l left stowage														
	compt. door, 1 APU access door, MIL-P-17802	1			1	1	ĺ	l		1					l
	(81349)										l				
6220-00-735-4815	SPOTLIGHT, spot and trouble: on lower cab	1	Ì	l			1	1	İ						ĺ
	wall, right of rigger 7354815 (19207)														
4710-00-792-9886	TUBE, filler, nozzle, 34" long: in ext,							l	ŀ		1				
	compt., right side 10867298 (19207)		-												
5120-00-243-9072	VISE, bench and pipe, 5" jaw and 6" opng.:														
	on engine deck, 7974484 (19207)			}											
	BAR ASSY., tow HD, 8-1/2 ft. lg.: above tow	1		1							l				ı
2540-00-378-2012	pintle - rear of vehicle 8383802 (19207),														
	complete with standard clevis, 8724449, and		,		1				ł						l
	standard pins, 10929861 (19207)	Į													
	CABLE, tow, steel, 1-1/8" dia. 15 ft. lg.:	2			l					i '	ŀ				l
2540-00-202-2427	l above left fender, l above right fender,														
	7360553-1			l						Ì					ł
4010-00-133-6517	CHAIN, lifting, HD 7/8": draped around tow	1													
	pintle, 10929894	L								ļ					ĺ
2540-00 - 589-6391	CLEVIS, towbar, HD: in right basket under	4			T										
·	floor, behind driver, 8383805 (19207)									l					ĺ
2540-00-863-3153	CLEVIS ASSY., towbar (med. duty): in ext.	2													
	compt., left side, 10894255 (1920/)					L				! .					
2540-00-706-8219	HOOK, Towcable: in ext. compt., left side,	4													$\overline{}$
	7068219 (19207)												Į		1
5313-00-706-9195	PIN, tow cable hook (used w/hook 7068219):	4													
	in ext, compt., left side, 7069195 (19207)												- 1	l	ĺ
5315-00-200-8376	PIN, clevis, towbar (used w/clevis 8383805):	4													i
	attached to clevis 8383805 in right basket			<u> </u>	<u> </u>								- 1	- 1	ĺ
	under floor, behind driver, 8383813 (19207)														
		-		L	 										 _
													l		
	T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receip								لــــــ		PAGE	No.	10		
	C - Current operating allowance for Hand Receipts. (t) Total authorized for Han	d Recei	pt Aus	ezes.							No. (OF PA	GES	17	

	HAND RECEIPT/ANNEX NO.	FR	OM:						ī	0:					
fa is	HAND RECEIPT/ANNEX NO. or use of this form, see AR 710-2; the proponent agency the office of the Deputy Chief of Staff for Logistics.									Hand	Rece	ipt F	ile No.		
]	Fill in	the f	ollow	ing w	hen t	his fo	rm is	used	as H	and I	lece ip	Ann	ex.
Following last item,	state in each balance column the type of action (e.g. issue, turn-in, ucing this balance, date of action, and signature.			No.		-	CURR	OF AL	LW						
theentory, etc.) produ		1 2	350-	-256	-10					М	88A1				
STOCK No.	COMPONENT AND SUPPORT ITEMS (Continued)	(a)	(i)					BAL	ANCE	_					
		_	!	1	2	3	1	5	6	17		9	10	11	12
5315-00-708-7811	0303013 and Clevis 03030031. accached co	2								ļ		_			
	pin 8383813 and clevis 8383805 in right bracket under floor, behind operator														
	708711 (19207)		ł	1			İ]	1	1					
4920 00 201 0100	REGULATOR, pressure, comp. gas,	41	├ ─	 	ļ	<u> </u>	├	├	-	 	{	ļ	-		 -
4820-00-281-8190	"acetylene", w/coupling, adapter and					İ			1	1	1				İ
	outlet. Type V: in oddment compt., above	-		<u> </u>			-	ļ			├	 -	 		
	acetylene compt., R2047 (36346)	 -	1	1			1		1	1	l	1			
4820-00- 641 -3519	REGULATOR, pressure, fluid pressure	╁┷	 	 			'	 	-	 -		├ ─	-		<u> </u>
	"oxygen" w/coupling, adapter and outlet	1	1			ŀ			1			1			1
	Type VI (Linde Purox R-201 or equal): in	-	<u> </u>	ļ		-	ļ	 	 	├	 	ļ	}		
	oddment compt., above acetylene compt.								į	1					
	MIL-R-13877 (31348)	+_	-	-			├		-	┼	-	 			
2540-00-318-0326		2							1						l
,	basket under floor, behind driver,	+		<u> </u>			├		├	╂	 -	├	├		├
	7357967 (19207)	1	Į '	İ			ļ		1			1			
4030-00 - 171 - 4521	SHACKLE, 7/16: dia. w/pin: in small	4	ļ	ļ	<u> </u>				-	 	}	}—	 	ļ	
	parts box, 7357963 (19207)	1							1	1	İ	ļ			
4030 - 00-542-3185.	SHACKLE, 1-1/4" dia, w/pin (for "V"	2	-			├—			-	├	├ ─	 	 		
	type utility chain): in ext. compt. left side, RR-C-271 (81348)														
4030-00-675-9029	SHACKLE, 1-3/4" dia. w/pin: in right	2					Ī								
4030 00 073 7027	basket under floor, behind driver,	<u> </u>	<u> </u>				l	L		l .	<u> </u>		L		٠.
	7357973 (19207)														
2540-00-378-2012	BAR ASSY., tow motor vehicle "V",						<u> </u>		L	<u> </u>		L			
	HD 8-1/2 ft. long: above left rear fender,						1			1	1	1			1
	8383802 (19207), complete with standard					L		<u> </u>	L		<u> </u>	<u> </u>			L
	clevis, 8724449, and standard pins,	1					1			1					1
	10929861 (19207)		<u> </u>	L,			┖					<u> </u>	ــــــــــــــــــــــــــــــــــــــ	L	<u> </u>
	T - Total allowance for Hand Receipts. [a] Authorized per item for Hand Receipts.	-											11		
·	*C - Current operating allowance for Hand Receipts. (t) Total authorized for Han	nd Rece	ipt An	nezes.							No.	OF P	AGES	1	7

STOCK NO.	COMPONENT AND SUPPORT ITEMS (Continued)	T'	(i)						EAL	ANCE				
STOCK NO.	TIEM DECELLION	(4)	(t)	-	2	3	4	8	6	7	•	•	10	ſ
4010-00-291-7979	PIN, SHACKLE, (for shackle 7357963):	2				1								ľ
1010 00-291-7979	in small parts box 7357978 (19207)	1				1	1	1	1	1	1	1	\	۱
5315-00-708-7811	D. T. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	10				1			Т	1		1		İ
2212-00-108-1811	8383813 and clevis 8383805: in small		1					l			l	1	1	١
	parts box 7087811 (19207)					1		<u> </u>	† -	1				t
5315-00-350-4326	PIN. quick attaching, cable tow hook	16	1	1 1		1	1	ì	1	1	1	1	1	١
3313 00 330 1320	cotter: in small parts box, 5213744 (19207)					1		\vdash	1	 		t		t
25/0-00-670 2/50	BAG, pamphlet: on front side of	11	i				į	ĺ			l]		l
2340-00-070 - 2439	oddment compt., right side, 7961712 (19207)							t —		†	1	†		t
	BINDER. looseleaf (for manuals): in	17	1			1	1	1	1	1	1		1	۱
7510-00-738-6164	pamphlet bag 7961712 (19207)					† –	†		1	1-	1	 		t
	BINDER, looseleaf, 3-ring, 1" rated cap.	11	Ì			1	Ì	1		1	ŀ		ł	l
7510-00-889-3494	7-3/4" x 10-1/4": in pamphlet bag					1	†	T	1	1	†	†—	t —	t
3494	7961712 (19207)	1				1	1	1	1	1	1	1		l
	Equipment Serviceability Criteria: in	11	l				†		1		1	1	\vdash	t
	pamphlet bag, TM 9-2350-256-ESC	1				1		l				1	1	l
1	FORM, component register: in binder,	1				1		1	1	† –	 	t —		t
	equip. log book, DA Form 2408-10	1 '				1	1	İ		1		1	1	ı
	FORM, equip. control record: in binder	Tī				\vdash	 	\vdash	 	1	 	 	 	į
	equip. log book. DA Form 2408-9	'	1			1		ļ	1	ŀ]		I
1	FORM, log book index: in binder equip.	1	<u> </u>			 		t^-	1	1	 	1	 	t
	log book, DA Form 2408		i			l				i	1	1		ı
†	FORM, modification record: in binder,	T i				1	†	1	†	1	†		—	İ
	equip. log book, DA Form 2408-5		ł			1	į	İ	1		1	1		l
E120 00 005 (6)5	KEY SET, socket head screw, hex, drive,	1				 		1	 	+	 	1	 	t
5120-00-935-4641	L-type handle, 20 keys w/case: in main	1				ł	1		1	1		1	1	ı
	oddment compt, right side, GGG-K-274		-			1	<u> </u>	 	 	1	†	†	t	İ
	(81348)		1			1		1	1		1	l	İ	ł
		1-		†		†	 	†	╆┈	†	1	 	 -	t
	Composed of:	1				1	1	l		1	1	1	1	l
	CONTAINER, wrench, socket head	1		1		†	† 	1	†	†	†	 	†	Ì
	screw (bag, wrap, roll or case),		•			ı		1	1			1		l
	6GG-W-652 (81348)	1						1	1	1		 	1	t
						1]	j	1.	Ì			l	ı
5120-00-555-2639	KEY, socket head screw, .028 hex,	1	<u> </u>	T			Ī		T					T
	GGG-K-275 (81348)	\perp	L			L	1	l	1	i	1	1	l	ļ
5120-00-198-5400		11	I	T		T	T	Ī						I
	.035 hex.		L	L			L	L	L			<u>L</u>	<u></u>	J
														_

Fo is	HAND RECEIPT/ANNEX NO. Tuse of this form, see AR 710-2; the proponent agency the office of the Deputy Chief of Staff for Logistics.	FRO	OM:						T	O: Hand	Rece	ipt F	ile No.		
		1	Pill in	the i	follow	ing w	hen t	his fo	rm is	used	as H	and I	Receipt	Ann	ex.
Following last item, sinventory, etc.) produ	tate in each balance column the type of action (e.g. issue, turn-in, seing this balance, date of action, and signature.	23	ALOG	No 256-	TM 9	-	CURR	OF A	LW		88A1				
STOCK No.	COMPONENT AND SUPPORT ITEMS (Continued) ITEM DESCRIPTION	T' (a)	(;)		,				BAL	ANCE		·	T		
5120-00-198-5401	KEY, socket head screw, .050 hex.	1	 	<u>'</u>	2	,	1	-	•	7	•	·	10	11	12
5120-00-198-5398	KEY, socket head screw, 1/16" hex, GGG-K-00275 (81348)	1													
]	KEY, socket head screw, hex, 5/64", 1-31/32" long, 41-W-2446	1													
	KEY, socket head screw, hex, 3/32", 2-3/32" long, 41-W-2449-2 (10001)	1													
5120 - 00-889-2162	KEY, socket head screw, 7/64" hex.	1				_									
5120-00-240-5292	KEY, socket head screw, hex. 1/8", 41-W-2450	1				<u> </u>		<u></u>		<u> </u>	_		<u> </u>		
	KEY, socket head screw, 9/64" hex.	1							_				<u> </u>		_
5120-00-198-5392	KEY, socket head screw, hex, 5/32", 41-W-2451	1	<u> </u>		<u> </u>								<u> </u>		
5120-00-240-5300	KEY, socket head screw, hex, 3/16", 41-W-2452	1													
	KEY, socket head screw, hex, 7/32", 3-7/32" lg., 41-W-2453 (95683)	1								<u> </u>					
	KEY, socket head screw, hex, 1/4", 3-11/32" lg., 41-W-2454	1			<u> </u>										
	KEY, socket head screw, hex, 5/16", 3-27/32" lg., 41-W-2455 (95683)	1								<u> </u>					
	KEY, socket head screw, (set) hex, 3/8", 4-1/4" lg., 41-W-2456	1			ļ			ļ		<u> </u>					
	KEY, socket head screw, 7/16" hex.	1			<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>				<u> </u>
5120-00-198-5391	KEY, socket head screw, hex, 1/2", 5-11/32" lg., 41-W-2457	\prod^{1}					<u> </u>			<u></u>					L
	T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Recei C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand	-		nezes								OF F	13		,

	COMPONENT AND SUPPORT (ITEMS (Continued)	T' (e)	33						BAL	ANCE					
STOCK No.	CONTRACTOR SOLVER DELICATION DESCRIPTION OF THE CASE	(4)	(8)	•	-	3	4	•	•	7	•	•	10	11	Ŀ
120-00-240-5268	9/16", 5-27/32" la., 41-W-2458	1	J				L								L
ı	KEY, socket head screw, hex, 5/8", 6-1/4" lg., GGG-N-652	1		ļ						_					L
120-00-222-1489	KEY, socket head screw, 3/4" hex.	1													L
	MANUAL, technical (operator's): in pamphlet bag, TM 9-2350-256-10	1			<u> </u>									<u> </u>	L
	MANUAL, technical (wrench, impact, hydraulic): in pamphlet bag, TM 9-5130-338-15P	1				<u> </u>				<u> </u>	<u> </u>			<u>_</u>	L
	ORDER, lubrication: in pamphlet bag, LO 9-2350-256-12	1		ļ	_				_	_	<u> </u>	ļ	ļ	_	L
130-00-964-9113	SOCKET, socket wrench, power drive	1		_	ļ	↓_			<u> </u>	<u> </u>	<u> </u>	_		_	L
	6 pt. thin wall, 1-1/4 opng. (used on track-center guide nut): in small parts box, 10894847 (19207)				<u> </u>	-		_	<u> </u>	_	igspace	<u> </u>	<u> </u>		igert
	WRENCH, spanner, non-adj. face, 2-1/4" ctr to ctr of pins, 1/4" pin dia. 6-7/8"	1			-	-		-	<u> </u>	-	\vdash		-	_	$\frac{1}{1}$
130-00-357-5135	HD industrial type, w/extension bars,	1													
	1/2" to 1-1/2" opng., 18 pcs.: in main oddment compt., right side, 40-W-7036-			ļ	1_	_	_	<u> </u>	_	<u> </u>	1		ļ	_	present
	425 (80244)			_	ļ	_	ļ	<u> </u>	<u> </u>	-	 	<u> </u>	ļ	L	\downarrow
	Composed of:			ļ	<u> </u>	↓_	<u> </u>	_	<u> </u>	_	_	<u> </u>	 	 	1
5120-00-181-6816	sg. dr. 7" long, MS16577-7 (96906)			_		<u> </u>	<u> </u>	_	_	<u> </u>	_	ļ	<u> </u>	_	\downarrow
5120-00-181-6813	EXTENSION, socket wrench, HD, 3/4" sq. dr. 13" long, MS 16577-8 (96906)	Ľ			_	$oxed{}$			_			<u> </u>		<u> </u>	\downarrow
	BOX, socket wrench set metal hinged cover, OD finish (empty): in oddment	1		_	igg	_	_	_	_	_	_	_	_	 	\downarrow
5130-00-227-6697	tray, GGG-W-641 (81348) SOCKET, socket wrench, 3/4" sq. dr. 6 pt. HD, 1/2" opng, MS16581-33	7		\vdash	-	╁	-	_	-	┼-	-	-	-	-	+
	(96906) 7 - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt	Ann	200.				1		<u></u>		PAG	E No	. 14	<u> </u>	T

for is	HAND RECEIPT/ANNEX NO. r use of this form, see AR 710-2; the proponent agency the office of the Deputy Chief of Staff for Logistics.	FR	OM:						T	O: Hand	Rece	ipt Fi	le No	•	
		1	ill in	the i	follow	ing w	hen t	his fo	rm is	used	as H	and R	leceip	Ann	ex.
	state in each balance column the type of action (e.g. issue, turn-in, acing this balance, date of action, and signature.			Ne. 256-	TM 9	-	CURR	OF A	LW I		8A1				
STOCK No.	COMPONENT AND SUPPORT ITEMS (Continued)	T' (a)	(3)						BAL	ANCE					
	00045		L_	<u>'</u>	2	3	4	5	•	7		•	10	11	12
5130-00-227-6698	SOCKET, socket wrench, 3/4" sq. dr. 6 pt. HD, 9/16: opng. MS 16581-34	1	_							<u> </u>					
5100.00.007	(96906) SOCKET, socket wrench, 3/4" sq. dr.	+-	l					ł	l						
5130-00-227-6699. '	6 pt. HD, 5/8" opng, MS 16581-35 (96906)	†			-										
5130-00-227-6700	SOCKET, socket wrench, 3/4" sq. dr. 6 pt. HD 11/16" opng, MS 16581-36	1													
5130-00-227-6701	(96906)	+-				!	1			1			ŀ		
3130-00-227-670[SOCKET, socket wrench, 3/4" sq. dr. 6 pt. HD, 3/4" opng, MS 16581-37 (96906)														
5130-00-227-6676	SOCKET, socket wrench, 3/4" sq. dr. 6 pt. HD, 13/16" opng, MS 16581-38	1													
5120 00 227 6677	(96906)	+]				•						
5130-00-227-6677	SOCKET, socket wrench, 3/4" sq. dr. 6 pt. HD, 7/8" opng, MS 16581-39 (96906)										-				
5130-00-293-1411	SOCKET, socket wrench, 3/4" sq. dr. 6 6 pt. HD, 15/16" opng, MS 16581-40	1													
5130-00-227-6679	(96906)	╀-,-	İ								[İ			
3130-00-227-0679	SOCKET, socket wrench, 3/4" sq. dr. 6 pt. HD, 1" opng, MS 16581-41 (96906)										-				
5130-00-293-1412	SOCKET, socket wrench, 3/4" sq. dr. 6 pt. HD, 1-1/16" opng, MS 16581-42	1													
5130-00-227-6681	(96906)	1,							İ	1					
7130-00-227-0081	SOCKET, socket wrench, 3/4" sq. dr. 6 pt. HD, 1-1/8" opng, MS 16581-43 (96906)									-	 				
	T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipts.	pt Anne	Tes.	<u> </u>							PAG	E No.	. 15	<u>. </u>	
	*C - Current operating allowance for Hand Receipts. (t) Total authorized for Han	ud Rece	pt An	RETES.									AGES	17	

STOCK No.	COMPONENT AND SUPPORT ITEMS (Continued)	7: (e)	63						EAL	ANCE					
STOCK NO.	The second secon	(4)	(1)		2	3	4	5	•	7	•	•	10	11	12
130-00-227-6683	SOCKET, socket wrench, 3/4" sq. dr.	1				1				ł	1				
130-00-227-0063	0 DL HU, 1-1/4" ODDO MS 16581-44	+		-	+	╂		-		├—	├	├	-		-
	(96906)	17		1		ì	1	1	Ì	1	1	•		, !	
5130-00-227-6684	6 pt. HD, 1-5/16" opng, MS 16581-45	1			+	 		-	†		† · · · ·				H
	(96906)						<u> </u>		<u> </u>			<u> </u>			L
130-00-227-6686		1													
	6 pt. HD, 1-7/16" opng. MS 16581-47		├	-	+	┼	├ ─	├—	 	├	├ ─	├	\vdash	j	┝
5130-00-236-3979				l		İ		l	1		1	1			
7130 00 230 3777	6 pt. HD, 1-1/2" opng, MS 16581-48	+	\vdash	1	+	†	 -	 		1	1	 			卜
	(96906)					1	<u> </u>		<u> </u>	<u> </u>	<u> </u>				
5120-00-204-1999	WRENCH SET, socket, 3/4" sq. dr., 12 pt.	1										ł			
+	w/case, 7/8" - 2" opening: in main oddment compt., right side, GGG-W-641 (81348)		<u> </u>	├ ─	+	╁	├	├—	 	├	 		-	ļ	⊢
	compc., right side, ddd-w-641 (61346)				1	1	l	}	1	1	1	ł			
		1-		1	1	†	t	1		<u> </u>	1-	1			r
	Composed of:			_	1_	1	<u> </u>	<u> </u>		L_	<u> </u>	<u> </u>	L		L
5120-00-181-6816	SOCKET, wrench, 3/4" sq. dr.	[1]	l		-	1	1	į .	Į		l	ļ		1	
5120-00-181-6813	12 pt., 7/8" opng. SOCKET, wrench, 3/4" sq. dr.	1		╂	+	┼	┼	├	├	├	┼	├	\vdash	 	╁
5120-00-101-0015	12 pt., 15/16" opng.	1'	İ			1			l		ı	ļ		l	1
5120-00-237-0989	12 pt., 15/16" opng. SOCKET, wrench, 3/4" sq. dr.	1				1				1					Γ
· · · · · · · · · · · · · · · · · · ·	12 pt., 1" opng. SOCKET, wrench, 3/4" sq. dr.	<u> </u>	<u> </u>	1_	1	1_	↓	.	١	1	↓	<u> </u>	ļ		Ļ
5120-00-189-7928	1 300KE1, wrench, 3/4" sq. dr.	[1		ı					Ì		1	l		l	l
5120-00-239-0021	12 pt., 1-1/16" opng. SOCKET, wrench, 3/4" sq. dr.	$+_{1}$	├	+-	+	╂──	 	 	 	 	 	 		 	┢
7120 00 255 0021	12 pt., 1-1/8" opng.	1		ł			1	L	<u>L</u>	l		.			
5120-00-235-5871	12 pt., 1-1/8" opng. SOCKET, wrench, 3/4" sq. dr.	1		T		T		Γ							Γ
0120-00-233-3671	12 pt., 1-1/4" opng. SOCKET, wrench, 3/4" sq. dr.		<u> </u>	1		 	 	ļ	 	ļ	 	ļ	<u> </u>		╀
5120-00-232-5681	12 pt., 1-5/16" opng.	11				Ì		1			1	ł	[·	ĺ	1
	SOCKET whomsh 3/4" so do	1,	 	+-	-	†	 	 	 	 	 	 	1-		t
120-00-189-7931	12 pt., 1-7/16" opng.			L		\perp						<u>L</u>			
120-00-189-0094	SOCKET, wrench, 3/4" sq. dr.	1													
	12 pt., 1-9/16" opng.			╂	-	—	↓	 	-	}	-	├ ─	-	-	╀
120-00-189-7910	SOCKET, wrench, 3/4" sq. dr. 12 pt., 1-5/8" opng.	- 11		1		1							l		
	T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipts.	ipt Anne	200.			٠٠٠٠					PAG	E No.	16		-
	C - Current operating allowance for Hand Receipts. (1) Total authorized for Hi			M424	€.							OF P		7	7

	HAND RECEIPT/ANNEX NO.	FRO)M:						T	0:					
For is	the office of the Deputy Chief of Staff for Logistics.								L	Hand	Recei	pt Fi	le No.	,	
		F	'ill in	the f	follow	ing w	rhen tì	his fo	rm is	used	as Ha	and R	eceipt	Ann	ex.
Following last item,	state in each balance column the type of action (e.g. issue, turn-in,	CAT	ALOG	No	TM 9	,_	CURR	OF AI	LW 11	rem					
inventory, etc., produ	ucing this balance, date of action, and signature.			256-					上	M:	88A1				
STOCK No.	COMPONENT AND SUPPORT ITEMS (Continued)	(a)	(t) C'					<u> </u>	BAL	ANCE	 				
	<u> </u>	4/	<u> </u>	'	2	3	1	5	•	7	•	9	10	11	12
5120-00-199-7765	12 pt., 1-5/8" opng.														
5120-00-199-7768		1													
5120-00-199-7769	SOCKET, wrench, 3/4" sq. dr.	1													
5120-00-199-7770	12 pt., 1-7/8" opng. SOCKET, wrench, 3/4" sq. dr. 12 pt., 2" opng.	1													
5120-00-273-9208	EVERYOTON I COMPANY	1										1			
5120-00-243-7328	EVIENCION cocket uponch 2/41 co. do.	1													
5120-00-227-8079	EXTENSION socket whench 3/4" so do	1													
5120-00-249-1076	HANDLE, socket wrench, rachet type, 3/4" sq. dr. 18" long	1													
5120-00-709-4072	HANDLE socket whench T-han														
5120-00-221-7959	HANDLE cocket weench hinged	1													
5120-00-243-1687	UNIVERSAL joint, socket 3/4" sq. dr.	1													
	'T - Total allowance for Hand Receipts. [a] Authorized per item for Hand Receip	-				<u></u>						E No.	_ =:-		
i	C - Current operating allowance for Hand Receipts. (t) Total authorized for Han	nd Recei	ipt An	neres.							No.	OF P	AGES	17	7

Fo	HAND RECEIPT/ANNEX NO. or use of this form, see AR 710-2; the proponent agency the office of the Deputy Chief of Staff for Legistics.	FRO	M:						T		Recei	pt Fil	le No.	_	
		F	ill in	the f	ollowi	ng w	hen ti	nis for	m is	used	as He	nd R	eceipt	Ann	ex.
Following last item, inventory, etc.) prod	state in each balance column the type of action (e.g. issue, turn-in, ucing this balance, date of action, and signature.			No. 5			CURR	OF ALV	" T	EM		mee	<u>Δ</u> 1		
	THE TOOL THOMAS TO A MINISTER OF			250.	-10							MOC	, A. I.		
STOCK No.	ITEMS TROOP INSTALLED OR AUTHORIZED	(a)	ć,	L	2	•	14	- T	BAL	ANCE 7	•	•	10	<u> </u>	12
	CARTRIDGE, 5.56MM (For 2 rifles, 5.56MM M16/M16A1 OR Cartridge, 7.62MM (for M14's)): in.50 cal. ammo box,														
	M2A1, in.50 cal. ammo rack, upper left section 300 Rounds														
	CARTRIDGE, cal45 (in 12-30 rd. mg.) (for 2 machinegun, cal45 (M3A1)):														
	in 2 ammo cases 7052438 in oddment tray, right of mechanic 360 Rounds CARTRIDGE, cal50, linked (for														
	machinegun, cal50, M2): 1 box on machinegun, cal50, 14 boxes in rack.														
	left cab wall 1500 Rounds GRENADE, hand: in 2 boxes 7388581 sub- floor, left rear of mechanic	8													
	LAW, (launcher and ammo): 8 in box on right cab wall, 2 in bracket above left														
	POT, smoke, HC:	10 12													
	SIGNAL, ground flare: in box on odd- ment tray, left of driver	12													
			_												
		_	<u> </u>				_								
		<u> </u>	 				ļ								
						<u> </u>									
	"T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt: "C - Current operating allowance for Hand Receipts. (t) Total authorized for Han			mezte.								E No.	1 AGES	5	,

	ITEMS TROOP INSTALLED OR AUTHORIZED	71	~	- 1					EAL	ANCE					
STOCK No.	TYEM DESCRIPTION	(a)	(3)	١	2	3	4	5	•	7	•	•	10	11	12
8465-00-705-2438	CASE, ammo, canvas, carring: in odd-		-									_			
	ment tray, right of mechanic, 7052438	<u> </u>			Ļ	<u> </u>	<u> </u>		<u> </u>	<u> </u>	↓	<u> </u>			
	(19207) (12, figure B-6)	2							l	l	1	ł	1		
	MAGUTAPOIDI 3 CO NO CI W/OF	├	 -	<u> </u>	├	├		├─	├	├—	-	╁	 		
1005-00-726-5636	MACHINEGUN, cal50, M2 flex W/OE, 7265636 (19204) (2, figure B-6)	1			ļ			<u> </u>		_	_	_			
	OR:										L	<u> </u>	Ĺ		
1005-00-322-9715	MACHINEGUN, cal50, M2 flex W/E, 7265636 (19204)	1									_				
	RIFLE, U.S., 5.56MM. M16/M16A1: 1 on right cab wall above access door: 1 on									<u> </u>	i				
	right side of winch cable shield	2													
	OR:														
	RIFLE, U.S., 7.62MM, M14 (alternate), 7267000														
1005-00-672-1771	SUB-MACHINEGUN, cal45, M3A1 W/E: 1 on left cab wall above access door; 1														
	on left side of winch cable shield,	2													
6135-00-120-1020	BATTERY, dry, 1.5 volt, Type BA-2030/U: in flashlights, 503200	8									L				
6135-00-050-0422	in flashlights, 503200 BATTERY, dry, 6 volt, Type BA-200/U: 1 in lantern, port, 2 in flasher light,								<u> </u>						
	503280	3										L.			
	BOX, ammo, cal50, M2A1: in upper left section of .50 cal. ammo rack														
	near left access door, 7553296	1													
8465-00-191-0366	CANTEEN, water, alum, w/o cup and cover: in cover, canteen at crew po-														
	sitions, 74-C-80	4								1					
	CARRIER, sleeping bag (strap): on case, sleeping bag	, ·								T	1				<u> </u>
	T-Total allowance for Hand Receipts. (a) Authorized per item for Hand Receip	t Anne	200.		٠	,						£ No.	2		
	C - Current operating allowance for Hand Receipts. (t) Total authorized for Han			RCZCO.							NO.	OF P	AGES	5	

Fav	HAND RECEIPT/ANNEX NO. use of this form, see AR 710-2; the prepenent agency the office of the Deputy Chief of Staff for Legistics.	FR	OM:				-	•		O: Hand	Dani	19:1	la No		
is 1	the office of the Deputy Chief of Staff for Legistics.	<u> </u>													
		F	rill in	the f	ollowi	ng w	hen ti	his for	rm is	used	as H	and R	eceipt	Ann	ex.
Following last item, st	tate in each balance column the type of action (e.g. issue, turn-in,	CAT	ALOG	No.	TM9	- 1	CURR	OF AL	.w in	TEM					
inventory, etc.) produ	cing this balance, date of action, and signature.	235	0-2	256-	10			. ,		<u>,</u>		M8	8A1		
STOCK No.	ITEMS TROOP INSTALLED OR AUTHORIZED	(a)	(t)				·		BAL	ANCE	Y			,	
					2	3	4	-5-	•	-	•	•	10	11	12
8465-00-237-8719	CASE, sleeping bag, water proof: 2 on oddment tray, R. of mechanic; 2 on oddment tray left of mechanic or field														
	pack M1945	4													
8465-00-379-2602	canteen, water, 74-C-300	4													
8465-00-242-7843	CUP, canteen w/folding handle: on canteen, water, 74-C-317-25	4													
8465-00-J-100007	FIELD PACK, combat M1956: 2 on odd- ment tray, right of mechanic; 2 on														
	oddment tray, left of driver	4													
	OPTIONAL:														
8465-00-266-9918	24014 5 40 40 40														
	OPTIONAL:														
8465-00-266-9918	FIELD PACK, combat, M1945, 74-P-12-287														
6230-00-264-8261	FLASHLIGHT, elect. hand, 2 cell w/ lamp. w/o batteries: at each crew														
	lamp, w/o batteries: at each crew position, SC-D-21772	4													
8345-00-174-6865	PANEL MARKER, aerial liaison, red on side, yellow other side, 6 ft. long x														
	2 ft. wide w/o case: in main oddment compt., right side, 5-P-73 (81337)	2													
<u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>	'T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receip	t Anne	ZES.	-								E No.		3	
	*C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand	d Rece	ipt An	neres.							No.	OF P	AGES	5	

RATION, individual, combat (3-day supply for 4 men): on floor under left air cleaner 12 INTERCOMMUNICATION SET, AN/VIC-1(V): 1 monitor at each crew position RADIO SET, AN/VRC-44, AN/VRC-46 or AN/VRC-64 with suppressor MX-7778A/GRC: on top of oddment compt., right side 1 MANUAL, technical (AN/VRC-44 and AN/VRC-46: in pamphlet bag, TM 11-5820-498-12 1 MANUAL, technical (AN/VRC-64): in pamphlet bag, TM 11-5820-498-12 1 MANUAL, technical (AN/VRC-64): in pamphlet bag, TM 11-5820-498-12 1 MANUAL, technical (AN/VIC-1(V)): in pamphlet bag, TM 11-5830-340-12 1 30-00-692-9316 SHOE, track, rubber, T107: 3 above fender, right side; 3 above fender, left side 605-00-706-9548 BOLT (used w/ctr. guide cap 8705894): in forward basket under floor - behind driver, 7069543 BOLT, track shoe end conn. wedge: in forward basket under floor - behind driver, 8705894 630-00-692-9317 CONNECTOR, track, shoe end: in forward basket under floor - behind driver, 8705894 630-00-692-9317 CONNECTOR, track, shoe end: in forward basket under floor - behind driver, 8705897 CONNECTOR, track, shoe end: in forward basket under floor - behind driver, 8705897 LINK, track: (with track shoe), 8705899	RO	TRO	00	P :	INS	ST/	ALJ	LE	D	ΩR	. A1	UT	HOF	RI 2	ED		7'	C	Т							EA	LANC	E					
INTERCOMMUNICATION SET, AN/VIC-1(V): 1 monitor at each crew position RADIO SET, AN/VRC-44, AN/VRC-46 or AN/VRC-64 with suppressor MX-7778A/GRC: on top of oddment compt., right side 1 MANUAL, technical (AN/VRC-44 and AN/VRC-46): in pamphlet bag, TM 11- 5820-401-12 MANUAL, technical (AN/VRC-64): in pamphlet bag, TM 11- 5820-401-12 MANUAL, technical (AN/VRC-64): in pamphlet bag, TM 11-5820-498-12 MANUAL, technical (AN/VRC-10): in pamphlet bag TM 11-5830-340-12 30-00-692-9316 SHOE, track, rubber, T107: 3 above fender, right side: 3 above fender, left side 105-00-706-9548 BOLT (used w/ctr. guide cap 8705894): in forward basket under floor - behind driver, 7069543 106-00-695-6188 BOLT, track shoe end conn. wedge: in forward basket under floor - behind driver, 8382360 106-00-692-9311 CAP, track shoe ctr. guide: in forward basket under floor - behind driver, 8705894 30-00-692-9315 GUIDE, track shoe end: in forward basket under floor - behind driver, 8705919 30-00-692-9315 GUIDE, track shoe center: in forward basket under floor - behind driver, 8705997 LINK, track: (with track shoe),							-	ESC	.R(P	ПОК							(4)	(1)	Г	1	2	3	T	4	5	•	7	T	•	•	10	11	112
INTERCOMMUNICATION SET, AN/VIC-1(V): 1 monitor at each crew position RADIO SET, AN/VRC-44, AN/VRC-46 or AN/VRC-64 with suppressor MX-7778A/GRC: on top of oddment compt., right side 1 MANUAL, technical (AN/VRC-44 and AN/VRC-46): in pamphlet bag, TM 11- 5820-401-12 MANUAL, technical (AN/VRC-64): in pamphlet bag, TM 11- 5820-401-12 MANUAL, technical (AN/VRC-64): in pamphlet bag, TM 11-5820-498-12 MANUAL, technical (AN/VRC-10): in pamphlet bag TM 11-5830-340-12 30-00-692-9316 SHOE, track, rubber, T107: 3 above fender, right side: 3 above fender, left side 105-00-706-9548 BOLT (used w/ctr. guide cap 8705894): in forward basket under floor - behind driver, 7069543 106-00-695-6188 BOLT, track shoe end conn. wedge: in forward basket under floor - behind driver, 8382360 106-00-692-9311 CAP, track shoe ctr. guide: in forward basket under floor - behind driver, 8705894 30-00-692-9315 GUIDE, track shoe end: in forward basket under floor - behind driver, 8705919 30-00-692-9315 GUIDE, track shoe center: in forward basket under floor - behind driver, 8705997 LINK, track: (with track shoe),	i	. i	in	di	vic	due	11	•	CO	mb	at	(3-d	day	7			Г	Т			T	T			1	T	T					T
INTERCOMMUNICATION SET, AN/VIC-1(V): 1 monitor at each crew position RADIO SET, AN/VRC-44, AN/VRC-46 or AN/VRC-64 with suppressor MX-7778A/GRC: on top of oddment compt., right side 1 MANUAL, technical (AN/VRC-44, and AN/VRC-46): in pamphlet bag, TM 11-5820-401-12 MANUAL, technical (AN/VRC-64): in pamphlet bag, TM 11-5820-498-12 MANUAL, technical (AN/VIC-1(V)): in pamphlet bag TM 11-5830-340-12 MANUAL, technical (AN/VIC-1(V)): in pamphlet bag TM 11-5830-340-12 SHOE, track, rubber, T107: 3 above fender, right side; 3 above fender, left side 05-00-706-9548 BOLT (used w/ctr. guide cap 8705894): in forward basket under floor - behind driver, 7069543 in forward basket under floor - behind driver, 8382360 30-00-695-6188 BOLT, track shoe end conn. wedge: in forward basket under floor - behind driver, 8382360 30-00-692-9311 CAP, track shoe ctr. guide: in forward basket under floor - behind driver, 8705894 30-00-692-9315 GUIDE, track shoe center; in forward basket under floor - behind driver, 87058919 30-00-692-9315 GUIDE, track shoe center; in forward basket under floor - behind driver, 8705897 LINK, track: (with track shoe),	fo:	fo	or	٠ 4	me	en)) : (on	f	10	$\overset{\cdot }{or}$	ur	nde	er		l	<u> </u>	1			<u>i</u>				1_	.1		ı		1	1	1
INTERCOMMUNICATION SET, AN/VIC-1(V): 1 monitor at each crew position RADIO SET, AN/VRC-44, AN/VRC-46 or AN/VRC-64 with suppressor MX-7778A/GRC: on top of oddment compt., right side 1 MANUAL, technical (AN/VRC-44, and AN/VRC-46): in pamphlet bag, TM 11-5820-401-12 MANUAL, technical (AN/VRC-64): in pamphlet bag, TM 11-5820-498-12 MANUAL, technical (AN/VIC-1(V)): in pamphlet bag TM 11-5830-340-12 MANUAL, technical (AN/VIC-1(V)): in pamphlet bag TM 11-5830-340-12 SHOE, track, rubber, T107: 3 above fender, right side; 3 above fender, left side 05-00-706-9548 BOLT (used w/ctr. guide cap 8705894): in forward basket under floor - behind driver, 7069543 in forward basket under floor - behind driver, 8382360 30-00-695-6188 BOLT, track shoe end conn. wedge: in forward basket under floor - behind driver, 8382360 30-00-692-9311 CAP, track shoe ctr. guide: in forward basket under floor - behind driver, 8705894 30-00-692-9315 GUIDE, track shoe center; in forward basket under floor - behind driver, 87058919 30-00-692-9315 GUIDE, track shoe center; in forward basket under floor - behind driver, 8705897 LINK, track: (with track shoe),	r	ir	· c.	le	ane	er											12		T			T	Т			T	T	Т					
1 monitor at each crew position RADIO SET, AN/VRC-44, AN/VRC-46 or AN/ VRC-64 with suppressor MX-7778A/GRC: on top of oddment compt., right side MANUAL, technical (AN/VRC-44 and AN/ VRC-46): in pamphlet bag, TM 11- 5820-401-12 MANUAL, technical (AN/VRC-64): in pamphlet bag, TM 11-5820-498-12 MANUAL, technical (AN/VIC-1(V)): in pamphlet bag TM 11-5830-340-12 1 30-00-692-9316 SHOE, track, rubber, T107: 3 above fender, right side: 3 above fender, left side 05-00-706-9548 BOLT (used w/ctr. guide cap 8705894): in forward basket under floor - behind driver, 7069543 06-00-695-6188 BOLT, track shoe end conn. wedge: in forward basket under floor - behind driver, 8382360 30-00-692-9311 CAP, track shoe ctr. guide: in for- ward basket under floor - behind driver, 8705894 30-00-692-9317 CONNECTOR, track, shoe end: in for- ward basket under floor - behind driver, 8705919 30-00-692-9315 GUIDE, track shoe center: in forward basket under floor - behind driver, 8705919 12 30-00-692-9315 GUIDE, track shoe center: in forward basket under floor - behind driver, 8705897 LINK, track: (with track shoe),																	1					1	\perp			1_						l	L
RADIO SET, AN/VRC-44, AN/VRC-46 or AN/VRC-64 with suppressor MX-7778A/GRC: on top of oddment compt., right side 1 MANUAL, technical (AN/VRC-44 and AN/VRC-46): in pamphlet bag, TM 11- 5820-401-12 1 MANUAL, technical (AN/VRC-64): in pamphlet bag, TM 11-5820-498-12 1 MANUAL, technical (AN/VRC-10): in pamphlet bag TM 11-5820-498-12 1 MANUAL, technical (AN/VRC-10): in pamphlet bag TM 11-5830-340-12 1 30-00-692-9316 SHOE, track, rubber, T107: 3 above fender, right side: 3 above fender, left side 05-00-706-9548 BOLT (used w/ctr. guide cap 8705894): in forward basket under floor - behind driver, 7069543 6 06-00-695-6188 BOLT, track shoe end conn. wedge: in forward basket under floor - behind driver, 8382360 12 30-00-692-9311 CONNECTOR, track, shoe end: in forward basket under floor - behind driver, 8705894 6 30-00-692-9315 GUIDE, track shoe center: in forward basket under floor - behind driver, 8705919 12 30-00-692-9315 GUIDE, track shoe center: in forward basket under floor - behind driver, 8705979 5 LINK, track: (with track shoe),	MMI	OMM	MUI	NI	CAT	ric	NC	S	ET	•	AN,	/V	IC-	-1(V):	•	Π						T			1	Τ	T					Т
RADIO SET, AN/VRC-44, AN/VRC-46 or AN/VRC-64 with suppressor MX-7778A/GRC: on top of oddment compt., right side 1 MANUAL, technical (AN/VRC-44 and AN/VRC-46): in pamphlet bag, TM 11- 5820-401-12 1 MANUAL, technical (AN/VRC-64): in pamphlet bag, TM 11-5820-498-12 1 MANUAL, technical (AN/VRC-10): in pamphlet bag TM 11-5820-498-12 1 MANUAL, technical (AN/VRC-10): in pamphlet bag TM 11-5830-340-12 1 30-00-692-9316 SHOE, track, rubber, T107: 3 above fender, right side: 3 above fender, left side 05-00-706-9548 BOLT (used w/ctr. guide cap 8705894): in forward basket under floor - behind driver, 7069543 6 06-00-695-6188 BOLT, track shoe end conn. wedge: in forward basket under floor - behind driver, 8382360 12 30-00-692-9311 CONNECTOR, track, shoe end: in forward basket under floor - behind driver, 8705894 6 30-00-692-9315 GUIDE, track shoe center: in forward basket under floor - behind driver, 8705919 12 30-00-692-9315 GUIDE, track shoe center: in forward basket under floor - behind driver, 8705979 5 LINK, track: (with track shoe),	or	tor	r	at	ea	ach	2_0	cr	ew	Ď	os:	it	ior	<u>a</u>			1	_	1				\perp				L				<u> </u>	L	L
on top of oddment compt., right side 1 MANUAL. technical (AN/VRC-44 and AN/VRC-46): in pamphlet bag, TM 11- 5820-401-12 MANUAL, technical (AN/VRC-64): in pamphlet bag, TM 11-5820-498-12 MANUAL, technical (AN/VIC-1(V)): in pamphlet bag TM 11-5830-340-12 30-00-692-9316 SHOE, track, rubber, T107: 3 above fender, right side; 3 above fender, left side BOLT (used w/ctr. guide cap 8705894): in forward basket under floor - behind driver, 7069543 BOLT, track shoe end conn. wedge: in forward basket under floor - behind driver, 8382360 30-00-692-9311 CAP, track shoe ctr. guide: in forward basket under floor - behind driver, 8705894 30-00-692-9317 CONNECTOR, track, shoe end: in forward basket under floor - behind driver, 8705919 30-00-692-9315 GUIDE, track shoe center: in forward basket under floor - behind driver, 870597 LINK, track: (with track shoe),	ET.	SET	т,	[A	I\N	VRC)— <i>[</i>	44	,	ΑÑ,	/VI	RC	-46	5 c				Į .					ı			1					l	1	
MANUAL, technical (AN/VRC-44 and AN/VRC-46): in pamphlet bag, TM 11- 5820-401-12 MANUAL, technical (AN/VRC-64): in pamphlet bag, TM 11-5820-498-12 MANUAL, technical (AN/VTC-1(V)): in pamphlet bag TM 11-5820-340-12 30-00-692-9316 SHOE, track, rubber, T107: 3 above fender, right side; 3 above fender, left side 05-00-706-9548 BOLT (used w/ctr. guide cap 8705894): in forward basket under floor - behind driver, 7069543 06-00-695-6188 BOLT, track shoe end conn. wedge: in forward basket under floor - behind driver, 8382360 30-00-692-9311 CAP, track shoe ctr. guide: in forward basket under floor - behind driver, 8705894 30-00-692-9317 CONNECTOR, track, shoe end: in forward basket under floor - behind driver, 8705919 30-00-692-9315 GUIDE, track shoe center: in forward basket under floor - behind driver, 8705897 LINK, track: (with track shoe),	wij	_wi	dt)	h_	sur	opr	ces	SS	or	M	X <u>-</u> '	77	78 <i>I</i>	$\Delta \angle C$	RC:			L	\perp				ᆚ		L		1.	\perp			L	<u>L</u>	
MANUAL, technical (AN/VRC-64): in pamphlet bag, TM 11-5820-498-12 MANUAL, technical (AN/VIC-1(V)): in pamphlet bag TM 11-5830-340-12 30-00-692-9316 SHOE, track, rubber, T107: 3 above fender, right side; 3 above fender, left side 05-00-706-9548 BOLT (used w/ctr. guide cap 8705894): in forward basket under floor - behind driver, 7069543 BOLT, track shoe end conn. wedge: in forward basket under floor - behind driver, 8382360 30-00-692-9311 CAP, track shoe ctr. guide: in forward basket under floor - behind driver, 8705894 30-00-692-9315 CONNECTOR, track, shoe end: in forward basket under floor - behind driver, 8705919 30-00-692-9315 GUIDE, track shoe center: in forward basket under floor - behind driver, 8705897 LINK, track: (with track shoe),	of	of	f	odo	dmē	ent	t	CO	mp	t.	, :	ri	ght	t s	side	Э	1		1				1										
MANUAL, technical (AN/VRC-64): in pamphlet bag, TM 11-5820-498-12 MANUAL, technical (AN/VIC-1(V)): in pamphlet bag TM 11-5830-340-12 30-00-692-9316 SHOE, track, rubber, T107: 3 above fender, right side; 3 above fender, left side 05-00-706-9548 BOLT (used w/ctr. guide cap 8705894): in forward basket under floor - behind driver, 7069543 BOLT, track shoe end conn. wedge: in forward basket under floor - behind driver, 8382360 30-00-692-9311 CAP, track shoe ctr. guide: in forward basket under floor - behind driver, 8705894 30-00-692-9315 CONNECTOR, track, shoe end: in forward basket under floor - behind driver, 8705919 30-00-692-9315 GUIDE, track shoe center: in forward basket under floor - behind driver, 8705897 LINK, track: (with track shoe),	te	, to	te	çhi	nic	cal	L, ((A)	N/	VR	C-/	44.	ar	nd	AN/	7	1	1	T			T	†			1	1	†	7				T
MANUAL, technical (AN/VRC-64): in pamphlet bag, TM 11-5820-498-12 1 MANUAL, technical (AN/VIC-1(V)): in pamphlet bag TM 11-5830-340-12 1 30-00-692-9316 SHOE, track, rubber, T107: 3 above fender, right side; 3 above fender, left side 65-00-706-9548 BOLT (used w/ctr. guide cap 8705894): in forward basket under floor - behind driver, 7069543 66-00-695-6188 BOLT, track shoe end conn. wedge: in forward basket under floor - behind driver, 8382360 12 30-00-692-9311 CAP, track shoe ctr. guide: in forward basket under floor - behind driver, 8705894 6 30-00-692-9317 CONNECTOR, track, shoe end: in forward basket under floor - behind driver, 8705919 12 30-00-692-9315 GUIDE, track shoe center: in forward basket under floor - behind driver, 8705897 LINK, track: (with track shoe),	:	<u>):</u>		<u>in</u>	_pe	ımp	on.	те.	t	ba,	g,	T	M]	ГТ-	<u> </u>		<u> </u>	L	1		Ļ	↓_	4			↓_	4	_	_		<u> </u>		↓_
pamphlet bag, TM 11-5820-498-12 1 MANUAL, technical (AN/VIC-1(V)): in pamphlet bag TM 11-5830-340-12 1 30-00-692-9316 SHOE, track, rubber, T107: 3 above fender, right side; 3 above fender, left side 6 05-00-706-9548 BOLT (used w/ctr. guide cap 8705894): in forward basket under floor - behind driver, 7069543 6 06-00-695-6188 BOLT, track shoe end conn. wedge: in forward basket under floor - behind driver, 8382360 12 30-00-692-9311 CAP, track shoe ctr. guide: in forward basket under floor - behind driver, 8705894 6 30-00-692-9317 CONNECTOR, track, shoe end: in forward basket under floor - behind driver, 8705919 12 30-00-692-9315 GUIDE, track shoe center: in forward basket under floor - behind driver, 8705897 5705897 51NK, track: (with track shoe),	1	01-	. - 17	2													1		ı			Į											
MANUAL, technical (AN/VIC-1(V)): in pamphlet bag TM 11-5830-340-12 30-00-692-9316 SHOE, track, rubber, T107: 3 above fender, right side; 3 above fender, left side 05-00-706-9548 BOLT (used w/ctr. guide cap 8705894): in forward basket under floor - behind driver, 7069543 BOLT, track shoe end conn. wedge: in forward basket under floor - behind driver, 8382360 CAP, track shoe ctr. guide: in forward basket under floor - behind driver, 8705894 30-00-692-9317 CONNECTOR, track, shoe end: in forward basket under floor - behind driver, 8705894 30-00-692-9315 GUIDE, track shoe center: in forward basket under floor - behind driver, 8705897 LINK, track: (with track shoe),															.n		1		1			T	1		·	T	1	1				<u> </u>	T
pamphlet bag TM 11-5830-340-12 1 30-00-692-9316 SHOE, track, rubber, T107: 3 above fender, right side; 3 above fender. left side 6 05-00-706-9548 BOLT (used w/ctr. guide cap 8705894): in forward basket under floor - behind driver, 7069543 BOLT, track shoe end conn. wedge: in forward basket under floor - behind driver, 8382360 12 30-00-692-9311 CAP, track shoe ctr. guide: in forward basket under floor - behind driver, 8705894 6 30-00-692-9317 CONNECTOR, track, shoe end: in forward basket under floor - behind driver, 8705919 12 30-00-692-9315 GUIDE, track shoe center: in forward basket under floor - behind driver, 8705897 LINK, track: (with track shoe),	<u> </u>	<u>et l</u>	<u>b</u>	<u>ag</u> ,	• 1	I.M	1	<u> </u>	<u>58</u>	20.	-4	98.	-14	5			11_	Ļ	1		<u> </u>	╄	_ _		<u> </u>	1_	4	4	\Box		L_	1	↓_
30-00-692-9316 SHOE, track, rubber, T107: 3 above fender, right side: 3 above fender, left side 05-00-706-9548 BOLT (used w/ctr. guide cap 8705894): in forward basket under floor - behind driver, 7069543 BOLT, track shoe end conn. wedge: in forward basket under floor - behind driver, 8382360 CAP, track shoe ctr. guide: in forward basket under floor - behind driver, 8705894 30-00-692-9317 CONNECTOR, track, shoe end: in forward basket under floor - behind driver, 8705919 30-00-692-9315 GUIDE, track shoe center: in forward basket under floor - behind driver, 8705897 LINK, track: (with track shoe),															ir	1			1				1					-			i	1	l
fender, right side; 3 above fender, left side 6 BOLT (used w/ctr. guide cap 8705894): in forward basket under floor - behind driver, 7069543 BOLT, track shoe end conn. wedge: in forward basket under floor - behind driver, 8382360 CAP, track shoe ctr. guide: in for- ward basket under floor - behind driver, 8705894 30-00-692-9317 CONNECTOR, track, shoe end: in for- ward basket under floor - behind driver, 8705919 30-00-692-9315 GUIDE, track shoe center; in forward basket under floor - behind driver, 8705897 LINK, track: (with track shoe),	t t	et I	<u> D</u> 8	<u>ag</u>	TW	<u>1]</u>	<u> </u>	<u>-5</u>	<u>83</u>	<u>0-</u>	340	<u>U-</u>	<u>12</u>				11	-	4-		┞	╁	4			╂	+	4			↓	-	╀
left side BOLT (used w/ctr. guide cap 8705894): in forward basket under floor - behind driver, 7069543 BOLT, track shoe end conn. wedge: in forward basket under floor - behind driver, 8382360 CAP, track shoe ctr. guide: in for- ward basket under floor - behind driver, 8705894 30-00-692-9317 CONNECTOR, track, shoe end: in for- ward basket under floor - behind driver, 8705919 30-00-692-9315 GUIDE, track shoe center; in forward basket under floor - behind driver, 8705897 LINK, track: (with track shoe),																												1					
BOLT (used w/ctr. guide cap 8705894): in forward basket under floor - behind driver, 7069543 BOLT, track shoe end conn. wedge: in forward basket under floor - behind driver, 8382360 CAP, track shoe ctr. guide: in for- ward basket under floor - behind driver, 8705894 30-00-692-9317 CONNECTOR, track, shoe end: in for- ward basket under floor - behind driver, 8705919 30-00-692-9315 GUIDE, track shoe center; in forward basket under floor - behind driver, 8705897 LINK, track: (with track shoe),	de	i de	е														6		1				1			1	1	1			1		1
In forward basket under floor - behind driver, 7069543 BOLT, track shoe end conn. wedge: in forward basket under floor - behind driver, 8382360 30-00-692-9311 CAP, track shoe ctr. guide: in forward basket under floor - behind driver, 8705894 30-00-692-9317 CONNECTOR, track, shoe end: in forward basket under floor - behind driver, 8705919 30-00-692-9315 GUIDE, track shoe center: in forward basket under floor - behind driver, 8705897 LINK, track: (with track shoe),	sec	used	ed	W	7ct	r.		gu	id	e (car	p 8	87C	058	94)) :		1					1	İ		1	1	- [l	1
driver, 7069543 BOLT, track shoe end conn. wedge: in forward basket under floor - behind driver, 8382360 CAP, track shoe ctr. guide: in forward basket under floor - behind driver, 8705894 CONNECTOR, track, shoe end: in forward basket under floor - behind driver, 8705919 30-00-692-9315 GUIDE, track shoe center: in forward basket under floor - behind driver, 8705897 LINK, track: (with track shoe),	arc	war	rd	ba	ask	cet	; ì	uno	de:	r i	flo	001	r -	- b	ehi	nd			T			T	T			1		T			1		Т
BOLT, track shoe end conn. wedge: in forward basket under floor - behind driver, 8382360 30-00-692-9311 CAP, track shoe ctr. guide: in forward basket under floor - behind driver, 8705894 30-00-692-9317 CONNECTOR, track, shoe end: in forward basket under floor - behind driver, 8705919 30-00-692-9315 GUIDE, track shoe center: in forward basket under floor - behind driver, 8705897 LINK, track: (with track shoe),	70	- 70	706	695	51.3	}											6	1	1		1	1	1			1	i	ì			1	1	1
10rward basket under floor - behind driver, 8382360 12 30-00-692-9311 CAP, track shoe ctr. guide: in forward basket under floor - behind driver, 8705894 6 30-00-692-9317 CONNECTOR, track, shoe end: in forward basket under floor - behind driver, 8705919 12 30-00-692-9315 GUIDE, track shoe center: in forward basket under floor - behind driver, 8705897 5 LINK, track: (with track shoe),	rac	trac	acl	k٤	sho	е	er	nd	C	oni	n.	W	edg	œ:	i	.n			T							1	1	\top				1	1
30-00-692-9311 CAP, track shoe ctr. guide: in forward basket under floor - behind driver, 8705894 6 30-00-692-9317 CONNECTOR, track, shoe end: in forward basket under floor - behind driver, 8705919 12 30-00-692-9315 GUIDE, track shoe center: in forward basket under floor - behind driver, 8705897 5 LINK, track: (with track shoe),	Da	a ba	pas	SKE	eτ	un	nde	er	f.	loc	or	_	be	hi	nd		1					1	-1				-	ı			1		1
ward basket under floor - behind driver, 8705894 6 30-00-692-9317 CONNECTOR, track, shoe end: in forward basket under floor - behind driver, 8705919 12 30-00-692-9315 GUIDE, track shoe center; in forward basket under floor - behind driver, 8705897 5 LINK, track: (with track shoe),	83	, 83	838	823	360)											12		T			1	T			T	\top	7					T
ward basket under floor - behind driver, 8705894 6 30-00-692-9317 CONNECTOR, track, shoe end: in forward basket under floor - behind driver, 8705919 12 30-00-692-9315 GUIDE, track shoe center; in forward basket under floor - behind driver, 8705897 5 LINK, track: (with track shoe),	ack	racl	ck	sì	noe) C	tr	r.	g١	uio	de	:	in	ı f	or-	-		1	ı		1	1	Ţ				1	- [1	[
30-00-692-9317 CONNECTOR, track, shoe end: in forward basket under floor - behind driver, 8705919 30-00-692-9315 GUIDE, track shoe center; in forward basket under floor - behind driver, 8705897 LINK, track: (with track shoe),	ske	aske	ket	tυ	und	ler	٠f	11	00:	r -	- }	oel	nin	ıd					Т			T	Т			Т	T	Т					Т
30-00-692-9317 CONNECTOR, track, shoe end: in forward basket under floor - behind driver, 8705919 30-00-692-9315 GUIDE, track shoe center; in forward basket under floor - behind driver, 8705897 LINK, track: (with track shoe),	87	. 87	870	058	394	.											6		1				ı			Ι.	1	- [1
ward basket under floor - behind driver, 8705919 30-00-692-9315 GUIDE, track shoe center; in forward basket under floor - behind driver, 8705897 LINK, track: (with track shoe),	R,	OR,	R,	tr	rac	k,	S	sho	oe	er	nd:	-	in	f	or-				T				7			1	T	T				1	T
driver, 8705919 30-00-692-9315 GUIDE, track shoe center; in forward basket under floor - behind driver, 8705897 LINK, track: (with track shoe),																	1	l					-			1		- [1	1	
30-00-692-9315 GUIDE, track shoe center: in forward basket under floor - behind driver, 8705897 5 LINK, track: (with track shoe),																	12		T			1	T			1	1	T			1	1	Τ
basket under floor - behind driver, 8705897 LINK, track: (with track shoe),							c	en	nte	r:		in	f	or	war	d		1			i					1		Ì				l	1
LINK, track: (with track shoe),	nd	und	nde	er	fl	00	r	_	be	hi	nd	d	ri	ve	r.		1	\Box	1			1	1			T	T-	1				1	1
LINK, track: (with track shoe),		,													•		b	ŀ			1		I				i	ı			I	1	1
19705900	ac	rac	ack	<:	(wi	th	ı t	ra	ick	S	sho	oe)	•					1		Γ	Т	1			T	\top	丁				1	T
)		-	`						_		- ,	_			6	L	ı		l	l									L	<u>.</u>	
T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes.	ence		nce f	for H	lend i	Rece	ipt:	. (a)	Au	thori	zed :	per i	item j	for F	land R	leceiz	d Ann	248.	_						-			٦,	AGE	No.		4	

for is t	HAND RECEIPT/ANNEX NO. use of this form, see AR 710-2; the proponent agency he office of the Deputy Chief of Staff for Logistics.	FRO)M:						1	0: Hand	Recei	ipt Fi	le No.		
		F	'ill in	the i	ollow	ing w	hen t	his fo	rm is	used	as H	and F	leceipt	Ann	ex.
Following last item, st inventory, etc.) produc	ate in each balance column the type of action (e.g. issue, turn-in, ing this balance, date of action, and signature.				TM9- 6-1		CURR	OF AL	-w i	EM		M88	3A1		
STOCK No.	ITEMS TROOP INSTALLED OR AUTHORIZED	T'	(;)		T.		,		BAL	ANCE	,		 -		
5310-00-050-3362	NUT (used w/ctr. guide cap 8705894): in forward basket under floor - behind			_	2	3	_	5	•	7	•	•	10	11	12
	driver, 503362 WEDGE, track shoe: in forward basket	6	ł												j
2530-00-039-9153	under floor - behind driver, 8382359	12													
2530-00-521-6177	OPTIONAL: 2 - WEDGE, track shoe, 8685830	12				_							-		\vdash
2330-00-321-0177	SPROCKET, drive: right and left side - ext.	2													
	WHEEL, road, disc: right and left	2			ļ						ļ		<u> </u>		<u> </u>
	WHEEL, track support: right and left side - ext.	2		<u> </u>		<u> </u>			<u> </u>			_			<u> </u>
5180-00-754-0641.	TOOL KIT, general mech.'s w/box 21"lg. 8-1/2" wide, 7-3/8" deep, box Spec. MIL-B-3981, Type II, Class B: in rack under .50 cal. ammo rack left side,		-				-							-	-
	41-T-3534-30	2													
			_		_			-		_	-	ļ		<u> </u>	-
		_	-	-	-	-	-	 	_	\vdash	\vdash	-		-	-
			\vdash	\vdash	-	-	+	-	-	_	-	\vdash	 	_	\vdash
· .	'T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receip	Ann	ezes.	1		1		J		1		SE NO			<u></u>
	*C - Current operating allowance for Hand Receipts. (t) Total authorized for Han			RREIT	ı .	_					No.	OF	PAGES		5

By Order of the Secretary of the Army:

BERNARD W.ROGERS

General, United States Army

Chief of Staff

Official:

J. C. PENNINGTON

Brigadier General, United States Army

The Adjutant General

Distribution:

To be distributed in accordance with DA Form 12-37, operator maintenance requirements for medium, M88Al recovery vehicle.

 $^{\mbox{\tiny $\mbox{$^{\circ}$}}}$ U.S. GOVERNMENT PRINTING OFFICE : 1987 O—181-421 (60622)

	\sim			RECOMMEND	ED CHAN	IGES TO E	QUIPMENT TECHNICAL MANUALS
		AI	HEN JO	OT DOWN THE	E DOPE		WRONG WITH THIS MANUAL?
BUBLICA:	TON NUMBE	DI	ROPIT	IN THE MAIL!		DATE	
	-2350-2		-HR		9 Jan	1979	
PAGE NO.	PARA- GRAPH	FIGURE NO.	TABLE NO.	IN THIS SPACE	HOULD B	E DOME AB	OUT IT:

DA . FORM. 2028-2

TYPED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER

CUT ALONG DOTTED LINE

P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR MANUAL "FIND," MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

SIGN HERE:

FIL	L IN	YOU	JR RESS
	र	7	

FOLD BACK

DEPARTMENT OF THE ARMY

POSTAGE AND FEES PAID DEPARTMENT OF THE ARMY DOD 314



CUT ALONG DOTTED LINE

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300

Commander
US Army Tank-Automotive Materiel
Readiness Command
ATTN: DRSTA-MBA
Warren, MI 48090

FOLD BACK

REVERSE OF DA FORM 2028-2

THE METRIC SYSTEM AND EQUIVALENTS

'NEAR MEASURE

Centimeter = 10 Millimeters = 0.01 Meters = 0.3937 Inches

1 Meter = 100 Centimeters = 1000 Millimeters = 39.37 Inches

1 Kilometer = 1000 Meters = 0.621 Miles

YEIGHTS

Gram = 0.001 Kilograms = 1000 Milligrams = 0.035 Ounces

1 Kilogram = 1000 Grams = 2.2 lb.

1 Metric Ton = 1000 Kilograms = 1 Megagram = 1.1 Short Tons

LIQUID MEASURE

1 Milliliter = 0.001 Liters = 0.0338 Fluid Ounces

1 Liter = 1000 Milliliters = 33.82 Fluid Ounces

SQUARE MEASURE

1 Sq. Centimeter = 100 Sq. Millimeters = 0.155 Sq. Inches

1 Sq. Meter = 10,000 Sq. Centimeters = 10.76 Sq. Feet

1 Sq. Kilometer = 1,000,000 Sq. Meters = 0.386 Sq. Miles

CUBIC MEASURE

1 Cu. Centimeter = 1000 Cu. Millimeters = 0.06 Cu. Inches 1 Cu. Meter = 1,000,000 Cu. Centimeters = 35.31 Cu. Feet

TEMPERATURE

 $5/9(^{\circ}F - 32) = ^{\circ}C$

212° Fahrenheit is evuivalent to 100° Celsius

90° Fahrenheit is equivalent to 32.2° Celsius

32° Fahrenheit is equivalent to 0° Celsius

 $9/5C^{\circ} + 32 = {\circ}F$

APPROXIMATE CONVERSION FACTORS

TO CHANGE	TO	MULTIPLY BY
Inches	Centimeters	2.540
Feet	Meters	0.305
Yards	Meters	
Miles	Kilometers	
Square Inches	Square Centimeters	
Square Feet	Square Meters	
Square Yards	Square Meters	0.836
Square Miles	Square Kilometers	2.590
Acres	Square Hectometers	
Cubic Feet	Cubic Meters	
Cubic Yards	Cubic Meters	
Fluid Ounces	Milliliters	
nts	Liters	
arts	Liters	
allons	Liters	
Ounces	Grams	
Pounds	Kilograms	
Short Tons	Metric Tons	
Pound-Feet	Newton-Meters	
Pounds per Square Inch	Kilopascals	
Miles per Gallon	Kilometers per Liter	
Miles per Hour	Kilometers per Hour	
•	- · · · · · · · · · · · · · · · · · · ·	

TO CHANGE	то	MULTIPLY BY
Centimeters	Inches	0.394
Meters	Feet	
Meters	Yards	
Kilometers	Miles	
Square Centimeters	Square Inches	
Square Meters	Square Feet	
Square Meters	Square Yards	1 106
Square Kilometers	Square Miles	0.386
Square Hectometers	Acres	
Cubic Meters	Cubic Feet	
Cubic Meters		
Milliliters	Cubic Yards	
	Fluid Ounces	
Liters	Pints	
Liters	Quarts	
`ers	Gallons	
.ms	Ounces	
.ograms	Pounds	
Metric Tons	Short Tons	1.102
Newton-Meters	Pounds-Feet	0.738
Kilopascals	Pounds per Square Inch.	0.145
ometers per Liter	Miles per Gallon	2.354
meters per Hour	Miles per Hour	



PIN: 037896-000

This fine document...

Was brought to you by me:



<u>Liberated Manuals -- free army and government manuals</u>

Why do I do it? I am tired of sleazy CD-ROM sellers, who take publicly available information, slap "watermarks" and other junk on it, and sell it. Those masters of search engine manipulation make sure that their sites that sell free information, come up first in search engines. They did not create it... They did not even scan it... Why should they get your money? Why are not letting you give those free manuals to your friends?

I am setting this document FREE. This document was made by the US Government and is NOT protected by Copyright. Feel free to share, republish, sell and so on.

I am not asking you for donations, fees or handouts. If you can, please provide a link to liberatedmanuals.com, so that free manuals come up first in search engines:

Free Military and Government Manuals

- SincerelyIgor Chudovhttp://igor.chudov.com/
- Chicago Machinery Movers