

LUBRICATION ORDER

L054320-259-12

10 JUNE 1977

(Supersedes LO5-4320-259-12, 4 November 1971)

**PUMPING ASSEMBLY, FLAMMABLE LIQUID,
BULK TRANSFER, CENTRIFUGAL, GASOLINE
ENGINE DRIVEN, 100 GPM
(BARNES MODEL US6ACG) NSN 4320-00-150-6116
W/ENGINE KOHLER MODEL K91P-31882A**

Reference: C9100-IL

Intervals and related task-hour times are based on normal hours of operation. The task-hour time specified is the time you need to do all the services prescribed for a particular interval. Change the interval if your lubricants are contaminated or if you are operating the equipment under adverse operating conditions, including longer-than-usual operating hours. You may extend the interval during periods of low activity, but you must take adequate preservation precautions.

Clean fittings before lubricating. Relubricate all areas exposed to water after amphibious operation. Lubricate points indicated by dotted arrow shaft on both sides of equipment. Clean parts with SOLVENT, dry cleaning, or with OIL, fuel, diesel. Dry before lubricated. Drain crankcase when HOT. Fill and check level. The lowest level of maintenance authorized to lubricate a point is indicated by one of the following: (C) operator/crew, or (O) organizational maintenance.

You can improve this publication by calling attention to errors and by recommending improvements and by stating your reasons for the recommendations. Your letter or DA Form 2028 (Recommended Changes to Publications and Forms) should be mailed directly to Commander, U. S. Army Troop Support Command, ATTN: DRSTS-MPP, 4300 Goodfellow Blvd., St. Louis, MO 63120. A reply will be furnished directly to you.


*The time specified is the time required to perform all services at the particular interval.

FOLD

FOLD

LUBRICANT • INTERVAL

INTERVAL • LUBRICANT



*TOTAL TASK HOURS

*TOTAL TASK HOURS

INTERVAL	TASK-HOURS
D	0.5

INTERVAL	TASK-HOURS
W	1.5

-KEY-

LUBRICANTS	CAPACITY	EXPECTED TEMPERATURES			INTERVALS
		Above +32°F Above 0°C	+40°F to -10°F + 5°C to -23°C	0°F to -65°F -18°C to -50°C	
OE/HDO (MIL-L-2104) Oil, Engine, Heavy Duty		OE/HDO 30	OEA/APG-D-1	OEA/APG-D-1	D. 10 Hours, 100 Miles, or Daily W. 50 Hours, 500 Miles, or Weekly
OE/HDO (MIL-L-2104) Crankcase	1 pt .473 liters				
OE/HDO (MIL-L-2104) Air Cleaner					
OEA/APG-D-1 Oil, Engine Sub-zero					

FOR ARCTIC OPERATION Refer to TM9-207

NOTES:

1. FOR OPERATION OF EQUIPMENT IN PROTRACTED COLD TEMPERATURES BELOW -10°F -23°C. Remove lubricants prescribed in the key for temperatures above -10°F -23°C. Relubricate with lubricants specified in the key for temperatures below -10°F -23°C.

2. Fill to full mark on dipstick if necessary.

3. LUBRICANTS. The following is a list of lubricants with the Military Symbols and applicable specification numbers.

OE-M-2104

OEA/APG-PD-1

DISTRIBUTION: To be distributed in accordance with DA Form 12-25A, Operator's Maintenance requirements for Petroleum Distribution.

Copy of this Lubrication Order will remain with the equipment at all times; instructions contained herein are mandatory.

BY ORDER OF THE SECRETARY OF THE ARMY:

BERNARD W. ROGERS
General, United States Army
Chief of Staff

OFFICIAL:

PAUL T. SMITH
Major General, United States Army
The Adjutant General

FOLD

FOLD

This fine document...

Was brought to you by me:



[Liberated Manuals -- free army and government manuals](#)

Why do I do it? I am tired of sleazy CD-ROM sellers, who take publicly available information, slap “watermarks” and other junk on it, and sell it. Those masters of search engine manipulation make sure that their sites that sell free information, come up first in search engines. They did not create it... They did not even scan it... Why should they get your money? Why are not letting you give those free manuals to your friends?

I am setting this document FREE. This document was made by the US Government and is NOT protected by Copyright. Feel free to share, republish, sell and so on.

I am not asking you for donations, fees or handouts. If you can, please provide a link to liberatedmanuals.com, so that free manuals come up first in search engines:

<A HREF=<http://www.liberatedmanuals.com/>>Free Military and Government Manuals

- Sincerely
Igor Chudov
<http://igor.chudov.com/>
- [Chicago Machinery Movers](#)