

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

DIRECT SUPPORT AND GENERAL SUPPORT MAINTENANCE
REPAIR PARTS AND SPECIAL TOOLS LISTS (INCLUDING
DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS)

CONVERTER, TELEGRAPH-TELEPHONE SIGNAL TA-1 82/U
FSN 5805-263-3326

Headquarters, Department of the Army, Washington, D.C.
31 October 1973

Current as of March 1973

	Paragraph	Page
Section I. INTRODUCTION		
Scope	1-1	2
General.....	1-2	2
Explanation of columns.....	1-3	2
Special information.....	1-4	4
Location of repair parts.....	1-5	4
Abbreviations (Not applicable).....	1-6	5
Reporting of equipment publication improvements.....	1-7	5
II. REPAIR PARTS LIST		6
III. SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not applicable)		
IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER		20

*This manual supersedes so much of TM 11-5805-247-35, 9 November 1965 as pertains to repair parts and special tools list.

SECTION I

INTRODUCTION

1-1. Scope

This manual lists repair parts and special tools required for the performance of direct support, general support, and depot maintenance of the TA-182/U. The PCCN for the TA-182/U is GCWAAR for all models.

1-2. General

This repair parts and special tools list is divided into the following sections:

a. Repair Parts List-Section II. A list of repair parts authorized for the performance of maintenance at the direct support, general support, and depot level. This repair parts list is arranged in alphabetical order.

b. Special Tools, Test and Support Equipment -Section III. Not applicable.

c. Index-Federal Stock Number and Reference Number Cross-Reference to Figure and Item Number-Section IV. A list, in ascending numerical sequence, of all Federal stock numbers appearing in the listings, followed by a list, in alphanumeric sequence, of all reference numbers appearing in the listings. Federal stock number and reference numbers are cross-referenced to each illustration figure and item number or reference designation appearance.

1-3. Explanation of Columns

The following provides an explanation of columns found in the tabular list.

a. Source, Maintenance, and Recoverability Codes (SMR).

(1) *Source code.* Indicates the manner of acquiring support items for maintenance, repair, or overhaul of end items. Source codes are—

<i>Code</i>	<i>Explanation</i>
PA	Item procured and stocked for anticipated or known usage.
PB	Item procured and stocked for insurance purposes because essentiality dictates that a minimum quantity be available in the supply systems.

<i>Code</i>	<i>Explanation</i>
PC	Item procured and stocked and which otherwise would be coded PA except that it is deteriorative in nature.
PD	Support item, excluding support equipment, procured for initial issue or outfitting and stocked only for subsequent or additional initial issues or outfittings. Not subject to automatic replenishment.
PE	Support equipment procured and stocked for initial issue or outfitting to specified maintenance repair activities.
PF	Support equipment which will not be stocked but which will be centrally procured on demand.
PG	Item procured and stocked to provide for sustained support for the life of the equipment. It is applied to an item peculiar to the equipment which because of probable discontinuance or shutdown of production facilities would prove uneconomical to reproduce at a later time.
KD	An item of depot overhaul/repair kit and not purchased separately. Depot kit defined as a kit that provides items required at the time of overhaul or repair.
KF	An item of a maintenance kit and not purchased separately. Maintenance kit defined as a kit that provides an item that can be replaced at organizational or direct support or general support levels of maintenance.
KB	Item included in both a depot overhaul/repair kit and a maintenance kit.
MO	Item to be manufactured or fabricated at organizational level.
MF	Item to be manufactured or fabricated at direct support maintenance level.
MH	Item to be manufactured or fabricated at general support maintenance level.
MD	Item to be manufactured or fabricated at depot maintenance level.
AO	Item to be assembled at organizational level.
AF	Item to be assembled at direct support maintenance level.

<i>Code</i>	<i>Explanation</i>
AH	Item to be assembled at general support maintenance level.
AD	Item to be assembled at depot maintenance level.
XA	Item is not procured or stocked because the requirements for the item will result in the replacement of the next higher assembly.
XB	Item is not procured or stocked. If not available through salvage, requisition.
XC	Installation drawing, diagram instruction sheet, field service drawing, that is identified by manufacturers' part number.
XD	Support items can be requisitioned with justification.

NOTE

Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded XA and aircraft support items as restricted by AR 700-42.

(2) *Maintenance code.* Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code Format as follows—

(a) *Use (third position).* The maintenance code entered in the third position indicates the lowest maintenance level authorized to remove, replace, and use the support item. The maintenance code entered in the third position indicates one of the following levels of maintenance.

<i>Code</i>	<i>Application/Explanation</i>
O	Support item is removed, replaced, used at the organizational level of maintenance.

NOTE

A code "C" may be used in this position to denote crew or operator maintenance performed within organizational maintenance.

F	Support item is removed, replaced, used at the direct support maintenance level.
H	Support item is removed, replaced, used at the general support maintenance.
D	Support items that are removed, replaced, used at depot only.

(b) *Repair (fourth position).* The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (i.e., all authorized maintenance functions). When a maintenance code is not used a dash (-) sign is entered. For multi-service equipment/systems or when a code is entered, this position will contain one

of the following maintenance codes as assigned by the service(s) that require the code—

<i>Code</i>	<i>Application/Explanation</i>
O	The lowest maintenance level capable of complete repair of the support item is the organizational level.
F	The lowest maintenance level capable of complete repair of the support item is direct support.
H	The lowest maintenance level capable of complete repair of the support item is general support.
D	The lowest maintenance level capable of complete repair of the support item is the depot level.
L	Repair restricted to designated Specialized Repair Activity.
Z	Nonrepairable. No repair is authorized.
B	No repair is authorized. The item may be reconditioned by adjusting, lubricating, etc., at the user level. No parts or special tools are procured for the maintenance of this item.

(3) *Recoverability code.* Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the uniform SMR Code Format as follows—

<i>Code</i>	<i>Explanation</i>
Z	Nonrepairable item. When unserviceable, condemn and dispose at the level indicated in the first digit of the maintenance code.
O	Repairable item. When uneconomically repairable, condemn and dispose at organizational level.
F	Repairable item. When uneconomically repairable, condemn and dispose at the direct support level.
H	Repairable item. When uneconomically repairable condemn and dispose at the general support level.
D	Repairable item. When beyond lower level repair capability, return to depot. Condemnation and disposal not authorized below depot level.
L	Repairable item. Repair, condemnation, and disposal not authorized below depot/ Specialized Repair Activity level.
A	Item requires special handling or condemnation procedures because of specific reasons (i.e., precious metal content, high dollar value, critical material or hazardous material).

b. *Federal Stock Number.* Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

c. Description. Indicates the Federal item name and a minimum description required to identify the item. The last line indicates the reference number followed by the applicable Federal Supply Code for Manufacturer (FSCM) in parentheses. The FSCM is used as an element in item identification to designate manufacturer or distributor or Government agency, etc., and is identified in SB 708-42.

d. Unit of Measure (U/M). Indicates the standard or basic quantity by which the listed item is used in performing the actual maintenance function. This measure is expressed by a two-character alphabetical abbreviation; e.g., ea. in, pr, etc., and is the basis used to indicate quantities and allowances in subsequent columns. When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.

e. Quantity Incorporated in Unit. This column indicates the quantity of the item used in the equipment. Subsequent appearances of the same item in the same assembly are indicated by the letters "REF"

f. 15-Day Organizational Maintenance Allowances.

NOTE

Allowances in GS column are for GS maintenance only.

(1) The repair parts indicated by asterisk entries in separate allowance columns for DS and GS represent those authorized for use at that category of maintenance to be requisitioned on an "as required" basis, until stockage is based on demand in accordance with AR 710-2.

(2) Allowance quantities are indicated in the special tool lists section for special tools, TMDE, and other support equipment.

g. 1-Year Allowances Per 100 Equipments/Contingency Planning Purposes. Column intentionally left blank.

h. Depot Maintenance Allowance Per 100 Equipments. This column indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipments.

i. Illustration. This column is divided as follows:

(1) Figure number. Indicates the figure number of the illustration on which the item is shown in TM 11-5805-247-12 and TM 11-5805-247-35.

(2) Item number. Indicates the item number or reference designation used to reference the item in the illustration.

1-4. Special Information

a. Usable on codes are in column 3. Uncoded items are applicable to all models. Identification of the usable on codes used in this publication are—

Code	Used on
ABG	TA-182/U

b. The following publications pertain to the TA-182/U and its components:

TM 11-5805-247-12	Organizational Maintenance Manual Converter, Telegraph Telephone Signal TA-182/U.
-------------------	---

TM 11-5805-247-20P	Organizational Maintenance Repair Parts and Special Tools List: Converter, Telegraph-Telephone Signal TA-182/U.
--------------------	---

TM 11-5805-247-35	DS, GS, and Depot Maintenance Manual: Converter, Telegraph Telephone Signal TA-182/U.
-------------------	---

1-5. Location of Repair Parts

a. This manual contains one cross-reference index (see IV) to be used to locate a repair part when either the Federal stock number or reference number (manufacturer's part number) is known. The first column in the index is prepared in numerical or alphanumeric sequence in ascending order. The reference numbers (manufacturer's part numbers) are listed immediately following the last listed Federal stock number in the index of Federal stock numbers.

b. When the Federal stock number or reference number is known, follow the procedures given in (1) and (2) below.

(1) Refer to the index of Federal stock numbers (see IV) and locate the Federal stock number or reference number. The FSN and reference number are cross-referenced to the applicable figure and item number or reference designation.

(2) Refer to the repair parts list (sec II) and locate the figure number (col 10a) and item number or reference designation (col 10b) as noted in the FSN index.

c. When the figure and item number or reference designation are known, scrutinize columns 10a and 10b of the repair parts list (see II) until the item is located.

d. When the FSN, reference number, figure number, item number and reference designation are not known,

scrutinize column 3 of the repair parts list (sec II), which is arranged in alphabetical order.

1-6. Abbreviations

Not applicable.

1-7. Reporting of Equipment Publication Improvements

The reporting of errors, omissions, and recommendations

for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications) and forwarded direct to Commander, US Army Electronics Command, ATTN: AMSEL-MA-CW Fort Monmouth, N.J. 07703.

Next printed page is 6

SECTION II

TM 11-5805-247-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
					1-20	21-50	51-100	1-20	21-50	51-100				
PAFZZ	5975-273-0788	BUSHING, STRAIN RELIEF, CABLE NO-REF-DESIG. NYLON 0.300 IN. SIZE WIRE ACCOM 0.687 IN. LG O/A X 0.127 IN. THK SCB98353 (80063)	EA	1	*	*	*	*	*	*		3		
PAFZZ	6145-548-1258	CABLE, POWER, ELECTRICAL W1 2 COND..... COPPER, STRANDED NO. 18 AWG 300 V, RD 0.30 IN. DIA O/A C002 MFG2-18-0300 (81349)	FT	8	*	*	*	*	*	*		40		W1
PAOZZ	5920-244-5150	CAP, ELECTRICAL HOLDS FUSE IN FUSEHOLDER.. 9455-1/2 (80058)	EA	1	*	*	*	*	*	*		3		
PAOZZ	5946-254-2244	CAP, ELECTRICAL BLACK SCC76202-1 (80063)	EA	8	*	*	*	*	*	*		5		
PAFZZ	5910-726-8707	CAPACITOR, FIXED, ELECTROLYTIC C26 3	EA	1	*	*	*	*	*	*		3	5	C26
PAFZZ	5910-552-8330	SECT 9 UF EA SECT 450 VDCW CE33F090R (81349) CAPACITOR, FIXED, ELECTROLYTIC C33 1	EA	1	*	*	*	*	*	*		3	5	C33
PAFZZ	5910-256-8917	SECT 15 UF 250 VDCW CE31C150M (81349) CAPACITOR, FIXED, ELECTROLYTIC C7 1	EA	2	*	*	*	*	*	*		3	1	C7
PAFZZ	5910-256-8917	SECT 25 UF 25 VDCW SCB98411 (80063) CAPACITOR, FIXED, ELECTROLYTIC C9 1	EA	REF	*	*	*	*	*	*		3	1	C9
PAFZZ	5910-251-1562	SECT 25 UF 25 VDCW SCB98411 (80063) CAPACITOR, FIXED, ELECTROLYTIC C5 3	EA	1	*	*	*	*	*	*		3	5	C5
PAFZZ	5910-892-7894	SECT 12UF EA SECT 350VDCW CE33C120P (80063) CAPACITOR, FIXED, MICA DIELECTRIC C16	EA	1	*	*	*	*	*	*		3	4	C16
PAFZZ	5910-845-3687	24,000 UUF, PM5PCT 600 VDCW CM55D243J (81349) CAPACITOR, FIXED, MICA DIELECTRIC C12	EA	2	*	*	*	*	*	*		3	4	C12
PAFZZ	5910-845-3687	33,000 UUF PM5PCT 600 VDCW CM55E333JN3(81349) CAPACITOR, FIXED, MICA DIELECTRIC C14	EA	REF	*	*	*	*	*	*		3	4	C14
PAFZZ	5910-725-7641	33,000 UUF PM5PCT 600 VDCW CM55E333JN3 (81349) CAPACITOR, FIXED, MICA DIELECTRIC C31	EA	1	*	*	*	*	*	*		3	1	C31
PAFZZ	5910-983-5030	6200 UUF PM5PCT 500 VDCW CM35E622J (81349) CAPACITOR, FIXED, MICA DIELECTRIC C10	EA	1	*	*	*	*	*	*		3	4	C10
PAHZZ	5910-195-0539	39,000 UUF, 5PCT 600 VDCW CM60D393J (81349) CAPACITOR, FIXED, MICA DIELECTRIC C11	EA	1	*	*	*	*	*	*		3		C11
		620 UUF, PM5PCT 500 VDCW CM30DC21J (81349) (SEE NOTE ON PAGE 19)												

SECTION II

TM 11-5805-247-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAHZZ	5910-190-9438	CAPACITOR, FIXED, MICA DIELECTRIC NO-REF-..... DESIG 3,900 UUF, PM5PCT 500 VDCW CM35D392J (81349)		EA	1				*	*	*		3	1	
PAHZZ	5910-161-4501	CAPACITOR, FIXED, MICA DIELECTRIC..... 200 UUF, PM10PCT 500 VDCW (SEE NOTE ON PAGE 19) CM20D201J (81349)		EA	1				*	*	*		3	4	
PAHZZ	5910-984-2274	CAPACITOR, FIXED, MICA DIELECTRIC..... 300 UUF, PM5PCT 500 FDCW (SEE NOTE ON PAGE 19) CM20D301J (81349)		EA	1				*	*	*		3	4	
					7										

SECTION II

TM 11-5805-247-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAFZZ	5910-161-4490	CAPACITOR, FIXED, MICA DIELECTRIC C18		EA	6	*	*	*	*	*	*		3	1	C18
		10,000 UUF, PM5PCT 300 VDCW CM35D103J (81349)													
PAFZZ	5910-161-4490	CAPACITOR, FIXED, MICA DIELECTRIC C19		EA	REF	*	*	*	*	*	*		3	1	C19
		10,000 UUF, PM5PCT 300 VDCW CM35D103J (81349)													
PAFZZ	5910-161-4490	CAPACITOR, FIXED, MICA DIELECTRIC C20		EA	REF	*	*	*	*	*	*		3	1	C20
		10,000 UUF, PM5PCT 300 VDCW CM35D103J (81349)													
PAFZZ	5910-161-4490	CAPACITOR, FIXED, MICA DIELECTRIC C21		EA	REF	*	*	*	*	*	*		3	1	C21
		10,000 UUF, PM5PCT 300 VDCW CM35D103J (81349)													
PAFZZ	5910-161-4490	CAPACITOR, FIXED, MICA DIELECTRIC C22		EA	REF	*	*	*	*	*	*		3	1	C22
		10,000 UFF, PM5PCT 300 VDCW CM35D103J (81349)													
PAFZZ	5910-161-4490	CAPACITOR, FIXED, MICA DIELECTRIC C23		EA	REF	*	*	*	*	*	*		3	1	C23
		10,000 UFF, PM5PCT 300 VDCW CM35D103J (81349)													
PAFZZ	5910-161-4489	CAPACITOR, FIXED, MICA DIELECTRIC C4		EA	1	*	*	*	*	*	*		3	1	C4
		6800 UUF, PM5PCT 300 VDCW CM35D682J (81349)													
PAHZZ	5910-160-1156	CAPACITOR, FIXED, MICA DIELECTRIC		EA	1				*	*	*		3	4	
		2,700 UUF, PM5PCT 500 VDCW (SEE NOTE ON PAGE 19) CM30D272J (81349)													
PAHZZ	5910-112-6986	CAPACITOR, FIXED, MICA DIELECTRIC		EA	1				*	*	*		3	4	
		680 UUF, PM5PCT 500 VDCW (SEE NOTE ON PAGE 19) CM30D681J (81439)													
					8										

SECTION II

TM 11-5805-247-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAHZZ	5910-101-5799	CAPACITORY, FIXED, MICA DIELECTRIC..... 3,000 UUF PM5PCT 500 VDCW (SEE NOTE ON PAGE 19) CM30D302J (81349)		EA	1				*	*	*		3	4	
PAHZZ	5910-101-5781	CAPACITOR, FIXED, MICA DIELECTRIC..... 2,000 UUF, PM5PCT 500 VDCW (SEE NOTE ON PAGE 19) CM30D202J (81349)		EA	1				*	*	*		3	4	
					9										

SECTION II

TM 11-5805-247-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAHZZ	5910-983-7295	CAPACITOR, FIXED, MICA DIELECTRIC..... 100 UUF PM10PCT 500 VDCW (SEE NOTE ON PAGE 19) CM20C101K (81349)		EA	1				*	*	*		3	4	
PAHZZ	5910-101-4909	CAPACITOR, FIXED, MICA DIELECTRIC..... 390 UUF, PM5PCT 500 VDCW (SEE NOTE ON PAGE 19) CM20D391J (81349)		EA	1				*	*	*		3	4	
PAHZZ	5910-101-4901	CAPACITOR, FIXED, MICA DIELECTRIC..... 47 UUF, PM10PCT 500 VDCW (SEE NOTE ON PAGE 19) CM20C470K (81349)		EA	1				*	*	*		3	4	
					10										

SECTION II

TM 11-5805-247-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAHZZ	5910-101-4881	CAPACITOR, FIXED, MICA DIELECTRIC..... 510 UUF, PM5PCT 500 VDCW (SEE NOTE ON PAGE 19) CM20D511J (81349)		EA	1				*	*	*		3	4	
PAFZZ	5910-101-4679	CAPACITOR, FIXED, MICA DIELECTRIC C3..... 5,100 UUF, PM5PCT 500 VDCW CM35D512J (81349)		EA	1	*	*	*	*	*	*		3	1	C3
PAHZZ	5910-101-4675	CAPACITOR, FIXED, MICA DIELECTRIC..... 5,600 UUF, PM5PCT 500 VDCW (SEE NOTE ON PAGE 19) CM35E562J03 (81349)		EA	1				*	*	*		3	4	
					11										

SECTION II

TM 11-5805-247-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAFZZ	5910-101-3849	CAPACITOR, FIXED, MICA DIELECTRIC C29..... 4,300 UUF, PM5PCT 500 VDCW CM35D432J (81349)	EA	1	*	*	*	*	*	*		3	1	C29	
PAFZZ	5910-844-7764	CAPACITOR, FIXED, PAPER DIELECTRIC C1..... 50,000 UUF, 20PCT 400 VDCW SCB984122 (80063)	EA	2	*	*	*	*	*	*		3	1	C1	
PAFZZ	5910-844-7764	CAPACITOR, FIXED, PAPER DIELECTRIC C2..... 50,000 UUF, 20PCT 400 VDCW SCB984122 (80063)	EA	REF	*	*	*	*	*	*		3	1	C2	
PAFZZ	5910-668-0588	CAPACITOR, FIXED, PAPER DIELECTRIC C25..... 10,000 UUF, PM20PCT 600 VDCW CM35AF103M (81349)	EA	4	*	*	*	*	*	*		3	1	C25	
PAFZZ	5910-668-0588	CAPACITOR, FIXED, PAPER DIELECTRIC C28..... 10,000 UUF, PM20PCT 600 VDCW CM35AF103M (81349)	EA	REF	*	*	*	*	*	*		3	1	C28	
PAFZZ	5910-668-0588	CAPACITOR, FIXED, PAPER DIELECTRIC C6..... 10,000 UUF, PM20PCT 600 VDCW CM35AF103M (81349)	EA	REF	*	*	*	*	*	*		3	1	C6	
PAFZZ	5910-668-0588	CAPACITOR, FIXED, PAPER DIELECTRIC C8..... 10,000 UUF, PM20PCT 600 VDCW CM35AF103M (81349)	EA	REF	*	*	*	*	*	*		3	1	C8	
PAFZZ	5910-250-0390	CAPACITOR, FIXED, PAPER DIELECTRIC C24..... 250,000 UUF, 20PCT 400 VDCW SCB981123 (80063)	EA	1	*	*	*	*	*	*		3	1	C24	
PAOZZ	5940-283-5393	CAP, ELECTRICAL NO-REF-DESIG BLACK..... SCC762021 (80063)	EA	8	*	*	*	*	*	*		3			
PAOZZ	5805-615-6503	CASE, ELECTRICAL EQUIPMENT CABINET NO-..... REF-DESIG CASE LESS COVER AND STRAP SCD98317 (80063)	EA	1	*	*	*	*	*	*		2	1		
PAFZZ	5340-682-2205	CATCH, LUGGAGE A3..... SCB98331 (80063)	EA	4	*	*	*	*	*	*		3		A3	
PAOZZ	5935-518-9653	CONNECTOR, PLUG, ELECTRICAL P1 2..... STRAIGHT MALE CONT UP120M (81349)	EA	1	*	*	*	*	*	*		3	1	P1	
PAOZZ	5805-625-5418	COVER A5SEMBLY NO-REF-DESIG P/O CASE..... ELECTRICAL EQUIP CABINET SCC98314 (80063)	EA	1	*	*	*	*	*	*		2			
PACZZ	5960-166-7664	ELECTRON TUBE V1..... 12AX7 (81349)	EA	1	*	*	*	*	*	*		100	4	V1	
					13										

SECTION II

TM 11-5805-247-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
PAOZZ	5960-166-7663	ELECTRON TUBE V2 12AU7 (81349)		EA	3	*	*	*	*	*	*		100	4	V2
PAOZZ	5960-166-7663	ELECTRON TUBE V5 12AU7 (81349)		EA	REF	*	*	*	*	*	*		100	4	V5
PAOZZ	5960-166-7663	ELECTRON TUBE V6 12AU7 (81349)		EA	REF	*	*	*	*	*	*		100	4	V6
PAFZZ	5920-285-0755	FUSEHOLDER NO-REF-DESIG 2-5-16 IN. LG X. 11-16 IN. DIA SCB98350 (80063)		EA	1	*	*	*	*	*	*		3	5	XF1
PACZZ	5920-280-4465	FUSE, CARTRIDGE F1 1 AMP, 250 V F02250V1AS (81349)		EA	1	*	*	*	*	*	*		50	1	F1
PAFZZ	5330-672-6262	GASKET NO-REF-DESIG SEAL FOR CASE AND COVER SCB98313 (80063)		EA	1	*	*	*	*	*	*		5		
PAFZZ	5805-012-8559	GENERATOR, RINGING SEMICONDUCTOR D10 INPUT 100VDC OUTPUT 6.5VRMS 005 AMP 20CYC (NOTE REPLACES FSN 5805-244-1915 WHEN EQUIPMENT BECOMES DEFECTIVE DUE TO OVERHEATING) SCDL168620 (80063) OR		EA	1	*	*	*	*	*	*		4	1	E10
PAFZZ	5805-244-1915	GENERATOR, RINGING, STATIC D10 INPUT 100VDC OUTPUT 6.5V 0.05A 20CYC (NOTE TO BE USED IN ALL TA-182-U EXCEPT THOSE INSTALLED IN SHELTERS SCB104853 (80063)		EA	1	*	*	*	*	*	*		4	1	E10
PAFZZ	5970-583-9427	INSULATOR BUSHING NC-REF-DESIG INSULATES C10, C12, C14, C16 SCB98360 (80063)		EA	8	*	*	*	*	*	*		3	4	
PAOZZ	5355-160-6850	KNOB NO-REF-DESIG SETSCREW TYPE BAR WITH SINGLE POINTED SHAPED RD PHENOLIC BODY 1-1-4 IN. LG X 3-4 IN. W X 5-8 IN. THK O/A SCB98352 (80063)		EA	2	*	*	*	*	*	*		3		
PAFZZ	6250-299-6648	LAMPHOLDER XDS1 FOR LAMP DS1 98369 (80063)		EA	1	*	*	*	*	*	*		5	5	XDS1
PACZZ	6240-143-3060	LAMP, INCANDESCENT DS1 DOUBLE CONT BAYONET CANDELABRA BASE 120 V, 6 W S-6 CLEAR BULB 6S6DC120 (08808)		EA	1	*	*	*	*	*	*		50		DS1
PAFZZ	5940-553-2581	POST BINDING U-106/U E1 RUNNING SPARE U106U (80058)		EA	8	*	*	*	*	*	*		1	5	E1
PAFZZ	5940-553-2581	POST BINDING U-106/U E2 RUNNING SPARE U106U (80058)		EA	REF	*	*	*	*	*	*		1	5	E2
PAFZZ	5940-553-2581	POST BINDING U-106/U E3 RUNNING SPARE U106U (80058)		EA	REF	*	*	*	*	*	*		1	5	E3
PAFZZ	5940-553-2581	POST BINDING U-106/U E4 RUNNING SPARE U106U (80058)		EA	REF	*	*	*	*	*	*		1	5	E4
PAFZZ	5940-553-25E1	POST BINDING U-106/U E5 RUNNING SPARE U106U (80058)		EA	REF	*	*	*	*	*	*		1	5	E5
PAFZZ	5940-553-2581	POST BINDING U-106/U E6 RUNNING SPARE U106U (80058)		EA	REF	*	*	*	*	*	*		1	5	E6
PAFZZ	5940-553-2581	POST BINDING U-106/U E7 RUNNING SPARE U106U (80058)		EA	REF	*	*	*	*	*	*		1	5	E7
					14										

SECTION II

TM 11-5805-247-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
PAFZZ	5905-171-2009	RESISTOR, FIXED, COMPOSITION R1 2,200 OHMS.....	EA	2	*	*	*	*	*	*		3	1	R1	
PAFZZ	5905-171-2009	PM10PCT 1-2 W RC20GF222K (81349) RESISTOR, FIXED, COMPOSITION R2 2,200 OHMS.....	EA	REF	*	*	*	*	*	*		3	1	R2	
PAFZZ	5905-171-2004	PM10PCT 1-2 W RC20GF222K (81349) RESISTOR, FIXED, COMPOSITION R7 22,000 OHMS.....	EA	3	*	*	*	*	*	*		3	5	R7	
PAFZZ	5905-171-2004	PM5PCT 1-2 W RC20GF223J (81349) RESISTOR, FIXED, COMPOSITION R12 22,000 OHMS.....	EA	REF	*	*	*	*	*	*		3	5	R12	
PAFZZ	5905-171-2004	PM5PCT 1-2 W RC20GF223J (81349) RESISTOR, FIXED, COMPOSITION R29 22,000 OHMS	EA	REF	*	*	*	*	*	*		3	5	R29	
PAFZZ	5905-171-1974	PM5PCT 1-2 W RC20GF223J (81349) RESISTOR, FIXED, COMPOSITION R37 2,200 OHMS.....	EA	1	*	*	*	*	*	*		3	5	R37	
PAFZZ	5905-295-3410	PM10PCT 2 W RC42GF222K (81349) RESISTOR, FIXED, COMPOSITION R28 47,000 OHMS	EA	1	*	*	*	*	*	*		3	1	R28	
PAFZZ	5905-295-3409	PM10PCT 1-2 W RC20GF473K (81349) RESISTOR, FIXED, COMPOSITION R3 220,000 OHMS.....	EA	4	*	*	*	*	*	*		3	1	R3	
PAFZZ	5905-295-3409	PM10PCT 1-2 W RC20GF224K (81349) RESISTOR, FIXED, COMPOSITION R8 220,000 OHMS.....	EA	REF	*	*	*	*	*	*		3	1	R8	
PAFZZ	5905-295-3409	PM10PCT 1-2 W RC20GF224K (81349) RESISTOR, FIXED, COMPOSITION R13 220,000 OHMS.....	EA	REF	*	*	*	*	*	*		3	1	R13	
PAFZZ	5905-295-3409	PM10PCT 1-2 W RC20GF224K (81349) RESISTOR, FIXED, COMPOSITION R20 220,000 OHMS.....	EA	REF	*	*	*	*	*	*		3	5	R20	
PAFZZ	5905-279-3496	PM10PCT 1-2 W RC20GF224K (81349) RESISTOR, FIXED, COMPOSITION R26 51,000 OHMS.....	EA	1	*	*	*	*	*	*		3	1	R26	
PAFZZ	5905-279-2672	PM5PCT 1-2 W RC20GF513J (81349) RESISTOR, FIXED, COMPOSITION R25 1,800 OHMS.....	EA	1	*	*	*	*	*	*		3	1	R25	
PAFZZ	5905-279-2515	PM10PCT 1-2 W RC20GF182K (81349) RESISTOR, FIXED, COMPOSITION R4 470,000 OHMS.....	EA	1	*	*	*	*	*	*		3	5	R4	
PAFZZ	5905-279-2280	PM5PCT 1-2 W RC20GF474J (81349) RESISTOR, FIXED, COMPOSITION R22 91,000 OHMS.....	EA	1	*	*	*	*	*	*		3	1	R22	
PAFZZ	5905-279-1761	PM5PCT 2 W RC42GF913J (81349) RESISTOR, FIXED, COMPOSITION R41 620 OHMS.....	EA	1	*	*	*	*	*	*		3	5	R41	
PAFZZ	5905-254-7096	PM5PCT 1-2 W RC20GF621J (81349) RESISTOR, FIXED, COMPOSITION R21 82,000 OHMS.....	EA	1	*	*	*	*	*	*		3	1	R21	
PAFZZ	5905-254-1777	PM5PCT 2 W RC42GF823J (81349) RESISTOR, FIXED, COMPOSITION R39 27,000 OHMS.....	EA	1	*	*	*	*	*	*		3	1	R39	
		±5% 2 W RC42GF273J (81349)													

SECTION II

TM 11-5805-247-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
PAFZZ	5905-249-4239	RESISTOR, FIXED, COMPOSITION R40 24,000 OHMS.....	EA	1	*	*	*	*	*	*		3	1	R40	
PAFZZ	5905-245-0023	PM5PCT 2 W RC42GF243J (81349) RESISTOR, FIXED, COMPOSITION R5 6, 800 OHMS.....	EA	2	*	*	*	*	*	*		3	1	R5	
PAFZZ	5905-245-0023	PM10PCT 1-2 W RC20GF682K (81349) RESISTOR, FIXED, COMPOSITION R10 6,800 OHMS.....	EA	REF	*	*	*	*	*	*		3	1	R10	
PAFZZ	5905-221-5860	PM10PCT 1-2 W RC20GF682K (81349) RESISTOR, FIXED, COMPOSITION R6 330,000 OHMS.....	EA	3	*	*	*	*	*	*		3	1	R6	
PAFZZ	5905-221-5860	PM10PCT 1-2 W RC20GF331K (81349) RESISTOR, FIXED, COMPOSITION R11 330,000 OHMS	EA	REF	*	*	*	*	*	*		3	1	R11	
PAFZZ	5905-221-5860	PM10PCT 1-2 W RC20GF331K (81349) RESISTOR, FIXED, COMPOSITION R18 330,000 OHMS.....	EA	REF	*	*	*	*	*	*		3	1	R18	
PAFZZ	5905-221-5840	PM10PCT 1-2 W RC0GF331K (81349) RESISTOR, FIXED, COMPOSITION R9 560,000 OHMS.....	EA	4	*	*	*	*	*	*		3	1	R9	
PAFZZ	5905-221-5840	PM5PCT 1-2 W RC20GF564K (81349) RESISTOR, FIXED, COMPOSITION R14 560,000 OHMS.....	EA	REF	*	*	*	*	*	*		3	1	R14	
PAFZZ	5905-221-5840	PM5PCT 1-2 W RC20GF564K (81349) RESISTOR, FIXED, COMPOSITION R31 560,000 OHMS.....	EA	REF	*	*	*	*	*	*		3	1	R31	
PAFZZ	5905-221-5840	PM5PCT 1-2 W RC20GF564K (81349) RESISTOR, FIXED, COMPOSITION R43 560,000 OHMS.....	EA	REF	*	*	*	*	*	*		3	1	R43	
PAFZZ	5905-195-6806	PM5PCT 1-2 W RC20GF564K (81349) RESISTOR, FIXED, COMPOSITION R15 1,000 OHMS.....	EA	1	*	*	*	*	*	*		3	1	R15	
PAFZZ	5905-195-6761	PM5PCT 1-2 W RC20GF102J (81349) RESISTOR, FIXED, COMPOSITION R16 100,000 OHMS.....	EA	2	*	*	*	*	*	*		3	1	R16	
PAFZZ	5905-195-6761	PM5PCT 1-2 W RC20GF104J (81349) RESISTOR, FIXED, COMPOSITION R17 100,000 OHMS.....	EA	REF	*	*	*	*	*	*		3	1	R17	
PAFZZ	5905-192-3973	PM5PCT 1-2 W RC20GF104J (81349) RESISTOR, FIXED, COMPOSITION R30 470 OHMS.....	EA	1	*	*	*	*	*	*		3	1	R30	
PAFZZ	5905-190-8885	PM5PCT 1-2 W RC20GF471J (81349) RESISTOR, FIXED, COMPOSITION R19 2.2 MEG	EA	1	*	*	*	*	*	*		3	5	R19	
PAFZZ	5905-190-8876	PM5PCT 1-2 W RC20GF225J (81349) RESISTOR, FIXED, COMPOSITION R24 15,000 OHMS.....	EA	2	*	*	*	*	*	*		3	5	R24	
PAFZZ	5905-190-8876	PM10PCT 1-2 W RC20GF153K (81349) RESISTOR, FIXED, COMPOSITION R42 15,000 OHMS.....	EA	REF	*	*	*	*	*	*		3	5	R42	
		PM10PCT 1-2W RC20GF153K (81349)													

SECTION II

TM 11-5805-247-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
PAFZZ	5910-683-7310	RETAINER, CAPACITOR NO-REF-DESIG FOR	EA	2	*	*	*	*	*	*		2			
		CAPACITOR C5, C26 SCB98373 (80063)													
PAFZZ	5910-681-6874	RETAINER, CAPACITOR NO-REF-DESIG FOR	EA	1	*	*	*	*	*	*		2			
		CAPACITOR C33 SCB98372 (80063)													
PAOZZ	5960-264-3004	SHIELD, ELECTRON TUBE NO-REF-DESIG.....	EA	4	*	*	*	*	*	*		10			
		TS103U02 (81349)													
PAOZZ	5340-356-4895	SLING, CARRYING, BAG AND CASE NO-REF-DESIG	EA	1	*	*	*	*	*	*		3			
		CARRYING STRAP FOR CASE SCB98316 (80063)													
PAFZZ	5935-260-0516	SOCKET, ELECTRON TUBE XV3 7 CONT.....	EA	4	*	*	*	*	*	*		3	5	XV3	
		TS102P01 (81349)													
PAFZZ	5935-260-0516	SOCKET, ELECTRON TUBE XV4 7 CONT.....	EA	REF	*	*	*	*	*	*		3	5	XV4	
		TS102P01 (81349)													
PAFZZ	5935-260-0516	SOCKET: ELECTRON TUBE XV7 7 CONT.....	EA	REF	*	*	*	*	*	*		3	5	XV7	
		TS102P01 (81349)													
PAFZZ	5935-260-0516	SOCKET, ELECTRON TUBE XV8 7 CONT.....	EA	REF	*	*	*	*	*	*		3	5	XV8	
		TS102P01 (81349)													
PAFZZ	5935-160-1365	SOCKET, ELECTRON TUBE XV1 9 CONT.....	EA	4	*	*	*	*	*	*		3	5	XV1	
		TS103P01 (81349)													
PAFZZ	5935-160-1365	SOCKET, ELECTRON TUBE XV2 9 CONT.....	EA	REF	*	*	*	*	*	*		3	5	XV2	
		TS103P01 (81349)													
PAFZZ	5935-160-1365	SOCKET, ELECTRON TUBE XV5 9 CONT.....	EA	REF	*	*	*	*	*	*		3	5	XV5	
		TS103P01 (81349)													
PAFZZ	5935-160-1365	SOCKET, ELECTRON TUBE XV6 9 CONT.....	EA	REF	*	*	*	*	*	*		3	5	XV6	
		TS103P01 (81349)													
PAFZZ	5930-548-6061	SWITCH, ROTARY S1 1 SECT 2 POSITION.....	EA	1	*	*	*	*	*	*		5	5	S1	
		6 MOVING, 14 FIXED CONTACTS 1 THROW AC, 110 V, 0.5 AMP 3-4IN. LG X 1-1-4 IN W X 1-5-16 IN. H SCB98349 (80063)													
PAFZZ	5933-548-6060	SWITCH, ROTARY S2 1 SECT, 2 POSITION.....	EA	1	*	*	*	*	*	*		5	5	S2	
		1 MOVING, 8 FIXED CONTACTS: 4 POLES, 1 THROW AC 110V, 0-5 AMP 3-4 IN. LG X 1-1-4 IN. W X 1-5-16 IN. H SCB98348 (80063)													
PAFZZ	5930-050-2633	SWITCH, TOGGLE S3 SPOT 1-9-32 IN. LG.....	EA	1	*	*	*	*	*	*		5	5	S3	
		X 23-32 IN. W X 23-32 ST13D (81349)													
PAFZZ	5940-681-9519	TERMINAL BOARD E11 PLASTIC, 2 TERMINAL.....	EA	1	*	*	*	*	*	*		3	5	E11	
		SOLDER LUG TYPE 3-4 IN. LG X 3-4 IN. W X 7-16 IN. THK SCB98345 (80063)													
PAFZZ	5950-645-5343	TRANSFORMER: AUDIO FREQUENCY T4 PLATE.....	EA	1	*	*	*	*	*	*		3	4	T4	
		TO LINE IMPEDANCE MATCHING SCC98367 (80063)													
PAFZZ	5950-645-5366	TRANSFORMER, AUDIO FREQUENCY T5 PLATE.....	EA	1	*	*	*	*	*	*		3	4	T5	
		TO GRID COUPLING, AUDIO OSC SCC98364 (80063)													

SECTION II

TM 11-5805-247-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
PAFZZ	5950-645-6335	TRANSFORMER AUDIO FREQUENCY T1 LINE..... TO GRID IMPEDANCE MATCHING SCC98365 (80063)		EA	1	*	*	*	*	*	*		3	4	T1
PAFZZ	5950-645-5399	TRANSFORMER, DISCRIMINATOR T2 MARK FREQ 1-5-8 IN. LG X 1-3-8 IN. X 1-3-8 IN. H SCC98366 (80063)		EA	2	*	*	*	*	*	*		3	4	T2
PAFZZ	5950-645-5399	TRANSFORMER, DISCRIMINATOR T3 MARK FREQ1-5-8 IN. LG X 1-3-8 IN. X 1-3-8 IN. H SCC98366 (80063)		EA	REF	*	*	*	*	*	*		3	4	T3
PAFZZ	5950-252-0867	TRANSFORMER, POWER, STEP-DOWN AND STEP-UP, T6 FILAMENT AND DC SCC98368 (80063)		EA	1	*	*	*	*	*	*		3	4	T6
PAFZZ	5330-684-3422	WASHER, NON-METALLIC NO-REF-DESIG 0.147..... IN. DIA HOLE 3-8 IN OD X 3-64 THR SCB98341 (80063)		EA	8	*	*	*	*	*	*		5		
<p><u>NOTE:</u> CAPACITORS BEARING REFERENCE SYMBOLS C11, C13, C17, C30, AND C32 ARE REQUIRED TO ACCOMPLISH THE TUNING OF THE DISCRIMINATOR AND OSCILLATOR COILS.</p>															
					19										

INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
5330-672-6262					
5330-684-3422					
5340-356-4895			5910-101-4901	1	
5340-682-2205		A3			
5355-160-6850					
5805-012-8559	1	E10			
5805-244-1915	1	E10			
5805-615-6503			5910-101-4909	1	
5805-625-5418					
5905-171-1974	5	R37			
5905-171-2004	5	R7			
5905-171-2004	5	R12			
5905-171-2004	5	R29	5910-101-5781	1	
5905-171-2009	1	R1			
5905-171-2009	1	R2			
5905-185-6944	1	R27			
5905-185-8521	1	R32			
5905-185-8521	1	R33	5910-101-5799	1	
5905-185-8521	1	R34			
5905-185-8521	1	R35			
5905-185-8521	1	R36			
5905-190-8865	5	R38			
5905-190-8876	5	R24	5910-112-6986	1	
5905-190-8876	5	R42			
5905-190-8885	5	R19			
5905-192-3973	1	R30			
5905-195-6761	1	R16			
5905-195-6761	1	R17	5910-160-1156	1	
5905-195-6806	1	R15			
5905-221-5840	1	R9			
5905-221-5840	1	R14			
5905-221-5840	1	R31			
5905-221-5840	1	R43			
5905-221-5860	1	R6	5910-161-4489	1	C4
5905-221-5860	1	R11	5910-161-4490	1	C18
5905-221-5860	1	R18	5910-161-4490	1	C19
5905-245-0023	1	R5	5910-161-4490	1	C20
5905-245-0023	1	R10	5910-161-4490	1	C21
5905-249-4239	1	R40	5910-161-4490	1	C22
5905-254-1777	1	R39	5910-161-4490	1	C23
5905-254-7096	1	R21	5910-161-4501	1	
5905-279-1761	5	R41			
5905-279-2280	1	R22			
5905-279-2515	5	R4			
5905-279-2661	1	R23			
			5910-190-9438		
5905-279-3496	1	R26	5910-195-0539	1	
5905-295-3409	1	R3			
5905-295-3409	1	R8			
5905-295-3409	1	R13			
5905-295-3409	5	R20			
5905-295-3410	1	R28	5910-250-0390	1	C24
5910-101-3849		C29	5910-251-1562	5	C5
5910-101-3849	1		5910-256-8917	1	C7
			5910-256-8917	1	C9
			5910-552-8330	5	C33
			5910-668-0588	1	C6
			5910-668-0588	1	C8
5910-101-3999	1		5910-668-0588	1	C25
			5910-668-0588	1	C28
			5910-681-6874		
			5910-683-7310		
			5910-725-7641	1	C31
5910-101-4047			5910-726-8707	5	C26
			5910-844-7764	1	C1
			5910-844-7764	1	C2
			5910-845-3687	4	C12
			5910-845-3687	4	C14
5910-101-4675	1		5910-892-7894	4	C16
			5910-983-5030	4	C10
			5910-983-7295	1	
5910-101-4679	1	C3			
5910-101-4881	1				
			5910-984-2274	1	

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NC.
			5940-553-2581	5	E8
			5940-681-9519	5	E11
			5945-255-6437	5	K2
			5945-255-6437	5	K3
5920-280-4465	1	F1	5945-255-6784	5	K1
5920-285-0755	5	XF1	5950-252-0867	4	T6
5930-050-2633	5	S3	5950-645-5343	4	T4
5930-548-6060	5	S2	5950-645-5366	4	T5
5930-548-6061	5	S1	5950-645-5399	4	T2
5935-160-1365	5	XV1	5950-645-5399	4	T3
5935-160-1365	5	XV2	5950-645-6335	4	T1
5935-160-1365	5	XV5	5960-166-7663	4	V2
5935-160-1365	5	XV6	5960-166-7663	4	V5
5935-260-0516	5	XV3	5960-166-7663	4	V6
5935-260-0516	5	XV4	5960-166-7664	4	V1
5935-260-0516	5	XV7	5960-264-3004		
5935-260-0516	5	XV8	5970-583-9427	4	
5935-518-9653	1	P1	5975-273-0788		
5940-283-5393			6130-076-3545	4	V3
5940-553-2581	5	E1	6130-076-3545	4	V4
5940-553-2581	5	E2	6130-076-3546	4	V7
5940-553-2581	5	E3	6130-076-3546	4	V8
5940-553-2581	5	E4	6145-548-1258		W1
5940-553-2581	5	E5			
5940-553-2581	5	E6	6240-143-3060		DS1
5940-553-2581	5	E7	6250-299-6698		XDS1

By Order of the Secretary of the Army:

CREIGHTON W. ABRAMS
General, United States Army
Chief of Staff

Official:

VERNE L. BOWERS
Major General, United States Army
The Adjutant General

Distribution:

Active Army:

USASA (2)
CNGB (1)
ACSC-E (2)
USAARENBD (2)
USAMB (10)
AMC (1)
TRADOC (2)
ARADCOM (2)
ARADCOM Rgn (2)
OS Maj Comd (4)
LOGCOMDS (5)
MICOM (2)
TECOM (2)
USASTRATCOM (4)
HISA (ECOM) (21)
MDW (1)
Armies (2)
Corps (2)
Svc Colleges (2)
USASESS (5)
USAADS (2)
USAFAS (2)
USAARMS (2)
USAIS (2)
USAES (2)
USAINTS (3)

USACDCEC (5)
Instl (2) except
Fort Gordon (10)
Fort Huachuca (10)
WSMR (2)
Fort Carson (10)
Ft Richardson (ECOM Ofc) (2)
Army Depot (2) except
LBAD (14)
SAAD (30)
TOAD (14)
ATAD (10)
USA Dep (2)
Sig See USA Dep (2)
Sig Dep (5)
Sig FLDMS (1)
USAERDAA (1)
USAERDAW (1)
MAAG (1)
USARMIS (1)
WRAMC (1)
Units org under fol TOE
(1 copy to each unit):
11-158
29-134
29-136

NG: State AG (3)-Units-Same as Active Army.

USAR: None.

For explanation of abbreviations used, see AR 310-50.

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS

SOMETHING WRONG WITH PUBLICATION



*THEN...JOT DOWN THE
DOPE ABOUT IT ON THIS FORM.
CAREFULLY TEAR IT OUT, FOLD IT
AND DROP IT IN THE MAIL.*

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

DATE SENT

PUBLICATION NUMBER

PUBLICATION DATE

PUBLICATION TITLE

BE EXACT PIN-POINT WHERE IT IS

PAGE
NO.

PARA-
GRAPH

FIGURE
NO.

TABLE
NO.

**IN THIS SPACE, TELL WHAT IS WRONG
AND WHAT SHOULD BE DONE ABOUT IT.**

TEAR ALONG PERFORATED LINE

PRINTED NAME, GRADE OR TITLE AND TELEPHONE NUMBER

SIGN HERE

This fine document...

Was brought to you by me:



[Liberated Manuals -- free army and government manuals](#)

Why do I do it? I am tired of sleazy CD-ROM sellers, who take publicly available information, slap “watermarks” and other junk on it, and sell it. Those masters of search engine manipulation make sure that their sites that sell free information, come up first in search engines. They did not create it... They did not even scan it... Why should they get your money? Why are not letting you give those free manuals to your friends?

I am setting this document FREE. This document was made by the US Government and is NOT protected by Copyright. Feel free to share, republish, sell and so on.

I am not asking you for donations, fees or handouts. If you can, please provide a link to liberatedmanuals.com, so that free manuals come up first in search engines:

<A HREF=<http://www.liberatedmanuals.com/>>Free Military and Government Manuals

- Sincerely
Igor Chudov
<http://igor.chudov.com/>
- [Chicago Machinery Movers](#)