

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

ORGANIZATIONAL, DIRECT SUPPORT, AND GENERAL  
SUPPORT MAINTENANCE REPAIR PARTS AND SPECIAL  
TOOLS LISTS (INCLUDING DEPOT MAINTENANCE  
REPAIR PARTS AND SPECIAL TOOLS)  
TELEPHONE SET TA-263/PT  
FSN 5805-503-2778

---

Headquarters, Department of the Army, Washington, D.C.  
26 November 1973

---

*Current as of March 1973*

	Paragraph	Page
Section I. INTRODUCTION		
Scope .....	1-1	2
General .....	1-2	2
Explanation of columns.....	1-3	2
Special information.....	1-4	4
Location of repair parts .....	1-5	4
Abbreviations (Not applicable) .....	1-6	4
Reporting of equipment publication improvements .....	1-7	4
II. PRESCRIBED LOAD ALLOWANCE (Not applicable)		
III. REPAIR PARTS LIST .....		6
IV. SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not applicable)		
V. REPAIR PARTS LIST .....		7
VI. SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not applicable)		
VII. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER.....		11

---

\*This manual replaces TM 11-5805-255-12P, 11 December 1964 and TM 11-5805-255-35P, 13 November 1964, which were rescinded in DA Cir 310.29, 7 February 1972.

## SECTION I INTRODUCTION

---

### 1-1. Scope

This manual lists repair parts and special tools required for the performance of organizational, direct support, general support, and depot maintenance of the TA-263/PT. The PCCN: for the TA-263/PT is GCWAAS for all models.

### 1-2. General

This repair parts and special tools list is divided into the following sections:

- a. *Prescribed Load Allowance (PLA)-Section II.* Not applicable.
- b. *Repair Parts List-Sect III.* A list of repair parts authorized for the performance of maintenance at the organizational level. This repair parts list is arranged in alphabetical order.
- c. *Special Tools, Test and Support Equipment -Section IV.* Not applicable.
- d. *Repair Parts List-Section V.* A list of repair parts authorized for the performance of maintenance at the direct support, general support, and depot level.
- e. *Special Tools, Test and Support Equipment Section VI.* Not applicable.
- f. *Index-Federal Stock Number and Reference Number Cross-Reference to Figure and Item Number-Section VII.* A list, in ascending numerical sequence, of all Federal stock numbers appearing in the listings, followed by a list, in alphameric sequence, of all reference numbers appearing in the listings. Federal stock number and reference numbers are cross-referenced to each illustration figure and item number or reference designation appearance.

### 1-3. Explanation of Columns

The following provides an explanation of columns found in the tabular list.

- a. *Source, Maintenance, and Recoverability Codes (SMR).*
  - (1) *Source code.* Indicates the manner of acquiring support items for maintenance, repair, or overhaul of end items. Source codes are-

<i>Code</i>	<i>Explanation</i>
PA	Item procured and stocked for anticipated or known usage.
PB	Item procured and stocked for insurance purposes because essentially dictates that a minimum quantity be available in the supply systems.
PC	Item procured and stocked and which otherwise would be coded PA except that it is deteriorative in nature.
PD	Support item, excluding support equipment, procured for initial issue or outfitting and stocked only for subsequent or additional initial issues or outfittings. Not subject to automatic replenishment.
PE	Support equipment procured and stocked for initial issue or outfitting to specified maintenance repair activities.
PF	Support equipment which will not be stocked but which will be centrally procured on demand.
PG	Item procured and stocked to provide for sustained support for the life of the equipment. It is applied to an item peculiar to the equipment which because of probable discontinuance or shutdown of production facilities would prove uneconomical to reproduce at a later time.
KD	An item of depot overhaul/repair kit and not purchased separately. Depot kit defined as a kit that provides items required at the time of overhaul or repair.
KF	An item of a maintenance kit and not purchased separately. Maintenance kit defined as a kit that provides an item that can be replaced at organizational or direct support or general support levels of maintenance.
KB	Item included in both a depot overhaul/repair kit and a maintenance kit.
MO	Item to be manufactured or fabricated at organizational level.
MF	Item to be manufactured or fabricated at direct support maintenance level.
MH	Item to be manufactured or fabricated at general support maintenance level.
MD	Item to be manufactured or fabricated at depot maintenance level.
AO	Item to be assembled at organizational level.
AF	Item to be assembled at direct support maintenance level.
AH	Item to be assembled at general support maintenance level.
AD	Item to be assembled at depot maintenance level.
XA	Item is not procured or stocked because the requirements for the item will result in the replacement of the next higher assembly.
XB	Item is not procured or stocked. If not available through salvage, requisition.

<i>Code</i>	<i>Explanation</i>
XC -	Installation drawing, diagram instruction sheet, field service drawing, that is identified by manufacturers' part number.
XD -	Support items can be requisitioned with justification.

**NOTE**

Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded XA and aircraft support items as restricted by AR 70042.

(2) *Maintenance code.* Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code Format as follows-

(a) *Use (third position).* The maintenance code entered in the third position indicates the lowest maintenance level authorized to remove, replace, and use the support item. The maintenance code entered in the third position indicates one of the following levels of maintenance.

<i>Code</i>	<i>Application/Explanation</i>
O -	Support item is removed, replaced, used at the organizational level of maintenance.

**NOTE**

A code "C" may be used in this position to denote crew or operator maintenance performed within organizational maintenance.

- F - Support item is removed, replaced, used at the direct support maintenance level.
- H - Support item is removed, replaced, used at the general support maintenance.
- D - Support items that are removed, replaced, used at depot only.

(b) *Repair (fourth position).* The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (i.e., all authorized maintenance functions). When a maintenance code is not used a dash (-) sign is entered. For multi-service equipment/systems or when a code is entered, this position will contain one of the following maintenance codes as assigned by the service(s) that require the code-

<i>Code</i>	<i>Application/Explanation</i>
O -	The lowest maintenance level capable of complete repair of the support item is the organizational level.
F -	The lowest maintenance level capable of complete repair of the support item is direct support.
H -	The lowest maintenance level capable of complete repair of the support item is the depot level.
D -	The lowest maintenance level capable of complete repair of the support item is the depot level.
L -	Repair restricted to designated Specialized Repair Activity.
Z -	Non-repairable. No repair is authorized.
B -	No repair is authorized. The item may be reconditioned by adjusting, lubricating, etc., at the user level. No parts or special tools are procured for the maintenance of this item.

(3) *Recoverability code.* Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the uniform SMR Code Format as follows-

<i>Code</i>	<i>Explanation</i>
Z -	Nonrepairable item. When unserviceable, condemn and dispose at the level indicated in the first digit of the maintenance code.
O -	Repairable item. When uneconomically repairable, condemn and dispose at organizational level.
F -	Repairable item. When uneconomically repairable, condemn and dispose at the direct support level.
H -	Repairable item. When uneconomically repairable, condemn and dispose at the general support level.
D -	Repairable item. When beyond lower level repair capability, return to depot. Condemnation and disposal not authorized below depot level.
L -	Repairable item. Repair, condemnation, and disposal not authorized below depot/Specialized Repair Activity level.
A -	Item requires special handling or condemnation procedures because of specific reasons (i.e., precious metal content, high dollar value, critical material or hazardous material).

b. *Federal Stock Number.* Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

c. *Description.* Indicates the Federal item name and a minimum description required to identify the item. The last line indicates the reference number followed by the applicable Federal Supply Code for Manufacturer (FSCM) in parentheses. The FSCM is used as an element in item identification to designate manufacturer or distributor or Government agency, etc., and is identified in SB 70842.

d. *Unit of Measure (U/M)*. Indicates the standard or basic quantity by which the listed item is used in performing the actual maintenance function. This measure is expressed by a two-character alphabetical abbreviation; e.g., ea., in, pr, etc., and is the basis used to indicate quantities and allowances in subsequent columns. When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.

e. *Quantity Incorporated in Unit*. This column indicates the quantity of the item used in the equipment. Subsequent appearances of the same item in the same assembly are indicated by the letters "REF" A/R indicates requisition "as required".

f. *15-Day Organizational Maintenance Allowances*.

(1) The repair parts indicated by an asterisk in the allowance column represent those authorized for use at the organizational category, and will be requisitioned on an "as required" basis, until stockage is based on demand in accordance with AR 710-2.

(2) Major Army commanders are authorized to approve reduction in the range of support items authorized for use in units within their commands. Recommendations for increase in range of items authorized for use will be forwarded to Commander, US Army Electronics Command, ATTN: AMSEL-MA-CW, Fort Monmouth, N. J., 07703.

(3) Allowance quantities are indicated in the special tools list section for special tools, TMDE, and other support equipment.

g. *30 Day DS/GS Maintenance Allowances*.

#### NOTE

Allowances in GS column are for GS maintenance only.

(1) The repair parts indicated by asterisk entries in separate allowance columns for DS and GS represent those authorized for use at that category of maintenance to be requisitioned on an "as required" basis, until stockage is based on demand in accordance with AR 710-2.

(2) Allowance quantities are indicated in the special tool lists section for special tools, TMDE, and other support equipment.

h. *1-Year Allowances Per 100 Equipments/Contingency Planing Purposes*. Column intentionally left blank.

i. *Depot Maintenance Allowance Per 100 Equipments*. This column indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipments.

j. *Illustration*.

(1) *Figure number*. Not applicable.

(2) *Item number*. Indicates the item number or reference designation used to reference the item in the illustration.

#### 1-4. Special Information

Usable on codes are included in column 3. Uncoded items are applicable to all models. Identification of the usable on codes used in this publication are-

Code	Used on
ABI	TA-263/PT

#### 1-5. Location of Repair Parts

a. This manual contains one cross-reference index (sec VII) to be used to locate a repair part when either the Federal stock number or reference number ( manufacturer's part number) is known. The first column in the index is prepared in numerical or alphanumeric sequence in ascending order. The reference numbers(manufacturer's part numbers) are listed immediately following the last listed Federal stock number in the index of Federal stock numbers.

b. When the Federal stock number or reference number is known, follow the procedures given in (1) and (2) below.

(1) Refer to the index of Federal stock numbers (sec VII), and locate the Federal stock number or reference number. The FSN and reference number are cross-referenced to the applicable figure and item number or reference designation.

(2) Refer to the repair parts list (sec III and V) and locate the figure number (col. 7a-20P,,10a-34P) and item number or reference designation (col. 7b-20P, 10b-34P) as noted in the FSN index.

c. When the figure and item number or reference designation are known, scrutinize columns 7a and 7b-20P and 10a and 10b-34P, of the repair parts list (sec III and V) until the item is located.

d. When the FSN, reference number, figure number, and item number are not known, scrutinize column 3 of the repair parts list (sec III and V), which is arranged in alphabetical order.

#### 1-6. Abbreviations

Not applicable.

#### 1-7. Reporting of Equipment Publication Improvements

The reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications) and forwarded direct to Commander, US Army Electronics Command, ATTN: AMSEL-MA-CW, Fort Monmouth, NJ., 07703.

(Next printed page is 6)

SECTION III

TM 11-5805-255-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(7) ILLUSTRATION	
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(a) FIGURE NO.	(B) ITEM NO.
PAOHD	6135-120-1020 5805-503-1577	BATTERY BA-30.....		EA	A/R 1	*	*	*	*		
PAOZZ	5355-667-6839	CASE CY-1717/PT NO-REF-DESIG ..... CY1717PT (80058)		EA	1	*	*	*	*		
PADZZ	5355-616-9659	KNOB H4 USED TO ADJ VOL OF BELL ..... SMB207864 (80063)		EA	3	*	*	*	*		
PAOZZ	8465-269-0682	KNOB H4 USED ON FILTER HOUSING COVER SW..... SCB16552 (80063)		EA	1	*	*	*	*		
PAOZZ	6625-510-1786	SLING, CARRYING, BAG AND CASE NO-REF-DESIG.. ..... SMD208122 (80063)		EA	1	*	*	*	*		
PAOZZ	6625-510-1787	WHISTLE, TELEPHONE TEST NO-REF-DESIG USED FOR..... SIGNALING SCB140025 (80063)		EA	1	*	*	*	*		
		WHISTLE, TELEPHONIC TEST NO-REF-DESIG USED FOR ..... SIGNALING SCC140012 (80063)		EA	1	*	*	*	*		

SECTION IV

TM 11-5805-255-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF. NUMBER & MFR CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
PAFZZ	5340-514-2765	BUSHING, RUBRER NO-REF-DESIG BRG FOR VOL.....	EA	2	*	*	*	*	*	*	*	*	3		
		CONTROL SHAFT SMB207869 (80063)	EA		*	*	*	*	*	*	*	*	3		
PAFZZ	5805-096-7431	BUSHING9 SHAFT NO-REF-DESIG PROVIDES BRG .....	EA		*	*	*	*	*	*	*	*	3		
		FOR SHAFT AND COMPRESSES O-RING SMB207792 (80063)	EA		*	*	*	*	*	*	*	*	2		
PAFZZ	5805-503-1145	BUZZER BZ-23/PT NO-REF-DESIG .....	EA		*	*	*	*	*	*	*	*	2		
		BZ23PT (80058)	EA		*	*	*	*	*	*	*	*	2		
PAOHD	5805-503-1577	CASE CY-1717/PT NO-REF-DESIG .....	EA		*	*	*	*	*	*	*	*	2		
		CY1717PT (80058)	EA		*	*	*	*	*	*	*	*	2		
PAFZZ	5805-392-8060	CASE, TELEPHONE EQUIPMENT NO-REF-DESIG.....	EA		*	*	*	*	*	*	*	*	2		
		SMD207879 (80063)	EA		*	*	*	*	*	*	*	*	3		H1
PAFZZ	5340-286-6587	CLAMP, LOOP H1 HOLDS HARNESS IN PLACE.....	EA	2	*	*	*	*	*	*	*	*	3		
		ON FILTER HOUSING COVER G205701-2 (64959)	EA	REF	*	*	*	*	*	*	*	*	3		H2
PAFZZ	5340-286-6587	CLAMP, LOOP H2 HOLDS HARNESS IN PLACE.....	EA		*	*	*	*	*	*	*	*	3		
		ON FILTER HOUSING COVER G205701-2 (64959)	EA		*	*	*	*	*	*	*	*	5		
PAFZZ	5805-393-1946	CLEVIS, NO-REF-DESIG ROD END CONNECTS .....	EA		*	*	*	*	*	*	*	*	5		
		SHAFT TO BELL SMB207866 (08556)	EA		*	*	*	*	*	*	*	*	3		
PAFZZ	5950-646-3245	COIL TELEPHONE RINGER NO-REF-DESIG.....	EA		*	*	*	*	*	*	*	*	3		
		COUPLES ELEC CKT TO MAGNETIC CKT SMC208096 (80063)	EA		*	*	*	*	*	*	*	*	8		
PAFZZ	5805-502-9486	CONTACT ASSEMBLY ELECTRICAL NO-REF-DESIG .....	EA	10	*	*	*	*	*	*	*	*	8		
		SMC207796 (80063)	EA		*	*	*	*	*	*	*	*	8		
PAFZZ	5805-636-7234	CONTACT ASSEMBLY, ELECTRICAL NO-REF-DESIG.....	EA		*	*	*	*	*	*	*	*	8		
		P-O SW SMC207849 (80063)	EA		*	*	*	*	*	*	*	*	2		
PAFZZ	6135-681-8597	COVER, BATTERY RETAINER NO-REF-DESIG .....	EA		*	*	*	*	*	*	*	*	2		
		SMC207814 (80063)	EA		*	*	*	*	*	*	*	*	2		
PAFZZ	5805-692-6618	COVER, FILTER HOUSING A2 SEALS FILTER.....	EA		*	*	*	*	*	*	*	*	2		A2
		HOUSING ASSY SCC140765 (80063)	EA		*	*	*	*	*	*	*	*	2		
PAFZZ	5805-096-7370	DIAPHRAGM TELEPHONE RINGER NO-REF-DESIG .....	EA		*	*	*	*	*	*	*	*	2		
		RADIATES SOUND WHEN STRUCK BY CLAPPER DIAPHRAGM (80063)	EA		*	*	*	*	*	*	*	*	3		
PAFZZ	5915-537-7225	FILTER, LOW PASS FL1.....	EA		*	*	*	*	*	*	*	*	3		
		SCC140773 (80063)	EA		*	*	*	*	*	*	*	*	5		
PAFZZ	5965-297-4661	GASKET NO-REF-DESIG SEAL BETWEEN BELL.....	EA		*	*	*	*	*	*	*	*	5		
		AND TP SET HOUSING SMC207790 (80063)	EA		*	*	*	*	*	*	*	*	5		
PAFZZ	5805-663-5777	GASKET H3 SEAL IN BATT COMPARTMENT.....	EA		*	*	*	*	*	*	*	*	5		
		SMC207862 (80063)	EA		*	*	*	*	*	*	*	*	5		
PAFZZ	5835-324-8831	GASKET H3 SEAL BETWEEN PANEL AND .....	EA		*	*	*	*	*	*	*	*	5		
		HOUSING ASSY SM9207787 (80063)	EA		*	*	*	*	*	*	*	*	5		
PAFZZ	5340-290-5133	INSERT, SCREW THREAD NO-REF-DESIG USED .....	EA	14	*	*	*	*	*	*	*	*	5		
		TO FORM NO. 6-32 HOLE SMB207781-1 (80063)	EA		*	*	*	*	*	*	*	*	5		
PAFZZ	5340-297-3841	INSERT, SCREW THREAD NO-REF-DESIG USED .....	EA		*	*	*	*	*	*	*	*	5		
		TO FORM NO. 6-32 HOLE SMB207781-2 (80063)	EA		*	*	*	*	*	*	*	*	5		

SECTION V

TM11-5805-255-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REF. NUMBER & MFR CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
PAFZZ	5340-291-3493	INSERT, SCRFW THREAD NO-REF-DESIG .....		EA	1	*	*	*	*	*	*		5		
PAFZZ	5970-508-0930	SMB207781-3 (80063) INSULATOR, ANGLE BRACKET NO-REF-DESIG .....		EA	1	*	*	*	*	*	*		3		
PAOZZ	5355-667-6839	INS. BINDING POSTS SCC25236 (80063) KNOB H4 USED TO ADJ VOL OF BELL.....		EA	1	*	*	*	*	*	*		3		
PAOZZ	5355-616-96S9	SMB207864 (80063) KNOB H4 USED ON FILTER HOUSING COVER.....		EA	3	*	*	*	*	*	*		3		H4
PAFZZ	340-091-8742	SW SCB16552 (80063) LATCH, THUMB NO-REF-DESIG LATCHES BATT.....		EA	1	*	*	*	*	*	*		3		
PARZZ	5915-392-5981	COVER SMB207848 (80063) NETWORK, IMPEDANCE, MATCHING CU-350 .....		EA	1	*	*	*	*	*	*		8		
PAFZZ	5310-638-4146	CU35OPT (80058) NUT, PLAIN ROUND NO-REF-DESIG NO. 3-8.....		EA	1	*	*	*	*	*	*		3		
PAFZZ	5310-531-1026	IN-32 SMB207785 (80063) NUT, PLAIN, HEXAGON H6      MTS SW NO. 3-.....		EA	1	*	*	*	*	*	*		3		
PAFZZ	5310-811-3494	8-32 102-125-1232 (800631) NUT, SELF-LOCKING, HEXAGON H7      MTS.....		EA	2	*	*	*	*	*	*		3		
PAFZZ	5330-543-6985	FILTER TO SUPPORT BKT 365-832 (80044) PACKING, MATERIAL H3      SEALS FILTER.....		EA	1	*	*	*	*	*	*		20		H3
PAFZZ	5330-684-2063	COVER NC755 (03938) PACKING, PREFORMED NO-REF-DESIG U-W.....		EA	5	*	*	*	*	*	*		2		
PAFZZ	5330-640-9612	FILTER HOUSING COVER SCREWS MS29513-7 (96906) PACKING, PREFORMED NO-REF-DESIG SEALS SW .....		EA	1	*	*	*	*	*	*		2		
PAFZZ	5331-559-1291	SHAFT BUSING SCB96522 (80063) PACKING, PREFORMED NO-REF-DESIG .....		EA	1	*	*	*	*	*	*		2		
PAFZZ	5330-290-8815	WATERTIGHT SEAL AROUND STUD AN6227B2 (88044) PACKING, PREFORMED NO-REF-DESIG SEAL IN.....		EA	1	*	*	*	*	*	*		2		
PAFZZ	5330-222-2767	BATT COMPARTMENT SMB208101 (80063) PACKING, PREFORMED NO-REF-DESIG .....		EA	1	*	*	*	*	*	*		2		
PAFZZ	5315-697-3517	WATERTIGHT SEAL AROUND SHAFT 6227B1 (88044) PIN, STRAIGHT HEADED NO-REF-DESIG .....		EA	1	*	*	*	*	*	*		2		
PAFZZ	5315-524-0243	SECURES VOL CONTROL KNOB SHAFT TO YOKE SMB207850 (80063) PIN, STRAIGHT HEADED NO-REF-DESIG PINS.....		EA	2	*	*	*	*	*	*		2		
PAFZZ	5930-392-7489	HINGE FOR BATT COVER SMB207825 (80063) PLUNGER NO-REF-DESIG OPEN LINE SW.....		EA	1	*	*	*	*	*	*		2		
PAFZZ	5949-556-7801	SMB207795 (80063) POST BINDING NO-REF-DESIG .....		EA	2	*	*	*	*	*	*		1		
		SMB283479 (80063)													

SECTION V

TM 11-5805-255-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REF. NUMBER & MFR CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
PAFZZ	5940-553-2581	POST BINDING E1	BINDING POST U-106/U.....	EA	4	*	*	*	*	*	*	*	1		E1
PAFZZ	5940-553-2581	W06U (80063)	POST BINDING E2	BINDING POST U-106/U.....	EA	REF	*	*	*	*	*	*	1		E2
PAFZZ	5940-553-2581	W06U (80063)	POST BINDING E3	BINDING POST U-106/U.....	EA	REF	*	*	*	*	*	*	1		E3
PAFZZ	5940-553-2581	W06U (80063)	POST BINDING E4	BINDING POST U-106/U.....	EA	REF	*	*	*	*	*	*	1		E4
PAFZZ	5340-664-2589	W06U (80063)	RING, RETAINING NO-REF-DESIG	RETAINS BRG .....	EA	1	*	*	*	*	*	*	2		
PAFZZ	5340-200-2636	SMB207865 (80063)	RING, RETAINING NO-REF-DESIG	RETAINS BAR.....	EA	1	*	*	*	*	*	*	2		
PAFZZ	5340-200-2637	ACTUATOR	RING, RETAINING NO-REF-DESIG	RETAINS BAR.....	EA	2	*	*	*	*	*	*	2		
PAFZZ	5320-817-0593	SMB207780-2 (80063)	RIVET, TUBULAR NO-REF-DESIG	RETAINS BATT .....	EA	1	*	*	*	*	*	*	6		
PAFZZ	5305-514-8615	CONT ON CASE	207845 (80063)	SCREW, DRIVE H17 NO. 2	3-16 IN LG.....	EA	2	*	*	*	*	*	5		
PAFZZ	5395-638-1709	U2 (45722)	SCREW, MACHINE NO-REF-DESIG	NO.8-32 5-8 .....	EA	10	*	*	*	*	*	*	5		
PAFZZ	5305-207-7508	IN LG	SMB207855 (80063)	SCREW, SELF-LOCKING NO-REF-DESIG	HOLDS .....	EA	1	*	*	*	*	*	5		
PAFZZ	5305-524-0233	NO. 6-37 1-2 LG	R121KK251-62-025*	0 (13251)	SCREW, MACHINE MTS	FILTER COVER TO FILTR ASSY.....	EA	1	*	*	*	*	5		H10
PAFZZ	5305-524-0234	NO. 8-32; 1/2 IN LG	SCREW, MACHINE NO. 8-32	3/4IN LG.....	EA	4	*	*	*	*	*	*	5		H1
PAFZZ	5306-396-3422	SCC140763-1 (80063)	SCREW, SHOULDER NO-REF-DESIG	NO. 8-32 O-.....	EA	1	*	*	*	*	*	*	5		THRU H4
PAFZZ	5815-096-7433	744 IN LG	SMB207860 (80063)	SHAFT NO-REF-DESIG	CONNECTS KNOB TO .....	EA	1	*	*	*	*	*	1		
PAOZZ	8465-269-0682	BELL	SMC2078815 (80063)	SLING, CARRYING, BAG AND CASE	NO-REF-.....	EA	1	*	*	*	*	*	2		
PAFZZ	5805-692-6620	SMD208122 (80063)	SPACER A4	USED BETWEEN BRACKET AND .....	EA	1	*	*	*	*	*	*	2		A4
PAFZZ	5835-392-7952	FILTER HOUSING COVER	SCB140772 (80063)	SPACER ASSEMBLY NO-REF-DESIG	USED TO .....	EA	1	*	*	*	*	*	2		
PAFZZ	5363-301-5066	SPACE GEN IN HOUSING	SMB207793 (80063)	SPRING, HELICAL, TORSION	NO-REF-DESIG .....	EA	1	*	*	*	*	*	1		
PAFZZ	5363-301-3865	HANDSET RETAINING. 2 COILS RH	SMB207797 (80063)	SPRING, HELICAL, TORSION	NO-REF-DESIG .....	EA	1	*	*	*	*	*	1		



SECTION V

TM 11-5805-255-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REF. NUMBER & MFR CODE      USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
					1-20	21-50	51-100	1-20	21-50	51-100				
PAFZZ	5930-092-8733	CONTINUED HANDSET RETAINING 2 COILS IN SMC207794 (80063) STOP, ELECTRICAL SWITCH NO-REF-DESIG..... USED TO LIFT SW PLUNGER SMB207789 (80063)	EA	1	*	*	*	*	*	*		5		
PAFZZ	5930-399-7773	SWITCH ROTARY NO-REF-DESIG ..... SMA207875 (80063)	EA	1	*	*	*	*	*	*		5		
PAFZZ	5930-342-6073	SWITCH, ROTARY S1..... 69801F1 (76275)	EA	1	*	*	*	*	*	*		5		S1
PAFZZ	5940-545-8187	TERMINAL BOARD NO-REF-DESIG,INCL 8 TWIN ..... EYELET TERMS 2-468X 2-437 IN XO-7177 IN EXCL TERM G604080 (64959)	EA	1	*	*	*	*	*	*		3		
PAFZZ	5943-395-9392	TERMINAL, STUD NO-REF-DESIG PROVIDES ..... EXTERNAL BATT TERM SMB207857 (80063)	EA	2	*	*	*	*	*	*		1		
PAFZZ	5310-209-0473	WASHER FLAT NO-REF-DESIG W-2 KEYWAYS O..... 200 X 0-140 IN 0-324 IN OD XO-062 IN THK SMB207783 (80063)	EA	1	*	*	*	*	*	*		5		
PAFZZ	5310-235-7782	WASHER, FLAT H29 FOR NO. 8 SCREW 7-16..... IN OD X 0-49 IN THK FFW92A1A (96906)	EA	1	*	*	*	*	*	*		5		H29
PAFZZ	5310-186-7496	WASHER, LOCK H28 U-W FILTER HOUSING..... COVER 104-2S8R (80063)	EA	1	*	*	*	*	*	*		5		H28
PAFZZ	5310-595-7237	WASHER, RECESSED NO-REF-DESIG 0-425 IN ..... OD X 0-296 IN. DIA RECESS SMB207791 (80063)	EA	10	*	*	*	*	*	*		5		
PAOZZ	625-510-1786	WHISTLE, TELEPHONE TEST NO-REF-DESIG ..... USED FOR SIGNALING SCC140025 (80063)	EA	1	*	*	*	*	*	*		10		
PAOZZ	6625-510-1787	WHISTLE, TELEPHONIC TEST NO-REF-DESIG.... EA USED FOR SIGNALING SCC140012 (80063)	EA	3	*	*	*	*	*	*				

INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER  
 CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
5305-207-7508			5805-096-7431		
5305-514-8615			5805-096-7433		
5305-638-1709			5805-324-8831		
5306-396-3422			5805-392-7952		
5310-186-7496		H28	5805-392-8060		
5310-205-7782		H29	5805-393-1946		
5310-209-0473			5805-502-9486		
5310-531-1026			5805-503-1145		
5310-595-7237			5805-503-1577		
5310-638-4146			5805-663-5777		
5310-811-3494			5805-692-6618		A2
5315-524-0243			5805-692-6620		A4
5315-697-3517			5915-392-5981		
5320-817-0593			5915-537-7225		
5330- 222-2767			5930-092-8733		
5330-290-8815			5930-342-6073		S1
5330-543-6985		H3	5930-392-7489		
5330-5S9-1291			5933-399-7773		
5330-640-9612			5933-636-7234		
5330-684-2363			5940-395-9392		
5340-091-8742			5940-S45-8187		
5340-200-2636			5943-553-2581		E2
5340-200-2637			5940-553-2581		F3
5340-286-6S87		H1	5940-553-2581		E4
5340-286-6587		H2	5940-553-2581		E1
5340-290-5133			5940-S56-7801		
5340-291-3493			5950-646-3245		
5340-297-3841			5965-297-4661		
5340-514-2765			5970-S08-0930		
5340-664-2s89			6135-681-8597		
535S-616-9659			6625-510-1786		
5355-667-6839			6625-510-1787		
S360-3al-36s5			s46s-269-0682		
5360-301-5866					

  

REFERENCE NO.	MFR CODE	FIG NO	ITEM NO..	REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.
AN622782	88044			SMB207850	80063		
BZ23PT	80058			SMB207855	80063		
CU35OPT	80058			SMB207857	80063		
CY1717PT	80058			SM8207850	83063		
DIAPHRAGM	80063			SMB207364	80063		H4
FFW92A1A	96906		H29	SMB207865	50063		
G205701-2	64959		H1	SMB207866	08556		
G205701-2	64q59		H2	SMB207869	dO063		
G604080	64959			SMB208101	80063		
MS29513-7	96906			SMB283479	80063		
NC755	03938		H3	SMC207790	80063		
R121KK251-62-0250	13251			SMC207793	83063		
R121KK251-62-0250	13251			SMC207794	80063		
SCB140025	80063			SMC207795	80063		
SCB140772	80063		A4	SMC207796	80063		
SCB16552	80063		H4	SMC207797	80063		
SCB96522	89063			SMC207814	8063		
SCC140012	80063			SMC237849	80063		
SCC140765	80063		A2	SMC207862	80063		H3
SCC140773	80063			SMC2078815	83063		
SCC25236	80063			SMC208096	80063		
SMA207875	80063			SMD207879	80063		
SMB207780	80063			SMD208122	80363		
SMB207780-2	80063			U2	45722		H17
SMB207781-1	83063			WO6U	80063		F2
SMB207781-2	80063			WO6U	80063		F3
SMB207781-3	80063			WO6U	80063		E4
SMB207783	80063			WO6U	80063		FE1
SMB207785	80063			102-125-1232	80063		H6
SMB207787	80063		H3	104-268R	80863		H28
SMB207789	80063			207845	80063		
SMB207791	80063			365-832	88044		H7
SMB207792	80063			6227B1	88044		
SMB207825	80063			698O1F1	76275		S1
SMB207848	80063						

By Order of the Secretary of the Army:

CREIGHTON W. ABRAMS  
*General, United States Army*  
*Chief of Staff*

Official:

VERNE L. BOWERS  
*Major General, United States Army*  
*The Adjutant General*

Distribution:

Active Army:

USASA (2)  
CNGB (1)  
ACSC - E (2)  
USAARENBD (2)  
USAMB (10)  
AMC (1)  
TRADOC (2)  
ARADCOM (2)  
ARADCOM Rgn (2)  
OS Maj Comd (4)  
LOGCOMDS (5)  
MICOM (2)  
TECOM (2)  
USASTRATCOM (4)  
HISA (ECOM)(18)  
MDW (1)  
Armies  
Corps (2)  
Svc Colleges (2)  
USASESS (5)  
USAADS (2)  
USAFAS (2)  
USAARMS (2)  
USAIS (2)  
USAES (2)  
USAINTS (3)

USACDCEC(5)  
Instl (2) except  
Ft Gordon (10)  
Ft Huachuca (10)  
WSMR (2)  
Ft Carson (10)  
Army Dep (2) except  
LBAD (14)  
SAAD (30)  
TOAD (14)  
ATAD (10)  
Gen Dep (2)  
Sig Sec Gen Dep (2)  
Sig FLDMS (1)  
Sig Dep(5)  
USAERDAA (1)  
USAERDAW (1)  
MAAG (1)  
USARMIS (1)  
Ft Richardson (ECOM Ofc) (2)  
WRAMC (1)  
Units org under fol TOE:  
(1 cy each)  
11-158  
29-134  
29-136

NG: State AG (3)

USAR: None

For explanation of abbreviations used, see AR 310-50.

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS



THEN...JOT DOWN THE  
DOPE ABOUT IT ON THIS FORM.  
CAREFULLY TEAR IT OUT, FOLD IT  
AND DROP IT IN THE MAIL.

# SOMETHING WRONG WITH PUBLICATION

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

DATE SENT

PUBLICATION NUMBER

PUBLICATION DATE

PUBLICATION TITLE

BE EXACT PIN-POINT WHERE IT IS

PAGE  
NO.

PARA-  
GRAPH

FIGURE  
NO.

TABLE  
NO.

IN THIS SPACE, TELL WHAT IS WRONG  
AND WHAT SHOULD BE DONE ABOUT IT.

PRINTED NAME, GRADE OR TITLE AND TELEPHONE NUMBER

SIGN HERE

PIN: 028466-000

This fine document...

Was brought to you by me:



## [Liberated Manuals -- free army and government manuals](#)

Why do I do it? I am tired of sleazy CD-ROM sellers, who take publicly available information, slap “watermarks” and other junk on it, and sell it. Those masters of search engine manipulation make sure that their sites that sell free information, come up first in search engines. They did not create it... They did not even scan it... Why should they get your money? Why are not letting you give those free manuals to your friends?

I am setting this document FREE. This document was made by the US Government and is NOT protected by Copyright. Feel free to share, republish, sell and so on.

I am not asking you for donations, fees or handouts. If you can, please provide a link to [liberatedmanuals.com](http://liberatedmanuals.com), so that free manuals come up first in search engines:

<A HREF=<http://www.liberatedmanuals.com/>>Free Military and Government Manuals</A>

- Sincerely  
Igor Chudov  
<http://igor.chudov.com/>
- [Chicago Machinery Movers](#)